

Cavalier County Community Health Profile

NORTH
Dakota

Be Legendary.™

Health

August 2019

Authors:

Tracy K. Miller, PhD, MPH
State Epidemiologist

Kodi Pinks, MPH
Epidemiologist

Tara Haugen
Epidemiologist



TABLE OF CONTENTS

Data Sources	1
Photograph Credits	1
POPULATION DATA	
Table 1: Population by Age Group	2
Table 2: Female Population and Percentage Female by Age	2
Table 3: Race	2
Table 4: Household Populations	3
Table 5: Population Change	3
Table 6: Marital Status of Persons Age 15 and Older	3
Table 7: Educational Attainment Among Persons 25+	3
Table 8: Persons with Disability	4
Table 9: Income and Poverty Status by Age Group	4
Table 10: Family Poverty and Childhood and Elderly Poverty	4
Table 11: Age of Housing	4
VITAL STATISTICS DATA	
Birth and Deaths Definitions	5
Table 12: Births	6
Table 13: Child Deaths	6
Table 14: Deaths and Age Adjusted Death Rate by Cause	6
Table 15: Top Three Cancer Types for County	6
Table 16: Leading Causes of Death by Age Group for County	7
Table 17: Leading Causes of Death by Age Group for North Dakota	7
ADULT BEHAVIORAL RISK FACTORS	
Table 18:	
• Adult Behavioral Risk Factors Definition	8
• Alcohol	9
• Arthritis	9
• Asthma	9
• Body Weight	9
• Cancer	9
• Cardiovascular	9
Table 19:	
• Cholesterol	10
• Chronic Lung Disease	10
• Colorectal Cancer	10
• Diabetes	10
• Fruits and Vegetables	10
• General Health	10
Table 20:	
• Health Care Access	11
• Hypertension	11
• Immunization	11
• Injury	11
• Oral Health	11
• Physical Activity	11
• Tobacco	11
• Women’s Health	11
CRIME	
Table 21: County	12
Table 22: North Dakota	12
CHILD RISK	
Table 23: Child Indicators—Education	13
Child Indicators—Economic Health	13
Child Indicators—Families and Child Care	13
Child Indicators—Juvenile Justice	13

Data Sources

The Demographic Section of this report comes from the US Census Bureau ([census.gov](https://www.census.gov)). Most tables are derived either from the census estimates for 2017 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentiality, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: attorneygeneral.nd.gov/public-safety/crime-data.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography - Theodore Roosevelt National Park in Winter
stthomasphotos.com
- Jerry Blank – Lightening Storm north of Williston and sunset over Little Missouri river
jerryblank.us/gallery-nd.html
- ND Department of Commerce – Oil wells
commerce.nd.gov/news/MediaGallery
- ND Tourism Division – All other photos
ndtourism.com

POPULATION DATA

Table 1

Population by Age Group, 2017 Census Estimates				
Age Group	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
0-9	462	12.3%	103,467	13.7%
10-19	417	11.1%	93,853	12.4%
20-29	329	8.7%	125,485	16.6%
30-39	338	9.0%	102,161	13.5%
40-49	354	9.4%	79,080	10.5%
50-59	533	14.2%	92,294	12.2%
60-69	585	15.6%	81,859	10.8%
70-79	410	10.9%	43,942	5.8%
80+	334	8.9%	33,252	4.4%
Total	3,762	100.0%	755,393	100.0%
0-17	809	21.5%	175,772	23.3%
65+	1,030	27.4%	113,208	15.0%

Table 2



Female Population and Percentage Female by Age, 2017 Census Estimates				
Age Group	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
0-9	222	12.1%	50,715	13.8%
10-19	194	10.5%	45,292	12.3%
20-29	148	8.0%	57,676	15.7%
30-39	169	9.2%	47,260	12.8%
40-49	169	9.2%	37,656	10.2%
50-59	256	13.9%	45,390	12.3%
60-69	266	14.4%	40,271	10.9%
70-79	210	11.4%	23,044	6.3%
80+	207	11.2%	20,790	5.6%
Total	1,841	100.0%	368,094	100.0%
0-17	382	20.7%	85,917	23.3%
65+	554	30.1%	61,469	16.7%

Table 3

Race, 5-Year Estimates (2013-2017)				
Race	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total	3,817	100.0%	745,475	100%
White	3,653	95.7%	654,024	87.7%
Black	13	0.3%	17,365	2.3%
American Indian	43	1.1%	39,507	5.3%
Asian	0	0.0%	10,197	1.4%
Pacific Islander	0	0.0%	341	0.0%
Other	40	1.0%	6,600	0.9%
Multi-race	68	1.8%	17,441	2.3%

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates				
	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total	3,994	100.0%	666,783	100.0%
In Family Households	3,357	84.1%	509,097	76.4%
In Non-Family Households	524	13.1%	132,651	19.9%
Total In Households	3,881	97.2%	641,748	96.2%
Institutionalized*	83	2.1%	9,675	1.5%
Non-institutionalized*	30	0.8%	15,360	2.3%
Total in Group Quarters	113	2.8%	25,035	3.8%

*2011 is the most recent data

Table 5

Population Change 2000-2015				
Census	Cavalier County	5 Year Change (%)	North Dakota	5 Year Change (%)
2000	4,831		642,200	
2005	4,213	-12.8%	635,365	-1.1%
2010	3,993	-5.2%	672,591	5.9%
2015	3,830	-4.1%	754,859	12.2%




Table 6

Marital Status of Persons Age 15 and Older, 2017 ACS 5 Year Estimate				
Marital Status	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total Age 15+	3,154	100.0%	600,828	100.0%
Never Married	656	20.8%	191,063	31.8%
Now Married	2,060	65.3%	314,233	52.3%
Separated	9	0.3%	4,807	0.8%
Widowed	237	7.5%	33,646	5.6%
Divorced	196	6.2%	56,478	9.4%

Table 7

Educational Attainment Among Persons 25+, 2017 ACS 5 Year Estimate				
Education	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total	2,774	100.0%	485,490	100.0%
Less than 9th Grade	139	5.0%	15,927	3.3%
Some High School	84	3.0%	21,535	4.4%
High school or GRE	829	40.6%	131,653	27.1%
Some College / Associate's Degree	1,200	43.3%	176,105	36.2%
Bachelor's degree	443	16.0%	102,497	21.1%
Post Graduate Degree	79	2.8%	37,773	7.8%

POPULATION DATA

Persons with Disability, 2017 ACS Five Year Estimate				
Group	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total	3,719	100.0%	729,279	100.0%
Any Disability	386	10.4%	78,060	10.7%
No Disability	3,333	89.6%	651,219	89.3%
Self Care Disability	67	1.9%	11,586	1.7%
0-17 with any disability	9	2.3%	5,660	7.3%
18-64 with any disability	128	33.2%	38,516	49.3%
65+ with any disability	249	64.5%	33,884	43.4%

Table 8

Table 9

Income and Poverty Status by Age Group, 2017 ACS Five Year Estimate				
	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$65,505		\$61,285	
Per Capita Income	\$43,144		\$34,256	
	Number	Percent	Number	Percent
Below Poverty Level	320	8.6%	79,374	11.0%
Under 5 years	22	6.9%	7,367	9.3%
5 to 11 years	57	17.8%	8,330	10.5%
12 to 17 years	20	6.3%	5,092	6.4%
18 to 64 years	154	48.1%	49,573	62.5%
65 to 74 years	10	3.1%	3,790	4.8%
75 years and over	57	17.8%	5,222	6.6%

Table 10

Family Poverty and Childhood and Elderly Poverty, 2017 ACS Five Year Estimates				
	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Total Families	1,116	100.0%	187,057	100.00%
Families in Poverty	48	4.3%	12,720	6.80%
Families with Own Children	332	29.7%	86,220	46.09%
Families with Own Children in Poverty	41	3.7%	9,657	5.16%
Families with Own Children and Female Parent Only	39	3.5%	23,457	27.21%
Families with Own Children and Female Parent Only in Poverty	9	0.8%	8,374	4.48%
Total Known Children in Poverty	99	12.2%	20,789	11.8%
Total Known Age 65+ in Poverty	67	6.5%	9,012	8.0%

Table 11

Age of Housing, 2017 ACS Five Year Estimates				
	Cavalier County		North Dakota	
	Number	Percent	Number	Percent
Housing units: Total	2,341	100.0%	360,660	100.0%
1980 and Later	478	20.4%	161,476	44.8%
1970 to 1979	592	25.3%	66,696	18.5%
Prior to 1970	1,271	54.3%	132,488	36.7%

* Percent family poverty is percent of total families

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age <20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

Births, 2013-2017				
	Cavalier County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	249	12.5	55,310	16.5
Pregnancies and Rate	256	12.8	59,796	17.8
Fertility Rate		100.4		85.7
Teen Births and Rate	12	21.2	2,482	21.7
Teen Pregnancies and Rate	12	21.2	2,988	25.5
Out of Wedlock Births and Ratio	45	181.8	17,629	318.8
Out of Wedlock Pregnancies and Ratio	50	199.4	21,295	361.9
Low Birth Weight Birth and Ratio	24	91.3	3,553	64.3

Table 12

Table 13

Child Deaths, 2013-2017				
	Cavalier County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	NR	4.0	291	5.3
Child and Adolescent Deaths and Rate	NR	49.0	223	27.4
Total Deaths and Crude Rate	222	1,112.0	30,758	910.1

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2013-2017				
	Cavalier County		North Dakota	
	Number	Adj. Rate	Number	Adj. Rate
All Causes	222	440.7	30,758	760.2
Heart Disease	43	64.9	6,545	115.5
Cancer	50	8.3	6,284	161.1
Stroke	16	24.9	1,535	35.2
Alzheimer's Disease	19	26.7	2,118	44.9
COPD	18	25.4	1,674	39.8
Unintentional Injury	14	57.0	1,695	47.6
Diabetes	8	12.7	911	22.8
Pneumonia and Influenza	NR	1.8	823	19.0
Cirrhosis	NR	0.0	429	13.2
Suicide	NR	16.4	671	20.9
Hypertension	10	22.0	483	11.05

Table 15

2013-2017 Resident Deaths Due to Cancer by Top Three Reported Types	
Cavalier County	North Dakota
Lung	Lung
Breast	Colorectal
Colorectal	Pancreas

Vital Statistics Data

BIRTHS AND DEATHS

Table 16

Leading Causes of Death by Age Group for Cavalier County, 2013-2017			
Age	1	2	3
0-4	Congenital Anomaly*	No Reported Deaths	
5-14	Unintentional Injury*	No Reported Deaths	
15-24	Unintentional Injury*	Suicide*	No Reported Deaths
25-34	Unintentional Injury*	Suicide*	No Reported Deaths
35-44	Cancer*	Alcohol Abuse*	No Reported Deaths
45-54	Heart*	Cancer*	Unintentional Injury*
55-64	Cancer*	Unintentional Injury*	Diabetes*
65-74	Cancer 16	Heart*	Unintentional Injury*
75-84	Cancer 13	Heart 12	Alzheimer's Disease*
85+	Heart 24	Alzheimer's Disease 15	Cerebrovascular Disease 14

*Numbers less than six are not listed.

Leading Causes of Death by Age Group for North Dakota, 2013-2017			
Age	1	2	3
0-4	Perinatal Conditions 138	Congenital Anomaly 73	Sudden Infant Death 42
5-14	Unintentional Injury 26	Suicide 6	Congenital Anomaly*
15-24	Unintentional Injury 189	Suicide 134	Cancer 16
25-34	Unintentional Injury 216	Suicide 156	Heart 44
35-44	Unintentional Injury 171	Suicide 101	Cancer 88
45-54	Cancer 335	Heart 279	Unintentional Injury 188
55-64	Cancer 1,107	Heart 627	Unintentional Injury 194
65-74	Cancer 1,613	Heart 915	COPD 372
75-84	Cancer 1,788	Heart 1,426	COPD 554
85+	Heart 3,148	Alzheimer's Disease 1,569	Cancer 1,288

Table 17

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas.

To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 18

		ALCOHOL	Cavalier 2013-2017	North Dakota 2013-2017
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.		21.7 (14.7-28.6)	24.0 (23.3-24.7)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.		4.7 (1.7-7.7)	7.1 (6.6-7.5)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.		5.7 (0.0-13.9)	3.7 (3.2-4.3)
ARTHRITIS				
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.		32.1 (25.4-38.8)	24.3 (23.7-24.9)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.		40.1 (25.2-55.0)	46.7 (45.0-48.5)
ASTHMA				
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.		7.8 (4.2-11.5)	12.6 (12.1-13.1)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.		5.5 (2.3-8.7)	8.7 (8.3-9.2)
BODY WEIGHT				
Overweight, Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).		43.5 (35.5-51.6)	36.3 (35.5-37.1)
Obese	Respondents with a body mass index greater than or equal to 30 (obese).		33.4 (26.2-40.6)	31.9 (31.1-32.6)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese).		76.9 (70.8-83.0)	68.2 (67.4-68.9)
CANCER				
Any Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).		10.2 (6.3-14.1)	10.0 (9.7-10.4)
CARDIOVASCULAR				
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.		6.7 (3.3-10.1)	4.2 (4.0-4.5)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.		8.1 (4.5-11.8)	3.9 (3.7-4.2)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.		5.4 (1.5-9.3)	2.6 (2.4-2.8)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.		14.7 (9.4-19.9)	7.7 (7.4-8.1)

ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 19

CHOLESTEROL		Cavalier 2013-2017	North Dakota 2013-2017
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	42.8 (33.2-52.5)	37.5 (36.6-38.5)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	22.7 (14.5-31.0)	24.6 (23.6-25.5)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	46.0 (35.8-56.3)	34.0 (33.1-35.0)
CHRONIC LUNG DISEASE			
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	5.4 (2.5-8.2)	4.9 (4.6-5.2)
COLORECTAL CANCER			
No Colorectal Cancer Screening within Recommended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	48.7 (32.8-64.6)	36.7 (35.2-38.3)
DIABETES			
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	11.3 (6.4-16.1)	8.8 (8.4-9.1)
FRUITS AND VEGETABLES			
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	14.9 (6.8-23.0)	15.0 (14.3-15.7)
GENERAL HEALTH			
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	20.7 (14.9-26.5)	14.6 (14.0-15.1)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	14.9 (9.8-20.1)	11.4 (11.0-11.9)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	13.5 (8.0-18.9)	12.4 (11.8-12.9)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	20.2 (11.4-29.0)	14.3 (13.5-15.1)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	46.7 (38.0-55.4)	49.7 (48.8-50.6)



ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 20

HEALTH CARE ACCESS		Cavalier 2013-2017	North Dakota 2013-2017
Health Insurance	Respondents who reported not having any form or health care coverage.	9.2 (3.9-14.6)	8.8 (8.3-9.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	5.9 (1.7-10.1)	7.6 (7.1-8.1)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	22.6 (15.9-29.2)	27.5 (26.7-28.2)
HYPERTENSION			
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	44.4 (35.0-53.8)	29.9 (29.1-30.7)
IMMUNIZATION			
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	52.0 (40.4-63.6)	40.4 (39.2-41.6)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	19.5 (8.6-30.3)	26.3 (25.2-27.4)
INJURY			
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	16.0 (7.1-24.9)	28.8 (27.6-30.0)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	51.3 (42.8-59.9)	70.7 (69.9-71.5)
ORAL HEALTH			
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	38.0 (25.1-50.8)	34.2 (33.0-35.4)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	16.5 (8.8-24.2)	13.5 (12.8-14.2)
PHYSICAL ACTIVITY			
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	35.3 (27.7-42.8)	25.0 (24.3-25.7)
TOBACCO			
Current Smoking	Respondents who reported that they smoked every day or some days.	17.1 (11.0-23.2)	19.6 (18.9-20.2)
WOMEN'S HEALTH			
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	33.7 (16.4-50.9)	28.7 (26.7-30.8)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	23.7 (8.4-39.0)	28.1 (26.5-29.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the 2016 variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- Assault: only includes aggravated assault
- Theft: all other crimes against property

Table 21

Cavalier County							
	2013	2014	2015	2016	2017	5 year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	1	1	0	2	0	4	21.0
Robbery	0	0	0	0	0	0	0.0
Aggravated Assault	0	3	2	1	1	7	36.7
Violent Crimes	1	4	2	3	1	11	57.7
Burglary	1	2	4	9	6	22	115.3
Theft	33	19	19	20	6	97	508.4
Motor Vehicle Theft	3	4	4	2	0	13	68.1
Property Crimes	37	25	27	31	12	132	691.8
Drug/Narcotic Violations	0	4	5	9	2	20	104.8
Drug Equipment Violations	2	3	8	10	4	27	141.5
Drug Crimes	2	7	13	19	6	47	246.3
Total	40	36	42	53	19	190	995.8

Table 22

North Dakota							
	2013	2014	2015	2016	2017	5 year	5-Year Rate
Murder	14	19	21	17	12	83	2.2
Rape	394	420	454	390	434	2,092	55.4
Robbery	151	168	157	180	184	840	22.3
Aggravated Assault	1,164	1,164	1,199	1,134	1,217	5,878	155.7
Violent Crimes	1,723	1,771	1,831	1,721	1,847	8,893	235.6
Burglary	2,723	2,553	3,240	3,090	2,703	14,309	379.1
Theft	10,809	11,622	12,932	12,400	12,001	59,764	1583.4
Motor Vehicle Theft	1,307	1,513	1,724	1,890	1,670	8,104	214.7
Property Crimes	14,839	15,688	17,896	17,380	16,374	82,177	2177.3
Drug/Narcotic Violations	4,067	5,223	5,671	6,111	6,476	27,548	729.9
Drug Equipment Violations	3,838	4,712	5,143	5,495	5,995	25,183	667.2
Drug Crimes	7,905	9,935	10,814	11,606	12,471	52,731	1397.1
Total	24,467	27,394	30,541	30,707	30,692	143,801	3810.0

CHILD HEALTH INDICATORS

The following information is no longer available on the website:

- High school dropouts (dropouts per 1000 persons Grades 9-12)
- Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)
- Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)
- Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 23

Child Indicators: Education 2017	Cavalier County		North Dakota	
	Count	Percent	Count	Percent
Children ages 3 to 21 enrolled in special education in public schools	75	15.2%	15,175	13.6%
Four-Year High School Cohort Graduation Rate	97.2%		87.0%	
Average Expenditures per Student in Public Schools	\$13,000		\$11,715	
Child Indicators: Economic Health 2017	Cavalier County		North Dakota	
	Count	Percent	Count	Percent
TANF Recipients Ages 0-19	10	1.2%	4,528	2.3%
SNAP Recipients Ages 0-18	98	11.9%	37,427	20.1%
Eligible recipients of free or reduced price lunch	117	21.8%	37,597	31.8%
Medicaid Recipients Ages 0-20	218	24.7%	59,899	28.3%
Median Income for Families with Children Ages 0-17	\$88,929		\$79,077	
Children ages 0 to 17 living in low-income families (<200% of poverty)	156	20.0%	50,602	30.3%
Child Indicators: Families and Child Care 2017	Cavalier County		North Dakota	
	Count	Percent	Count	Percent
Women in the labor force, by age of children (ages 0-17)	228	74.8%	60,526	79.6%
Children Ages 0-17 Living in Single Parent Families	137	17.4%	38,264	22.5%
Children in Foster Care	LNE	NA	2,471	1.3%
Victims of child abuse and neglect - services required (percent of suspected victims)	15	88.2%	1,981	29.4%
Births to mothers receiving prenatal care beginning after first trimester or not at all	LNE	NA	1,338	12.5%
Child Indicators: Juvenile Justice 2017	Cavalier County		North Dakota	
	Count	Percent	Count	Percent
Children Ages 10-17 Referred to Juvenile Court	11	3.4%	3,591	5.0%

*LNE-Low Number Events

