Custer Health

Grant County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

August 2018





TABLE OF CONTENTS

Data Sources Photograph Credits	ii ii
POPULATION DATA	
Table 1: Population by Age Group	1
Table 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	2
Table 5: Population Change	2
Table 6: Marital Status of Persons Age 15 and Older	2
Table 7: Educational Attainment Among Persons 25+	2
Table 8: Persons with Disability	3
Table 9: Income and Poverty Status by Age Group	3
Table 10: Family Poverty and Childhood and Elderly Poverty	
Table 11: Age of Housing	3
VITAL STATISTICS DATA	
Birth and Deaths Definitions	4
Table 12: Births	5
Table 13: Child Deaths	5
Table 14: Deaths and Age Adjusted Death Rate by Cause	5
Table 15: Leading Causes of Death by Age Group for County	6
Table 16: Leading Causes of Death by Age Group for North Dakota	6
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	
Adult Behavioral Risk Factors Definition	7
Alcohol	
Arthritis	
Asthma	
Body Weight	8
• Cancer	8
Cardiovascular	8
Table 18:	
Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
Diabetes	
Fruits and Vegetables	
General Health Table 19:	9
	1,
Health Care Access	
Hypertension	
Immunization	
• Injury	
Oral Health	10
Physical Activity	10
Tobacco	
Women's Health	
CRIME	
Table 20: County	1
Table 21: North Dakota	1
CHILD RISK	
Table 22: Child Indicators—Education	1.
Table 23: Child Indicators—Economic Health	12
Table 24: Child Indicators—Families and Child Care	12
Table 25: Child Indicators—Juvenile Justice	12

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter www.sthomasphotos.com/
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells <u>www.commerce.nd.gov/news/MediaGallery/</u>
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Table 1

Population	by Age Grοι	лр, 2016 C	ensus Estir	nates
Age Group	Grant C	ounty	North D	akota
Age Gloup	Number	Percent	Number	Percent
0-9	294	12.4%	102,979	13.6%
10-19	231	9.7%	94,131	12.4%
20-29	204	8.6%	131,448	17.4%
30-39	210	8.8%	98,952	13.1%
40-49	229	9.6%	80,020	10.6%
50-59	347	14.6%	98,117	13.0%
60-69	398	16.7%	77,221	10.2%
70-79	280	11.8%	41,309	5.5%
80+	184	7.7%	32,750	4.3%
Total	2,377	100.0%	756,927	100.0%
0-17	488	20.5%	173,926	23.0%
65+	663	27.9%	107,281	14.2%

Table 2



2016 Cens	us Estimate	es		
Age Group	Grant C	ounty	North D	akota
Age Group	Number	Percent	Number	Percent
0-9	157	13.2%	50,339	13.7%
10-19	135	11.3%	45,524	12.4%
20-29	94	7.9%	59,466	16.2%
30-39	104	8.7%	46,021	12.5%
40-49	104	8.7%	38,369	10.4%
50-59	166	13.9%	48,072	13.1%
60-69	192	16.1%	37,852	10.3%
70-79	140	11.7%	21,927	6.0%
80+	100	8.4%	20,504	5.6%
Total	1,192	100.0%	368,074	100.0%
0-17	270	22.7%	84,955	23.1%
65+	333	27.9%	58,828	16.0%

Female Population and Percentage Female by Age,

Table 3

Race, Five Year Estimate	es (2012-2016)			
Race	Grant C	ounty	North D	akota
Nace	Number	Percentage	Number	Percentage
Total	2,369	100%	721,640	100%
White	2,294	96.8%	640,208	88.7%
Black	7	0.3%	11,872	1.6%
American Indian	37	1.6%	38,286	5.3%
Asian	4	0.2%	8,979	1.2%
Pacific Islander	0	0.0%	304	0.0%
Other	10	0.4%	5,859	0.8%
Multi-race	17	0.7%	16,132	2.2%

POPULATION DATA


Table 4

Household Populations, 2011	ACS Five Yo	ear Estima	ites	
	Grant C	ounty	North D	akota
	Number	Percent	Number	Percent
Total	2,458	100.0%	666,783	100.0%
In Family Households	1,899	77.3%	509,097	76.4%
In Non-Family Households	473	19.2%	132,651	19.9%
Total In Households	2,372	96.5%	641,748	96.2%
Institutionalized	25	1.0%	9,675	1.5%
Non-institutionalized	61	2.5%	15,360	2.3%
Total in Group Quarters	86	3.5%	25,035	3.8%

Table 5

Population 2000-2015	Change			
Census	Grant County	5 Year Change	North Dakota	5 Year Change
2000	2,841		642,200	
2005	2,561	-9.9%	635,365	-1.1%
2010	2,394	-6.5%	672,591	5.9%
2015	2,398	0.2%	754,859	12.2%

Table 6





Educational Attainment Among Five Year Estimates	Persons 2	5+, 2016 AC	S	
Education	Grant	County	North D	akota
Ludcation	Number	Percent	Number	Percent
Total	1,816	100.0%	468,030	100.0%
Less than 9th Grade	105	5.8%	18,153	3.9%
Some High School	101	5.6%	20,552	4.4%
High school or GRE	674	40.7%	128,248	27.4%
Some College/Assoc. Degree	608	33.4%	171,543	36.6%
Bachelor's Degree	248	3 13.7%	93,946	20.1%
Post Graduate Degree	80	4.4%	35,588	7.6%

POPULATION DATA

Table 8

Persons with Disability,	2016 ACS Fi	ve Year Est	imates	
Group	Grant C	ounty	North D	akota
Group	Number	Percent	Number	Percent
Total	2,325	100.0%	706,307	100.0%
Any Disability	307	13.2%	74,348	10.5%
No Disability	2,018	86.8%	631,959	89.5%
Self Care Disability	32	1.5%	10,879	1.7%
0-17 with any disability	10	3.3%	4,816	6.5%
18-64 with any disability	91	29.6%	36,427	49.0%
65+ with any disability	206	67.1%	33,105	44.5%

Table 9

Income and Poverty Status by A	Age Group, 2	2016 ACS		
	Grant C	ounty	North D	akota
Median Household Income		\$45,978		\$57,181
Per Capita Income		\$32,200		\$32,035
	Number	Percent	Number	Percent
Below Poverty Level	315	13.6%	79,758	11.5%
Under 5 Years	7	2.2%	7,710	9.7%
5 to 11 Years	9	2.9%	8,335	10.5%
12 to 17 Years	29	9.2%	5,671	7.1%
18 to 64 Years	161	51.1%	48,857	61.3%
65 to 74 Years	33	10.5%	3,470	4.4%
75 Years and Over	76	24.1%	5,715	7.2%

Table 10

Family Poverty and Childhood and Elderly Poverty, 2016 ACS	Five Year	Estimates	5	
	Grant (County	North D	akota
	Number	Percent	Number	Percent
Total Families	674	100.0%	181,864	100.0%
Families in Poverty	69	10.2%	13,094	7.2%
Families with Own Children	202	30.0%	83,864	46.1%
Families with Own Children in Poverty	18	2.7%	10,231	5.6%
Families with Own Children and Female Parent Only	16	2.4%	23,496	28.0%
Families with Own Children and Female Parent Only in Poverty	1	0.1%	8,881	4.9%
Total Known Children in Poverty	45	9.2%	21,716	12.5%
Total Known Age 65+ in Poverty	109	16.4%	9,185	8.6%

Table 11

Age of Housing, 201	6 ACS Fiv	e Year E	stimates	
	Grant (County	North D	akota
	Number	Percent	Number	Percent
Housing Units: Total	1,706	100.0%	341,062	100.0%
1980 and Later	407	23.9%	139,698	41.0%
1970 to 1979	288	16.9%	67,404	19.8%
Prior to 1970	1,011	59.3%	133,960	39.3%

* Percent family poverty is percent of total families



Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x = 1,000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1,000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1,000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1,000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1,000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1,000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1,000.

Low Weight Ratio = Low weight births (birth weight < 2,500 grams) divided by total resident live births x 1,000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x = 1,000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

Table 12

Births, 2012-2016							
	Grant (County	North Dakota				
	Number	Rate or Ratio	Number	Rate or Ratio			
Live Births and Rate	136	11.4	54,644	16.3			
Pregnancies and Rate	143	12.0	59,226	17.6			
Fertility Rate	98	3.2	84.6				
Teen Births and Rate	6	21.1	2,715	23.8			
Teen Pregnancies and Rate	9	31.6	3,263	28.6			
Out of Wedlock Births and Ratio	27	198.5	17,518	320.6			
Out of Wedlock Pregnancies and Ratio	33	230.8	21,289	359.5			
Low Birth Weight Birth and Ratio	7	51.5	3,448	63.1			

Table 13

Child Deaths, 2012-2016								
	Grant	County	North Dakota					
	Number	Rate or Ratio	Number	Rate or Ratio				
Infant Deaths and Ratio	0	0.0	299	5.5				
Child and Adolescent Deaths and Rate	NR	131.6	235	28.8				
Total Deaths and Crude Rate	162	1,353.4	30,152	896.6				

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016								
	Grant	County	North	orth Dakota				
	Number	Adj. Rate	Number	Adj. Rate				
All Causes	162	488.3	30,303	674.8				
Heart Disease	42	118.1	6,571	140.3				
Cancer	36	91.9	6,215	142.1				
Stroke	13	25.1	1,546	31.9				
Alzheimer's Disease	11	31.0	2,130	41.2				
COPD	6	14.7	1,623	35.2				
Unintentional Injury	NR	35.7	1,764	45.9				
Diabetes Mellitus	NR	3.1	908	20.6				
Pneumonia and Influenza	NR	10.4	791	16.5				
Cirrhosis	NR	21.6	429	11.6				
Suicide	NR	18.0	630	18.4				
Hypertension	NR	3.1	467	9.5				

NR-Not Reportable



Vital Statistics Data

BIRTHS AND DEATHS

Table 15

Leading Caus	ses of Death by Age Group 1	for Grant County, 2012-201 2	6 3		
0-4		No Reported Deaths			
5-14	Congenital Anomaly*	No Report	ed Deaths		
15-24	Unintentional Injury*	Suicide*	No Reported Deaths		
25-34	Unintentional Injury*	No Report	ed Deaths		
35-44	Cirrhosis*	No Reported Deaths			
45-54	Heart*	Cirrhosis*	Cancer*		
55-64	Cancer*	Heart*	Suicide*		
65-74	Cancer 11	Heart*	Cerebrovascular Disease*		
75-84	Cancer 13	Heart 9	Cerebrovascular Disease 6		
85+	Heart 27	Alzheimer's Disease 10	Cancer 7		

^{*}Numbers less than six are not listed.

Leading Caus	Leading Causes of Death by Age Group for North Dakota, 2012-2016						
Age	1	2	3				
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death				
0-4	53	50	45				
5-14	Unintentional Injury	Suicide	Homicide*				
5-14	21	6					
45.04	Unintentional Injury	Suicide	Cancer				
15-24	191	127	16				
05.04	Unintentional Injury	Suicide	Heart				
25-34	211	125	50				
25.44	Unintentional Injury	Suicide	Heart				
35-44	184	107	99				
45-54	Cancer	Heart	Unintentional Injury				
45-54	350	282	210				
EE C4	Cancer	Heart	Unintentional Injury				
55-64	1,094	646	192				
CE 74	Cancer	Heart	COPD				
65-74	1,563	902	348				
75.04	Cancer	Heart	COPD				
75-84	1,793	1,441	565				
05.	Heart	Alzheimer's Disease	Cancer				
85+	3,141	1,566	1,261				

^{*}Numbers less than six are not listed.



ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	ALCOHOL	Grant	North Dakota
		2011-2015	2011-2015
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	24.4 (12.5-36.2)	24.1 (23.3-24.9)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	9.8 (0.0-21.6)	6.7 (6.3-7.2)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	1.6 (0.0-4.7)	3.4 (2.8-3.9)
Activity Limitation Due to Arthritis	ARTHRITIS Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	35.4 (16.9-53.8)	47.0 (45.2-48.9)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	26.3 (18.5-34.1)	24.6 (24.0-25.2)
	ASTHMA		
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	11.2 (0.0-22.3)	11.9 (11.3-12.4)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	4.3 (1.3-7.2)	8.4 (7.9-8.9)
	BODY WEIGHT		
Overweight, Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	42.2 (30.6-53.8)	36.5 (35.7-37.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese).	34.8 (24.6-45.0)	30.3 (29.6-31.1)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese).	77.0 (68.8-85.2)	66.8 (66.0-67.7)
	CANCER		
Any Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	8.3 (3.4-13.3)	6.4 (6.1-6.7)
	CARDIOVASCULAR		
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	7.8 (3.8-11.9)	4.3 (4.0-4.5)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	3.2 (0.7-5.6)	4.0 (3.7-4.2)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	1.1 (0.0-2.8)	2.4 (2.2-2.6)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	8.4 (4.3-12.5)	7.5 (7.2-7.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

10010 10			
	CHOLESTEROL	Grant 2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	18.0 (6.6-29.5)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	22.5 (10.6-34.3)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	44.6 (31.3-57.9)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	5.1 (0.6-9.7)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recom- mended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	57.5 (38.7-76.2)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	6.3 (2.8-9.8)	8.5 (8.2-8.9)
	FRUITS AND VEGETABLES		
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	8.1 (2.7-13.4)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	21.2 (12.4-30.0)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	14.2 (7.2-21.2)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	12.2 (4.5-20.0)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	6.7 (1.7-11.6)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	31.9 (21.9-41.9)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	Grant 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form or health care coverage.	16.7 (4.5-29.0)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	8.1 (0.9-15.4)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	25.9 (14.1-37.8)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	33.4 (21.8-45.0)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	50.3 (35.8-64.8)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	48.2 (33.1-63.3)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	39.5 (35.8-64.8)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	51.2 (39.6-62.8)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	66.3 (51.8-80.9)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	14.3 (5.5-23.1)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	27.9 (19.4-36.5)	25.1 (24.4-25.8)
	TOBACCO	4= -	22.5
Current Smoking	Respondents who reported that they smoked every day or some days.	17.4 (8.5-26.2)	20.6 (19.9-21.4)
	Women 19 and alder who reported that they have not	00 =	05.4
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	36.7 (11.1-62.2)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	52.0 (30.7-73.3)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General's website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- <u>Assault</u>: only includes aggravated assault
- <u>Larceny</u>: all other property crimes

Grant County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	1	0	0	1	1	3	25.3
Robbery	1	0	0	0	0	1	8.4
Assault	3	0	2	0	1	6	50.5
Violent crime	5	0	2	1	2	10	84.2
Burglary	11	0	4	5	4	24	202.2
Larceny	8	4	0	0	3	15	126.4
Motor vehicle theft	3	0	0	0	0	3	25.3
Property crime	22	4	4	5	7	42	353.8
Total	27	4	6	6	9	52	438.1

Table 21

North Dakota							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impact by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person Juvenile Court Referral (Percentage of total juvenile court referral)

Alcohol-Related Juvenile Court Referral (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016		ant unty	North Dakota		
Children ages 3 to 21 enrolled in special education in public schools	47	20.4%	14,426	13.2%	
Four-year high school cohort graduates	92.9%		88.	7%	
Average expenditure per student in public school	\$15,407 \$ ²		\$11	,418	

Table 23

Child Indicators: Economic Health 2016	Gra Cou	ant inty	North Dakota	
TANF recipients ages 0-19 (Percentage of persons ages 0-19)	5	1.0%	4,649	2.3%
SNAP recipients ages 0-18 (Percentage of all children ages 0-19)	92	17.9%	37,758	20.3%
Eligible recipients of free or reduced price lunch	115	43.4%	37,928	32.6%
Medicaid recipients ages 0-20 (Percentage of all persons ages 0-20)	218	40.1%	59,156	28.0%
Median income for families with children ages 0-17 (Percentage of all women with children ages 0-17)	\$77,125 \$7		\$75,	818
Children ages 0 to 17 living in low-income families (<200% of poverty)	144	33.8%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	Grant County		North Dakota	
Women in labor force, by age of children (ages 0-17)	162	83.9%	59,532	79.4%
Children ages 0-17 living in a single parent family (Percentage of all children ages 0-17)	28	6.5%	39,192	23.4%
Children in foster care (Percentage of children ages 0-18)	25	5.1%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	15	57.7%	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	LNE	NA	1,612	14.2%

Child Indicators: Juvenile Justice 2016	Grant County		North Dakota	
Children ages 10-17 referred to juvenile court (Percentage of all children ages 0-17)	9	4.8%	3,471	4.9%

^{*}LNE-Low Number Events