

LaMoure County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH **Epidemiologist**

May 2018





TABLE OF CONTENTS

Data Sources Photograph Credits	1
POPULATION DATA Table 1: Population by Age Group	2
Table 1: Population by Age Group Table 2: Female Population and Percentage Female by Age	2
Table 3: Race	2
Table 4: Household Populations	3
Table 5: Population Change	3
Table 6: Marital Status of Persons Age 15 and Older	3
Table 7: Educational Attainment Among Persons 25+	3
Table 8: Persons with Disability	4
Table 9: Income and Poverty Status by Age Group	4
Table 10: Family Poverty and Childhood and Elderly Poverty	4
Table 11: Age of Housing	4
VITAL STATISTICS DATA	
Birth and Deaths Definitions	5
Table 12: Births	6
Table 13: Child Deaths	6
Table 14: Deaths and Age Adjusted Death Rate by Cause	6
Table 15: Leading Causes of Death by Age Group for County	7
Table 16: Leading Causes of Death by Age Group for North Dakota	7
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	
Adult Behavioral Risk Factors Definition	8
Alcohol	
• Arthritis	
1 10411114	
Body Weight	
• Cancer	
Cardiovascular Table 18	9
Table 18:	
• Cholesterol	
Chronic Lung Disease	
Colorectal Cancer	
• Diabetes	10
Fruits and Vegetables	10
General Health	
Table 19:	
Health Care Access	1
Hypertension	
Immunization	
• Injury	
Oral Health	
Physical Activity T. 1	
Tobacco	
Women's Health	1
CRIME	
Table 20: County	12
Table 21: North Dakota	12
CHILD RISK Table 22: Child Indicators—Education	11
Table 22: Child Indicators—Education Table 23: Child Indicators—Economic Health	1.1
Table 24: Child Indicators—Families and Child Care	11
Table 25: Child Indicators—Juvenile Justice	11

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter www.sthomasphotos.com/
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells <u>www.commerce.nd.gov/news/MediaGallery/</u>
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Population by Age Group, 2016 Census Estimates							
Age Group	LaMoure	County	North Dakota				
Age Cloup	Number	Percent	Number	Percent			
0-9	479	11.7%	105,035	13.9%			
10-19	507	12.3%	93,820	12.4%			
20-29	358	8.7%	127,579	16.8%			
30-39	373	9.1%	101,492	13.4%			
40-49	401	9.8%	79,632	10.5%			
50-59	621	15.1%	95,466	12.6%			
60-69	604	14.7%	80,159	10.6%			
70-79	379	9.2%	41,996	5.5%			
80+	389	9.5%	32,773	4.3%			
Total	4,111	100.0%	757,952	100.0%			
0-17	896	21.8%	176,311	23.3%			
65+	1,027	25.0%	109,999	14.5%			



Table 2

Female Population and Percentage Female by Age, 2016 Census Estimates							
Age Group	LaMoure	County	North D	akota			
Age Group	Number	Percent	Number	Percent			
0-9	221	11.1%	51,145	13.9%			
10-19	228	11.4%	45,349	12.3%			
20-29	162	8.1%	58,619	15.9%			
30-39	184	9.2%	47,001	12.7%			
40-49	192	9.6%	37,992	10.3%			
50-59	303	15.2%	46,809	12.7%			
60-69	269	13.5%	39,397	10.7%			
70-79	199	10.0%	22,236	6.0%			
*************************************	237	11.9%	20,430	5.5%			
Total	1,995	100.0%	368,978	100.0%			
0-17	411	20.6%	85,921	23.3%			
65+	549	27.5%	60,025	16.3%			

Table 3

Race, Five Year Estimates (2012-2016)								
Race	LaMoure	County	North E	North Dakota				
Nace	Number	Percentage	Number	Percentage				
Total	4,111	100.0%	736,162	100%				
White	4,037	98.2%	649,730	88.3%				
Black	6	0.1%	14,761	2.0%				
American Indian	13	0.3%	38,369	5.2%				
Asian	0	0.0%	9,296	1.3%				
Pacific Islander	0	0.0%	336	0.0%				
Other	6	0.1%	5,691	0.8%				
Multi-race	49	1.2%	17,979	2.4%				

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates						
	LaMoure	County	North Dakota			
	Number	Percent	Number	Percent		
Total	4,184	100.0%	666,783	100.0%		
In Family Households	3,367	80.5%	509,097	76.4%		
In Non-Family Households	738	17.6%	132,651	19.9%		
Total In Households	4,105	98.1%	641,748	96.2%		
Institutionalized	63	1.5%	9,675	1.5%		
Non-institutionalized	16	0.4%	15,360	2.3%		
Total in Group Quarters	79	1.9%	25,035	3.8%		

*2011 is the most recent data

Table 5

Population Change 2000-2015							
Census	LaMoure County	5 Year Change	North Dakota	5 Year Change			
2000	4,701		642,200				
2005	4,281	-8.9%	635,365	-1.1%			
2010	4,139	-3.3%	672,591	5.9%			
2015	4,128	-0.3%	754,859	12.2%			



Table 6

Marital Status of Persons Age 15 and Older, 2016 ACS Five Year Estimates							
Marital Status	LaMoure	County	North Dakota				
Marital Status	Number	Percent	Number	Percent			
Total Age 15+	3,388	100.0%	594,068	100.0%			
Never Married	661	19.5%	189,508	31.9%			
Now Married	2,172	64.1%	308,915	52.0%			
Separated	30	0.9%	5,347	0.9%			
Widowed	268	7.9%	33,862	5.7%			
Divorced	254	7.5%	56,436	9.5%			

Educational Attainment Among Persons 25+, 2016 ACS Five Year Estimates								
Education	LaMoure	County	North D	akota				
Education	Number	Percent	Number	Percent				
Total	2,952	100.0%	477,607	100.0%				
Less than 9th Grade	236	8.0%	16,846	3.5%				
Some High School	169	5.7%	21,188	4.4%				
High school or GRE	898	17.9%	131,086	27.4%				
Some College/Assoc. Degree	984	33.3%	173,933	36.4%				
Bachelor's Degree	518	17.5%	97,890	20.5%				
Post Graduate Degree	147	5.0%	36,664	7.7%				

POPULATION DATA

Table 8

Persons with Disability, 2016 ACS Five Year Estimates								
Group	LaMoure	County	North Dakota					
Gloup	Number Percent		Number	Percent				
Total	4,042	100.0%	720,312	100.0%				
Any Disability	478	11.8%	77,651	10.8%				
No Disability	3,564	88.2%	642,661	89.2%				
Self Care Disability	51	1.3%	11,469	1.7%				
0-17 with any disability	15	3.1%	5,618	7.2%				
18-64 with any disability	158	33.1%	38,310	49.3%				
65+ with any disability	305	63.8%	33,723	43.4%				

Table 9

Income and Poverty Status by Age Group, 2016 ACS Five Year Estimates						
	LaMoure	County	North D	akota		
Median Household Income		\$55,900		\$59,114		
Per Capita Income		\$36,493		\$33,107		
	Number	Percent	Number	Percent		
Below Poverty Level	384	9.6%	79,314	11.2%		
Under 5 Years	32	8.3%	7,618	9.6%		
5 to 11 Years	41	10.7%	8,423	10.6%		
12 to 17 Years	29	7.6%	5,349	6.7%		
18 to 64 Years	158	41.1%	48,969	61.7%		
65 to 74 Years	38	9.9%	3,532	4.5%		
75 Years and Over	86	22.4%	5,423	6.8%		

Table 10

	LaMoure	County	North Dakota	
	Number	Percent	Number	Percent
Total Families	1,139	100.0%	183,466	100.00%
Families in Poverty	89	7.8%	12,659	6.90%
Families with Own Children	408	35.8%	84,714	46.17%
Families with Own Children in Poverty	41	3.6%	9,912	5.40%
Families with Own Children and Female Parent Only	24	2.1%	23,485	27.72%
Families with Own Children and Female Parent Only in Poverty	8	0.7%	8,408	4.58%
Total Known Children in Poverty	102	11.4%	21,390	12.1%
Total Known Age 65+ in Poverty	124	12.1%	8,955	8.1%

* Percent family poverty is percent of total families

Table 11

Age of Housing, 2016 ACS Five Year Estimates							
	LaMoure County North Dakota						
	Number	Percent	Number	Percent			
Housing Units: Total	2,228	100.0%	350,134	100.0%			
1980 and Later	428	19.2%	149,657	42.7%			
1970 to 1979	458	20.6%	67,069	19.2%			
Prior to 1970	1,342	60.2%	133,408	38.1%			

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

Table	12
-------	----

Births, 2012-2016					
	LaMoure	County	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio	
Live Births and Rate	233	11.3	54,644	16.3	
Pregnancies and Rate	240	11.6	59,226	17.6	
Fertility Rate		92.3		84.6	
Teen Births and Rate	NR	9.6	2,715	23.8	
Teen Pregnancies and Rate	NR	7.7	3,263	28.6	
Out of Wedlock Births and Ratio	40	171.7	17,518	320.6	
Out of Wedlock Pregnancies and Ratio	45	187.5	21,289	359.5	
Low Birth Weight Birth and Ratio	14	60.1	3,448	63.1	

Table 13

Child Deaths, 2012-2016				
	LaMoure	County	North I	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	0	0.0	299	5.5
Child and Adolescent Deaths and Rate	NR	22.0	235	28.8
Total Deaths and Crude Rate	218	1,053.4	30,152	896.6

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016									
	LaMoure	e County	North I	Dakota					
	Number	Adj. Rate	Number	Adj. Rate					
All Causes	218	442.4	30,303	674.8					
Heart Disease	66	122.3	6,571	140.3					
Cancer	45	91.6	6,215	142.1					
Stroke	8	13.0	1,546	31.9					
Alzheimer's Disease	13	22.8	2,130	41.2					
COPD	14	23.6	1,623	35.2					
Unintentional Injury	11	51.5	1,764	45.9					
Diabetes Mellitus	13	32.5	908	20.6					
Pneumonia and Influenza	7	10.2	791	16.5					
Cirrhosis	NR	5.8	429	11.6					
Suicide	NR	14.6	630	18.4					
Hypertension	NR	3.6	467	9.5					

NR-Not Reportable

Vital Statistics Data

BIRTHS AND DEATHS

Table 15

Leading Caus	ses of Death by Age Group 1	for LaMoure County, 2012	-2016 3					
0-4		No Reported Deaths						
5-14	Unintentional Injury*	No Reporte	ed Deaths					
15-24	Unintentional Injury*	No Reported Deaths						
25-34	Unintentional Injury*	Suicide* No Reported Dea						
35-44	Heart*	Unintentional Injury*	Cancer*					
45-54	Cancer*	Heart*	Suicide*					
55-64	Cancer 13	Heart*	Diabetes*					
65-74	Cancer 7	Heart 8	COPD*					
75-84	Heart 13	Cancer 12	COPD*					
85+	Heart 39	Alzheimer's Disease 11	Cancer 10					

^{*}Numbers less than six are not listed.

Leading Causes of Death by Age Group for North Dakota, 2012-2016								
Age	1	2	3					
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death					
0-4	53	50	45					
5-14	Unintentional Injury	Suicide	Homicide*					
5-14	21	6						
15-24	Unintentional Injury	Suicide	Cancer					
13-24	191	127	16					
25-34	Unintentional Injury	Suicide	Heart					
23-34	211	125	50					
35-44	Unintentional Injury	Suicide	Heart					
33-44	184	107	99					
45-54	Cancer	Heart	Unintentional Injury					
43-34	350	282	210					
55-64	Cancer	Heart	Unintentional Injury					
33-04	1,094	646	192					
65-74	Cancer	Heart	COPD					
03-74	1,563	902	348					
75-84	Cancer	Heart	COPD					
75-04	1,793	1,441	565					
85+	Heart	Alzheimer's Disease	Cancer					
05+	3,141	1,566	1,261					

^{*}Numbers less than six are not listed.

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 17

ALCOHOL	LaMoure 2011-2015	North Dakota 2011-2015
Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	11.3 (6.4-16.2)	24.1 (23.3-24.9)
Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	5.5 (1.8-9.1)	6.7 (6.3-7.2)
Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	3.6 (0.0-7.2)	3.4 (2.8-3.9)
ARTHRITIS		
Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	39.6 (31.7-47.4)	24.6 (24.0-25.2)
Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	57.5 (39.2-75.9)	47.0 (45.2-48.9)
ASTHMA		
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	13.0 (7.5-18.5)	11.9 (11.3-12.4)
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	9.2 (4.2-14.3)	8.4 (7.9-8.9)
BODY WEIGHT		
Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	39.0 (31.1-47.0)	36.5 (35.7-37.3)
Respondents with a body mass index greater than or equal to 30 (obese).	34.5 (26.9-42.1)	30.3 (29.6-31.1)
Respondents with a body mass index greater than or equal to 25 (overweight or obese).	73.5 (65.9-81.1)	66.8 (66.0-67.7)
CANCER		
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	8.4 (3.7-13.2)	6.4 (6.1-6.7)
CARDIOVASCULAR		
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	7.4 (3.4-11.5)	4.3 (4.0-4.5)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	2.9 (0.4-5.4)	4.0 (3.7-4.2)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	5.8 (2.5-9.0)	2.4 (2.2-2.6)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	12.0 (7.1-16.8)	7.5 (7.2-7.8)
	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. ARTHRITIS Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis. Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. ASTHMA Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. Respondents who reported ever have been told by a doctor, nurse or other health professional that they had some form or arthritis. Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. ASTHMA Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CANCER Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had cancer (excluding skin cancer). CANCIER Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had octor, nurse or other health care professional that they had octor, nurse or other health care

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

		LaMoure	North Dakota
	CHOLESTEROL	2011-2015	2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	12.1 (5.1-19.2)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	16.0 (8.2-23.9)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	43.9 (32.9-54.8)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	4.3 (1.4-7.2)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recommended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	28.2 (13.9-42.4)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	10.8 (6.3-15.3)	8.5 (8.2-8.9)
	FRUITS AND VEGETABLES		
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	19.8 (11.7-27.9)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	22.3 (15.4-29.1)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	14.6 (8.6-20.6)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	5.7 (1.8-9.6)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	17.4 (8.0-26.9)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	33.6 (26.1-41.2)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	LaMoure 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form or health care coverage.	4.7 (1.1-8.2)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	8.6 (4.1-13.1)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	12.7 (7.5-18.0)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	48.4 (38.1-58.7)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	39.4 (27.2-51.6)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	30.6 (18.2-43.0)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	36.9 (23.1-50.6)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	53.3 (44.8-61.8)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	36.0 (24.1-47.8)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	23.4 (12.9-33.9)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	30.0 (22.7-37.3)	25.1 (24.4-25.8)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days.	20.9 (14.3-27.5)	20.6 (19.9-21.4)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	32.6 (8.1-57.0)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	30.6 (15.0-46.2)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- Assault: only includes aggravated assault
- <u>Larceny</u>: all other crimes against property

LaMoure County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	0	1	1	0	1	3	14.6
Robbery	1	0	0	0	0	1	4.9
Assault	1	2	2	2	1	8	39.0
Violent crime	2	3	3	2	2	12	58.5
Burglary	2	3	2	5	0	12	58.5
Larceny	5	7	4	2	0	18	87.8
Motor vehicle theft	3	0	0	0	1	4	19.5
Property crime	10	10	6	7	1	34	165.9
Total	12	13	9	9	3	46	224.4

Table 21

North Dakota							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
·			·	·			
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016	LaMoure County		North Dakota	
Children ages 3 to 21 enrolled in special education in public schools	87	13.3%	14,426	13.2%
Four-year high school cohort graduates	88.	88.5%		7%
Average expenditure per student in public school	\$12,584		\$11	,418

Table 23

Child Indicators: Economic Health 2016	LaMoure County		North Dakota	
TANF recipients ages 0-19	9	0.9%	4,649	2.3%
SNAP recipients ages 0-18	106	11.2%	37,758	20.3%
Eligible recipients of free or reduced price lunch	233	35.0%	37,928	32.6%
Medicaid recipients ages 0-20	243	23.9%	59,156	28.0%
Median income for families with children ages 0-17	\$79,375		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	242	29.1%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	LaMoure County		North Dakota	
Women in labor force, by age of children (ages 0-17)	290	77.5%	59,532	79.4%
Children ages 0-17 living in a single parent family	80	9.2%	39,192	23.4%
Children in foster care	0	0.0%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	LNE	NA	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	LNE	NA	1,612	14.2%

Child Indicators: Juvenile Justice 2016	LaMoure County		North Dakota	
Children ages 10-17 referred to juvenile court	7	1.7%	3,471	4.9%

^{*}LNE-Low Number Events