

Lake Region Community Health Profile

POPULATION

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the full (100%) census taken in 2010 or from the American Community Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also.



1

Population by Age Group, 2010 Census						
Age Group	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
0-9	1313	19.7%	272	11.4%	492	11.3%
10-19	1117	16.8%	271	11.4%	537	12.3%
20-29	781	11.7%	168	7.0%	339	7.8%
30-39	652	9.8%	214	9.0%	422	9.7%
40-49	771	11.6%	292	12.2%	593	13.6%
50-59	838	12.6%	433	18.2%	683	15.7%
60-69	592	8.9%	281	11.8%	476	10.9%
70-79	373	5.6%	222	9.3%	401	9.2%
80+	223	3.3%	232	9.7%	414	9.5%
Total	6660	100.0%	2385	100.0%	4357	100.0%
0-17	2239	33.6%	498	20.9%	938	21.5%
65+	853	12.8%	586	24.6%	1029	23.6%

Population by Age Group, 2010 Census						
Age Group	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
0-9	1387	12.1%	3,464	13.9%	84,671	12.6%
10-19	1480	12.9%	3,405	13.7%	87,264	13.0%
20-29	1351	11.8%	2,639	10.6%	108,552	16.1%
30-39	1154	10.1%	2,442	9.8%	77,954	11.6%
40-49	1501	13.1%	3,157	12.7%	84,577	12.6%
50-59	1806	15.8%	3,760	15.1%	96,223	14.3%
60-69	1237	10.8%	2,586	10.4%	61,901	9.2%
70-79	805	7.0%	1,801	7.2%	39,213	5.8%
80+	730	6.4%	1,599	6.4%	32,236	4.8%
Total	11451	100.0%	24,853	100.0%	672,591	100.0%
0-17	2515	22.0%	6,190	24.9%	149,871	22.3%
65+	2072	18.1%	4,540	18.3%	97,477	14.5%

2

3




Lake Region Community Health Profile

POPULATION


4

Age Group As Percentage of Total



5

Age Group As Percentage of Total



Female Population and Percentage Female by Age, 2010 Census						
Age Group	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
0-9	649	49.4%	123	45.2%	259	52.6%
10-19	542	48.5%	138	50.9%	240	44.7%
20-29	371	47.5%	72	42.9%	129	38.1%
30-39	324	49.7%	112	52.3%	210	49.8%
40-49	382	49.5%	144	49.3%	268	45.2%
50-59	408	48.7%	219	50.6%	326	47.7%
60-69	297	50.2%	131	46.6%	241	50.6%
70-79	180	48.3%	124	55.9%	218	54.4%
80+	128	57.4%	156	67.2%	287	69.3%
Total	3281	49.3%	1219	51.1%	2178	50.0%
0-17	1094	48.9%	246	49.4%	466	49.7%
65+	427	50.1%	346	59.0%	623	60.5%

6

Female Population and Percentage Female by Age, 2010 Census						
Age Group	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
0-9	678	48.9%	1709	49.3%	41330	48.8%
10-19	705	47.6%	1625	47.7%	42277	48.4%
20-29	658	48.7%	1230	46.6%	50571	46.6%
30-39	549	47.6%	1195	48.9%	37144	47.6%
40-49	758	50.5%	1552	49.2%	41499	49.1%
50-59	887	49.1%	1840	48.9%	47283	49.1%
60-69	617	49.9%	1286	49.7%	30699	49.6%
70-79	439	54.5%	961	53.4%	21453	54.7%
80+	466	63.8%	1037	64.9%	20471	63.5%
Total	5757	50.3%	12435	50.0%	332727	49.5%
0-17	1226	48.7%	3032	49.0%	73083	48.8%
65+	1180	56.9%	2576	56.7%	55050	56.5%

Lake Region Community Health Profile

POPULATION

7

Race, 2010 Census						
Race	Benson County		Eddy County		Pierce County	
	Number	Percentage	Number	Percentage	Number	Percentage
Total	6,660	100.0%	2,385	100.0%	4,357	100.0%
White	2,889	43.4%	2,270	95.2%	4,100	94.1%
Black	1	0.0%	4	0.2%	20	0.5%
Am. Indian	3,663	55.0%	58	2.4%	170	3.9%
Asian	3	0.0%	6	0.3%	3	0.1%
Pac. Islander	1	0.0%	2	0.1%	1	0.0%
Other	10	0.2%	20	0.8%	29	0.7%
Multirace	93	1.4%	25	1.0%	34	0.8%

Race, 2010 Census						
Race	Ramsey County		LRDHU		North Dakota	
	Number	Percentage	Number	Percentage	Number	Percentage
Total	11,451	100.0%	24,853	100.0%	672,591	100.0%
White	10,044	87.7%	19,303	77.7%	605,449	90.0%
Black	41	0.4%	66	0.3%	7,960	1.2%
Am. Indian	994	8.7%	4,885	19.7%	36,591	5.4%
Asian	45	0.4%	57	0.2%	6,909	1.0%
Pac. Islander	5	0.0%	9	0.0%	320	0.0%
Other	28	0.2%	87	0.4%	3,509	0.5%
Multirace	294	2.6%	446	1.8%	11,853	1.8%

8

Decennial Population Change, 1990 to 2000, 2000 to 2010						
Census	Benson County	10 Year Change (%)	Eddy County	10 Year Change (%)	Pierce County	10 Year Change (%)
1990	7,198	(%)	2,951	(%)	5,052	(%)
2000	6,964	-3.3%	2,757	-6.6%	4,675	-7.5%
2010	6,660	-4.4%	2,385	-13.5%	4,357	-6.8%

Decennial Population Change, 1990 to 2000, 2000 to 2010						
Census	Ramsey County	10 Year Change (%)	LRDHU County	10 Year Change (%)	North Dakota	10 Year Change (%)
1990	12,681	(%)	27,882	(%)	638,800	(%)
2000	12,066	-4.8%	26,462	-5.1%	642,200	0.5%
2010	11,451	-5.1%	24,853	-6.1%	672,591	4.7%

Lake Region Community Health Profile

POPULATION

9

Household Populations, 2010 ACS Five Year Census						
	Benson County		Eddy County		Pierce County	
	Percent of		Percent		Percent	
	Number	Total	Number	of Total	Number	of Total
Total	6,662	100.0%	2,455	100.0%	4,364	100.0%
In Family Households	5,844	87.7%	5,844	238.0%	3,117	71.4%
In Non-Family Households	818	12.3%	818	33.3%	723	16.6%
Total In Households	5,844	87.7%	2,015	82.1%	3,840	88.0%
Institutionalized	13	0.2%	70	2.9%	261	6.0%
Non-Institutionalized	0	0.0%	0	0.0%	263	0.0%
Total in Group Quarters	13	0.2%	70	2.9%	524	12.0%

Household Populations, 2010 ACS Five Year Census						
	Ramsey County		LRDHU		North Dakota	
	Percent of		Percent		Percent	
	Number	Total	Number	of Total	Number	of Total
Total	11,371	100.0%	24,852	100.0%	659,858	100.0%
In Family Households	8,960	78.8%	23,765	95.6%	504,148	76.4%
In Non-Family Households	2,075	18.2%	4,434	17.8%	130,531	19.8%
Total In Households	11,035	97.0%	22,734	91.5%	634,679	96.2%
Institutionalized	296	2.6%	640	2.6%	9,675	1.5%
Non-Institutionalized	40	0.0%	303	0.0%	15,504	0.0%
Total in Group Quarters	336	3.0%	943	3.8%	25,179	3.8%

10

Marital Status of Persons Age 15 and Older, 2012 ACS Five Year Estimate						
Marital Status	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
Total Age 15+	4,793	100.0%	1,987	100.0%	3,713	100.0%
Never Married	1,932	40.3%	477	24.0%	802	21.6%
Now Married	1,999	41.7%	1,047	52.7%	2,065	55.6%
Separated	29	0.6%	20	1.0%	0	0.0%
Widowed	350	7.3%	246	12.4%	382	10.3%
Divorced	441	9.2%	197	9.9%	264	7.1%

Marital Status of Persons Age 15 and Older, 2012 ACS Five Year Estimate						
Marital Status	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
Total Age 15+	9,361	100.0%	19,854	100.0%	551,600	100.0%
Never Married	2,836	30.3%	6,047	30.5%	168,790	30.6%
Now Married	4,830	51.6%	9,941	50.1%	292,900	53.1%
Separated	28	0.3%	77	0.4%	4,413	0.8%
Widowed	627	6.7%	1,605	8.1%	34,751	6.3%
Divorced	1,039	11.1%	1,941	9.8%	50,747	9.2%

Lake Region Community Health Profile

POPULATION

Educational Attainment Among Persons 25+, 2009 ACS Five Year Estimate						
Education	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
Total	3,828	100.0%	1,674	100.0%	3,041	100.0%
Less than 9th Grade	287	7.5%	171	10.2%	307	10.1%
Some High School	406	10.6%	110	6.6%	207	6.8%
High school or GRE	1,340	35.0%	507	30.3%	1,040	34.2%
Some College or Associates	1,401	36.6%	624	37.3%	1,146	37.7%
Bachelor's degree	325	8.5%	203	12.1%	249	8.2%
Post Graduate Degree	69	1.8%	57	3.4%	94	3.1%

11

Educational Attainment Among Persons 25+, 2009 ACS Five Year Estimate						
Education	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
Total	7,540	100.0%	16,083	100.0%	408,469	100.0%
Less than 9th Grade	467	6.2%	1,232	7.7%	24,508	6.0%
Some High School	535	7.1%	1,258	7.8%	21,240	5.2%
High school or GRE	2,149	28.5%	5,036	31.3%	116,414	28.5%
Some College or Associates	2,677	35.5%	5,848	36.4%	166,247	40.7%
Bachelor's degree	1,229	16.3%	2,006	12.5%	78,018	19.1%
Post Graduate Degree	483	6.4%	703	4.4%	26,550	6.5%

Persons Age 5 and Older with Disability, 2012 ACS Five Year Estimates						
Group	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
Total	6,657	100.0%	2,304	100.0%	4,140	100.0%
Any Disability	750	11.3%	258	11.2%	587	14.2%
No Disability	5,907	88.7%	2,046	88.8%	3,553	85.8%
Self Care Disability	102	1.7%	48	2.2%	30	0.7%
5-17 with any disability	38	3.3%	16	6.6%	4	0.1%
18-64 with any disability	421	11.8%	93	7.1%	209	9.1%
65+ with any disability	291	34.7%	149	30.2%	374	38.2%

12

Persons Age 5 and Older with Disability, 2012 ACS Five Year Estimates						
Group	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
Total	11070	100.0%	24,171	100.0%	660,952	100.0%
Any Disability	1564	14.1%	3159	13.1%	71,126	10.8%
No Disability	9506	85.9%	21,012	86.9%	589,826	89.2%
Self Care Disability	377	3.6	557	2.5%	15,385	2.5%
5-17 with any disability	76	5.6%	134	4.2%	4190	5.4%
18-64 with any disability	729	11.0%	1452	10.5%	34738	8.3%
65+ with any disability	759	39.5%	1573	37.2%	32198	35.1%

Lake Region Community Health Profile

POPULATION

Income and Poverty Status by Age Group, 2012 ACS Five Year Estimate						
	Benson County		Eddy County		Pierce County	
Median Household Income	\$34,706		\$40,000		\$45,851	
Per Capita Income	\$17,220		\$23,125		\$24,110	
	Number	Percent	Number	Percent	Number	Percent
Below Poverty Level	2,362	35.7%	412	17.9%	417	10.1%
Under 5 years	367	81.9%	37	29.6%	0	0.0%
5 to 11 years	447	50.6%	55	29.3%	15	5.1%
12 to 17 years	282	42.3%	39	23.5%	22	6.9%
18 to 64 years	1100	30.7%	181	13.7%	195	8.5%
65 to 74 years	81	17.0%	50	22.1%	67	17.0%
75 years and over	85	23.5%	50	18.7%	118	20.2%

13

Income and Poverty Status by Age Group, 2012 ACS Five Year Estimate						
	Ramsey County		LRDHU		North Dakota	
Median Household Income	\$46,119		NA		\$51,641	
Per Capita Income	\$27,182		NA		\$28,700	
	Number	Percent	Number	Percent	Number	Percent
Below Poverty Level	1,276	11.7%	4,467	18.6%	78,930	12.1%
Under 5 years	117	17.9%	521	35.4%	8,183	18.8%
5 to 11 years	166	20.0%	683	31.1%	8,039	14.4%
12 to 17 years	146	16.6%	489	24.1%	5,613	11.6%
18 to 64 years	520	7.9%	1,996	14.5%	46,366	11.2%
65 to 74 years	101	9.9%	299	14.1%	4,025	8.1%
75 years and over	226	25.1%	479	22.7%	6,704	14.9%

14

Age of Housing, 2012 ACS 5 Year Estimates						
	Benson County		Eddy County		Pierce County	
	Number	Percent	Number	Percent	Number	Percent
Housing units: Total	2,963	100.0%	1,349	100.0%	2,216	100.0%
1980 and Later	735	24.8%	129	9.6%	463	20.9%
1970 to 1979	699	23.6%	252	18.7%	419	18.9%
Prior to 1970	1,529	51.6%	968	71.8%	1,334	60.2%

Age of Housing, 2012 ACS 5 Year Estimates						
	Ramsey County		LRDHU		North Dakota	
	Number	Percent	Number	Percent	Number	Percent
Housing units: Total	4,899	100.0%	11,427	100.0%	319,468	100.0%
1980 and Later	735	15.0%	2,062	18.0%	114,540	35.9%
1970 to 1979	1,160	23.7%	2,530	22.1%	68,569	21.5%
Prior to 1970	3,004	61.3%	6,835	59.8%	136,359	42.7%

Lake Region Community Health Profile

Family Poverty and Childhood and Elderly Poverty, 2012 ACS 5 Year Estimates				
	Benson County		Eddy County	
	Number	Percent	Number	Percent
Total Families	1,655	100.0%	661	100.0%
Families in Poverty	407	24.6%	59	8.9%
Families with Own Children	926	56.0%	256	38.7%
Families with Own Children in Poverty	300	18.1%	30	4.5%
Families with Own Children and Female Parent Only	277	16.7%	213	32.2%
Families with Own Children and Female Parent Only in Poverty	200	12.1%	20	3.0%
Total Known Children in Poverty	1,096	48.8%	131	26.5%
Total Known Age 65+ in Poverty	166	19.5%	100	17.1%

Family Poverty and Childhood and Elderly Poverty, 2012 ACS 5 Year Estimates				
	Pierce County		Ramsey County	
	Number	Percent	Number	Percent
Total Families	1,045	100.0%	3,159	100.0%
Families in Poverty	59	5.6%	215	6.8%
Families with Own Children	343	32.8%	1,528	48.4%
Families with Own Children in Poverty	22	2.1%	174	5.5%
Families with Own Children and Female Parent Only	50	4.8%	298	9.4%
Families with Own Children and Female Parent Only in Poverty	2	0.2%	153	4.8%
Total Known Children in Poverty	37	3.9%	429	17.1%
Total Known Age 65+ in Poverty	185	18.0%	327	15.8%

Family Poverty and Childhood and Elderly Poverty, 2012 ACS 5 Year Estimates				
	LRDHU		North Dakota	
	Number	Percent	Number	Percent
Total Families	6,520	100.0%	168,636	100.0%
Families in Poverty	740	11.3%	12,479	7.4%
Families with Own Children	3,053	46.8%	78,222	46.4%
Families with Own Children in Poverty	526	8.1%	9,230	5.5%
Families with Own Children and Female Parent Only	838	12.9%	15,007	8.9%
Families with Own Children and Female Parent Only in Poverty	375	5.8%	6,123	3.6%
Total Known Children in Poverty	1,693	27.4%	21,835	14.5%
Total Known Age 65+ in Poverty	778	17.2%	10,729	11.0%

Lake Region Community Health Profile

Vital Statistics Data

BIRTHS AND DEATHS

16

Births, 2009-2013						
	Benson County		Eddy County		Pierce County	
	Number	Rate or Ratio	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	695	21	121	10	230	10
Pregnancies and Rate	745	22	129	11	252	11
Fertility Rate		121		75		76
Teen Births and Rate	124	58	9	16	13	13
Teen Pregnancies and Rate	129	61	11	20	15	15
Out of Wedlock Births and Ratio	559	804	36	298	65	283
Out of Wedlock Pregnancies and Ratio	606	813	42	326	82	325
Low Birth Weight Birth and Ratio	50	72	4	33	17	74

Births, 2009-2013						
	Ramsey County		LRDHU		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	764	13	1,810	15	47,959	14
Pregnancies and Rate	848	15	1,974	16	52,505	15
Fertility Rate		80		91		72
Teen Births and Rate	77	27	223	34	2,118	12
Teen Pregnancies and Rate	94	33	249	38	3,725	21
Out of Wedlock Births and Ratio	380	497	1,040	575	15,686	327
Out of Wedlock Pregnancies and Ratio	454	535	1,184	600	19,436	370
Low Birth Weight Birth and Ratio	58	76	129	71	3,078	64

17

Child Deaths, 2009-2013						
	Benson County		Eddy County		Pierce County	
	Number	Rate or Ratio	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	9	12.9	<5	NR	<5	NR
Child and Adolescent Deaths and Rate	18	155	<5	NR	<5	NR
Total Deaths and Crude Rate	347	1,037	240	2,037	328	1,496

Child Deaths, 2009-2013						
	Ramsey County		LRDHU		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	5	6.5	19	10.5	286	6.0
Child and Adolescent Deaths and Rate	<5	NR	NR	NR	270	32
Total Deaths and Crude Rate	649	1,129	1,565	1,255	29,616	866

Lake Region Community Health Profile

Vital Statistics Data

BIRTHS AND DEATHS

Deaths and Age Adjusted Death Rate by Cause, 2009-2013			
	Benson County	Eddy County	Pierce County
	Number (Adj. Rate)	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	347 (1,091)	240 (990)	329 (705)
Heart Disease	92 (286)	40 (138)	95 (198)
Cancer	56 (162)	47 (224)	48 (100)
Stroke	9 (27)	14 (55)	22 (38)
Alzheimers Disease	8 (25)	52 (161)	20 (30)
COPD	16 (48)	9 (38)	24 (46)
Unintentional Injury	44 (158)	10 (77)	24 (87)
Diabetes Mellitus	12 (35)	<5	12 (20)
Pneumonia and Influenza	9 (27)	8 (28)	<5
Cirrhosis	21 (75)	<5	5 (14)
Suicide	12 (38)	<5	<5

18

Deaths and Age Adjusted Death Rate by Cause, 2009-2013			
	Ramsey County	LRDHU	North Dakota
	Number (Adj. Rate)	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	649 (731)	1,565 (852)	29,581 (702)
Heart Disease	182 (194)	409 (207)	6,762 (154)
Cancer	135 (164)	286 (158)	6,315 (156)
Stroke	68 (66)	113 (51)	1,664 (37)
Alzheimers Disease	34 (32)	114 (48)	2,189 (45)
COPD	35 (40)	84 (43)	1,707 (41)
Unintentional Injury	28 (41)	106 (84)	1,625 (44)
Diabetes Mellitus	16 (20)	43 (22)	1,022 (24)
Pneumonia and Influenza	14 (15)	34 (17)	682 (15)
Cirrhosis	9 (15)	37 (30)	394 (11)
Suicide	7 (10)	24 (21)	551 (16)

Age-adjusted rates are calculated from 2010 decennial census data

Adj. Rate = Age Adjusted Rate; * Fewer than five deaths

Lake Region Community Health Profile

Vital Statistics Data

BIRTHS AND DEATHS

19

Benson County: Leading Causes of Death by Age Group, 2009-2013			
Age	1	2	3
0-4	Anomaly	Unintentional Injury	Cancer
	Prematurity	SIDS	Pregnancy Comp.
5-14	Unintentional Injury		
15-24	Suicide 10	Unintentional Injury 9	Anomaly
			Diabetes
25-34	Unintentional Injury 6	Heart	Suicide
35-44	Unintentional Injury 14	Cirrhosis 7	Heart 6
45-54	Heart 8	Cirrhosis 6	Cancer
		Unintentional Injury 6	
55-64	Heart 12 Cancer 12	Cirrhosis	Diabetes
65-74	Cancer 16	Heart 13	COPD 5
75-84	Heart 23	Cancer 16	COPD
85+	Heart 27	Cancer 6	COPD 5

20

Eddy County: Leading Causes of Death by Age Group, 2009-2013			
Age	1	2	3
0-4	Anomaly	Cancer	SIDS
5-14			
15-24	Cancer	Unintentional Injury	
25-34	Unintentional Injury	Suicide	
35-44	Unintentional Injury	Suicide	Cancer
45-54	Heart	Cancer	Unintentional Injury
			Suicide
55-64	Cancer 5	Hypertension	Alzheimer's
65-74	Cancer 6	Stroke	COPD
		Pneumonia/Flu	Alzheimer's
75-84	Cancer 18	Alzheimer's 13	Heart 11
85+	Alzheimer's 35	Heart 23	Cancer 12

Lake Region Community Health Profile

Vital Statistics Data

BIRTHS AND DEATHS

21

Pierce County: Leading Causes of Death by Age Group, 2009-2013			
Age	1	2	3
0-4	SIDS		
	Heart		
5-14			
15-24	Unintentional Injury		
25-34	Unintentional Injury		
	Suicide		
35-44	Unintentional Injury		
	Heart		
45-54	Unintentional Injury	Heart	Cirrhosis
55-64	Heart 5	Unintentional Injury	Cirrhosis
	Cancer 5	Stroke	
65-74	Heart 12	Cancer 6	COPD
75-84	Cancer 17	Heart 14	COPD 8
85+	Heart 58	Cancer 20	Alzheimer's 17

22

Ramsey County: Leading Causes of Death by Age Group, 2009-2013			
Age	1	2	3
0-4	Pregnancy Comp.		
	Prematurity		
5-14	Cancer		
15-24	Suicide		
	Unintentional Injury		
25-34	Unintentional Injury	Suicide	Cirrhosis
		Heart	
35-44	Heart	Cancer	Diabetes
	Unintentional Injury	Cirrhosis	Kidney
45-54	Cancer 10	Heart 7	Unintentional Injury 5
55-64	Heart 18	Cancer 16	COPD
			Unintentional Injury
65-74	Cancer 36	Heart 23	COPD 8
75-84	Cancer 41	Heart 39	Stroke 16
85+	Heart 91	Stroke 43	Cancer 29

Lake Region Community Health Profile

Vital Statistics Data

BIRTHS AND DEATHS

LRDHU: Leading Causes of Death by Age Group, 2009-2013

Age	1	2	3
0-4	SIDS	Prematurity Anomaly	Unintentional Injury Pregnancy Comp.
5-14	Cancer Unintentional Injury		
15-24	Unintentional Injury 15	Suicide 11	Cancer
25-34	Unintentional Injury 12	Heart 5 Suicide 5	Cirrhosis 2
35-44	Unintentional Injury 20	Heart 11	Cirrhosis 9
45-54	Heart 19	Cancer 16	Unintentional Injury 15
55-64	Cancer 38	Heart 35	Unintentional Injury 7 Cirrhosis 7
65-74	Cancer 64	Heart 52	COPD 18
75-84	Cancer 92	Heart 87	COPD 27 Alzheimer's 27
85+	Heart 199	Alzheimer's 82	Stroke 69

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

24

	ALCOHOL	Benson County	Eddy County	Pierce County
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	19.9 (12.5-27.3)	20.3 (11.0-29.6)	20.1 (14.3-25.9)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	4.8 (1.0- 8.5)	3.1 (0.2- 6.0)	6.8 (2.4-11.1)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	10.4 (0.2-20.7)	6.1 (0.0-14.4)	3.0 (0.2- 5.8)

	ALCOHOL	Ramsey County	LRDHU	North Dakota
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	24.0 (19.6-28.4)	21.9 (18.9-25.0)	21.1 (20.5-21.6)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	7.5 (4.5-10.6)	6.3 (4.4-8.2)	5.0 (4.7- 5.3)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	8.5 (3.4-13.5)	7.8 (4.1-11.1)	5.7 (5.1- 6.2)

25

	ARTHRITIS	Benson County	Eddy County	Pierce County
Chronic Joint Symptoms	Respondents who reported pain, aching of stiff in a joint during the past 30 days which started more than 3 months ago	33.8 (23.7-44.0)	NA	28.6 (19.9-37.3)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	12.6 (6.5-18.8)	17.1 (8.0-26.2)	12.4 (6.6-18.2)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	30.4 (21.0-39.8)	NA	32.5 (23.6-41.5)

	ARTHRITIS	Ramsey County	LRDHU	North Dakota
Chronic Joint Symptoms	Respondents who reported pain, aching of stiff in a joint during the past 30 days which started more than 3 months ago	30.4 (24.3-36.5)	31.7 (27.4-36)	35.3 (34.4-36.2)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	14.6 (9.8-19.4)	16.2 (13.2-19.3)	13.0 (12.4-13.5)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	23.9 (18.5-29.2)	28.6 (24.9-32.3)	27.2 (26.5-27.9)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

26

	ASTHMA	Benson County	Eddy County	Pierce County
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	8.8 (3.3-14.3)	11.1 (4.6-17.6)	8.1 (4.1-12.1)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	7.2 (2.1-12.4)	9.7 (3.7-15.8)	4.7 (1.7- 7.8)

	ASTHMA	Ramsey County	LRDHU	North Dakota
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	7.8 (5.2-10.5)	8.3 (6.6-10.1)	10.7 (10.3-11.1)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	5.2 (3.2- 7.2)	6.2 (4.7-7.6)	7.5 (7.2- 7.9)

27

	BODY WEIGHT	Benson County	Eddy County	Pierce County
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	43.4 (35.4-51.5)	50.0 (40.8-59.2)	43.6 (36.9-50.2)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	23.1 (17.4-28.8)	18.2* (11.5-25.0)	26.0 (20.6-31.5)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	66.5 (58.6-74.5)	68.3 (59.1-77.5)	69.6 (63.6-75.6)

	BODY WEIGHT	Ramsey County	LRDHU	North Dakota
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	40.9 (36.5-45.2)	43.0 (39.8-46.2)	38.7 (38.0-39.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	29.7 (25.4-33.9)	26.3 (23.5-29.0)	25.4 (24.9-26.0)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	70.6 (66.4-74.8)	69.2 (66.1-72.3)	64.1 (63.5-64.8)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

28

	CARDIOVASCULAR	Benson County	Eddy County	Pierce County
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	4.7 (2.0- 7.4)	5.6 (2.1- 9.2)	4.4 (1.6- 7.1)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	5.5 (2.3- 8.8)	5.2 (1.8- 8.5)	4.8 (1.8- 7.8)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	2.2 (0.6- 3.8)	2.1 (0.2- 4.0)	1.1 (0.1- 2.0)
Any Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	8.8 (5.0-12.5)	7.3 (3.4-11.3)	7.7 (4.2-11.1)

	CARDIOVASCULAR	Ramsey County	LRDHU	North Dakota
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	5.0 (3.1- 7.0)	4.9 (3.6-6.2)	4.0 (3.8- 4.2)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	4.4 (2.6- 6.2)	4.8 (3.5-6.1)	4.0 (3.8- 4.3)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	2.4 (1.3- 3.5)	2.1 (1.4-2.8)	2.2 (2.1- 2.4)
Any Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	8.0 (5.7-10.3)	8.1 (6.5-9.6)	7.4 (7.1- 7.7)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

29

	CHOLESTEROL	Benson County	Eddy County	Pierce County
Never Cholesterol Test	Respondents who reported never having a cholesterol test	27.7 (18.7-36.6)	NA	20.5 (13.4-27.6)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	29.9 (20.8-39.1)	NA	25.7 (18.0-33.4)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	31.3 (22.1-40.5)	NA	36.8 (27.6-46.0)

	CHOLESTEROL	Ramsey County	LRDHU	North Dakota
Never Cholesterol Test	Respondents who reported never having a cholesterol test	28.9 (22.8-34.9)	27.6 (23.5-31.7)	23.0 (22.2-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	34.0 (27.9-40.2)	32.0 (27.8-36.2)	28.2 (27.4-29.0)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	38.2 (32.3-44.1)	37.2* (33.0-41.5)	34.0 (33.2-34.8)

30

	COLORECTAL CANCER	Benson County	Eddy County	Pierce County
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	74.2 (64.1-84.2)	NA	75.6 (66.8-84.4)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	37.5 (25.4-49.6)	NA	37.4 (26.2-48.6)
No Sigmoidoscopy in Past 5 Years	Respondents age 50 and older who reported not having a sigmoidoscopy or colonoscopy in the past five years.	55.7 (45.0-66.3)	NA	52.8 (41.7-63.8)

	COLORECTAL CANCER	Ramsey County	LRDHU	North Dakota
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	67.2 (60.3-74.0)	71.8 (67.2-76.3)	78.3 (77.5-79.2)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	45.9 (38.2-53.5)	40.4 (35.1-45.7)	42.6 (41.4-43.7)
No Sigmoidoscopy in Past 5 Years	Respondents age 50 and older who reported not having a sigmoidoscopy or colonoscopy in the past five years.	53.8 (46.6-60.9)	52.7 (47.7-57.6)	55.0 (54.0-56.1)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

31

	DIABETES	Benson County	Eddy County	Pierce County
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	9.3 (5.3-13.3)	5.9 (2.2- 9.5)	7.8 (4.2-11.4)

	DIABETES	Ramsey County	LRDHU	North Dakota
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	5.8 (3.8- 7.7)	7.0 (5.5-8.5)	6.9 (6.6- 7.2)

32

	FRUITS AND VEGETABLES	Benson County	Eddy County	Pierce County
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	71.5 (59.8-83.2)	83.9 (76.2-91.6)	75.3 (67.1-83.4)

	FRUITS AND VEGETABLES	Ramsey County	LRDHU	North Dakota
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	81.4 (76.2-86.6)	78.2 (74.1-82.4)	78.4 (77.7-79.1)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

33

	GENERAL HEALTH	Benson County	Eddy County	Pierce County
Fair or Poor Health	Respondents who reported that their general health was fair or poor	20.1 (13.6-26.5)	15.6 (10.2-21.0)	16.0 (11.8-20.3)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	14.2 (9.3-19.2)	13.1 (7.0-19.2)	10.3 (6.4-14.2)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	7.8 (3.8-11.8)	14.9 (7.7-22.1)	10.1 (5.3-14.8)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	7.0 (4.0-10.0)	7.0 (2.8-11.2)	7.5 (3.9-11.0)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	17.1 (10.7-23.5)	21.3 (14.4-28.2)	18.0 (12.9-23.0)

	GENERAL HEALTH	Ramsey County	LRDHU	North Dakota
Fair or Poor Health	Respondents who reported that their general health was fair or poor	13.7 (11.0-16.4)	15.8 (13.6-18.1)	12.6 (12.2-12.9)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	10.8 (8.3-13.3)	11.3 (9.8-13.7)	10.2 (9.8-10.5)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	9.7 (7.0-12.4)	9.9 (7.9-11.9)	9.6 (9.2-10.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	7.0 (4.5- 9.4)	7.1 (5.5-8.7)	5.7 (5.4- 6.0)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	17.4 (14.3-20.5)	17.8 (15.4-20.3)	16.0 (15.6-16.5)

34

	HEALTH CARE ACCESS	Benson County	Eddy County	Pierce County
Health Insurance	Respondents who reported not having any form or health care coverage	19.8 (12.2-27.5)	11.0 (5.8-16.1)	10.5 (6.7-14.4)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	7.0 (2.8-11.3)	6.9 (2.3-11.5)	7.5 (4.2-10.8)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	31.6 (23.7-39.4)	27.9 (18.7-37.1)	28.5 (22.4-34.6)

	HEALTH CARE ACCESS	Ramsey County	LRDHU	North Dakota
Health Insurance	Respondents who reported not having any form or health care coverage	13.1 (9.5-16.6)	13.9 (11.9-16.6)	11.4 (11.0-11.9)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	6.6 (3.8- 9.5)	6.9 (5.1-8.8)	6.8 (6.4- 7.1)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	19.6 (15.9-23.4)	25.0 (21.9-28.0)	23.5 (23.0-24.1)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

38

	ORAL HEALTH	Benson County	Eddy County	Pierce County
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	39.6 (30.0-49.1)	NA	38.1 (29.8-46.4)
Tooth Loss	Respondents who reported they had lost 6 or more permanent teeth due to gum disease or decay.	23.9 (17.1-30.7)	30.2 (20.6-39.9)	19.8 (13.5-26.1)

	ORAL HEALTH	Ramsey County	LRDHU	North Dakota
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	29.3 (24.0-34.6)	34.4 (30.5-38.4)	29.5 (28.8-30.3)
Tooth Loss	Respondents who reported they had lost 6 or more permanent teeth due to gum disease or decay.	20.0 (15.8-24.2)	22.0 (19.0-25.0)	16.0 (15.5-16.6)

39

	PHYSICAL ACTIVITY	Benson County	Eddy County	Pierce County
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	47.6 (37.4-57.7)	NA	47.1 (38.1-56.1)
No Leisure Physical Activity	Respondents who reported that they participated in no leisure time physical activity	12.6 (5.6-19.7)	9.4 (2.1-16.7)	10.7 (5.1-16.2)

	PHYSICAL ACTIVITY	Ramsey County	LRDHU	North Dakota
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	48.1 (42.1-54.1)	49.0 (44.7-53.3)	50.5 (49.7-51.4)
No Leisure Physical Activity	Respondents who reported that they participated in no leisure time physical activity	6.2 (3.3- 9.1)	8.8 (6.3-11.2)	6.9 (6.5- 7.4)

40

	TOBACCO	Benson County	Eddy County	Pierce County
Current Smoking	Respondents who reported that they smoked every day or some days	30.1 (22.0-38.3)	22.1 (15.0-29.2)	19.1 (13.7-24.5)

	TOBACCO	Ramsey County	LRDHU	North Dakota
Current Smoking	Respondents who reported that they smoked every day or some days	26.3 (22.2-30.5)	25.4 (22.4-28.5)	19.8 (19.3-20.4)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

35

	HYPERTENSION	Benson County	Eddy County	Pierce County
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	32.4 (23.1-41.7)	21.9 (12.9-30.9)	29.8 (22.0-37.6)

	HYPERTENSION	Ramsey County	LRDHU	North Dakota
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	24.3 (19.6-29.0)	26.9 (23.3-30.5)	25.0 (24.4-25.7)

36

	IMMUNIZATION	Benson County	Eddy County	Pierce County
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	NA	NA	27.9 (18.2-37.5)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	NA	NA	31.4 (21.1-41.7)

	IMMUNIZATION	Ramsey County	LRDHU	North Dakota
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	33.3 (25.3-41.4)	31.1 (26.2-36.1)	28.6 (27.6-29.6)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	35.5 (27.1-43.8)	35.0 (29.7-40.2)	30.0 (28.9-31.0)

37

	INJURY	Benson County	Eddy County	Pierce County
Fall	Respondents 45 years and older who reported that they had fallen in the past 3 months	14.9 (6.8-23.0)	NA	13.9 (6.3-21.5)
Seat Belt	Respondents who reported not always wearing their seatbelt	NA	NA	64.0 (54.3-73.8)

	INJURY	Ramsey County	LRDHU	North Dakota
Fall	Respondents 45 years and older who reported that they had fallen in the past 3 months	14.1 (8.7-19.4)	15.0 (11.3-18.6)	15.5 (14.7-16.2)
Seat Belt	Respondents who reported not always wearing their seatbelt	52.7 (45.8-59.6)	55.6 (50.7-60.4)	41.9 (40.9-42.9)

Lake Region Community Health Profile

ADULT BEHAVIORAL RISK FACTORS, 2001-2010

41

	WOMEN'S HEALTH	Benson County	Eddy County	Pierce County
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	NA	NA	13.0 (5.2-20.8)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	19.7 (9.2-30.2)	NA	NA

	WOMEN'S HEALTH	Ramsey County	LRDHU	North Dakota
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	10.8 (6.2-15.5)	13.5 (9.3-17.7)	14.0 (13.1-15.0)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	23.7 (16.8-30.5)	23.2 (18.3-28.1)	24.3 (23.3-25.3)

Lake Region Community Health Profile

CRIME

Benson County

	2004	2005	2006	2007	2008	5 year	5-Year Rate
Murder	NR	NR	NR	NR	NR	NR	NR
Rape	NR	NR	NR	NR	NR	NR	NR
Robbery	NR	NR	NR	NR	NR	NR	NR
Aggrav. Assault	NR	NR	NR	NR	NR	NR	NR
Violent crime							
	NR	NR	NR	NR	NR	NR	NR
Burglary	NR	NR	NR	NR	NR	NR	NR
Larceny	NR	NR	NR	NR	NR	NR	NR
Motor vehicle theft	NR	NR	NR	NR	NR	NR	NR
Property crime							
Total	NR	NR	NR	NR	NR	NR	NR

Eddy County

	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	0	0	0	0	0	0	0.0
Robbery	0	0	0	0	0	0	0.0
Aggrav. Assault	3	0	3	1	2	9	74.2
Violent crime	3	0	3	1	2	9	74.2
							0.0
Burglary	1	2	10	3	1	17	140.2
Larceny	4	10	5	15	9	43	354.6
Motor vehicle theft	0	0	1	0	1	2	16.5
Property crime	5	12	16	18	11	62	511.3
							0.0
Total	8	12	19	19	13	71	585.6

Pierce County

	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	2	0	0	0	2	4	18.1
Robbery	2	0	0	0	0	2	9.0
Aggrav. Assault	3	0	0	1	4	8	36.1
Violent crime	7	0	0	1	6	14	63.2
							0.0
Burglary	12	6	15	15	24	72	325.1
Larceny	39	37	44	55	35	210	948.1
Motor vehicle theft	3	2	2	4	0	11	49.7
Property crime	54	45	61	74	59	293	1322.8
							0.0

Lake Region Community Health Profile

Ramsey County		CRIME					
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	1	8	8	5	4	26	44.7
Robbery	0	0	3	2	3	8	13.7
Aggrav. Assault	31	19	23	8	14	95	163.2
Violent crime	32	27	34	15	21	129	221.6
							0.0
Burglary	44	35	72	65	51	267	458.6
Larceny	254	265	279	256	280	1,334	2291.3
Motor vehicle theft	18	25	23	14	22	102	175.2
Property crime	316	325	374	335	353	1,703	2925.1
							0.0
Total	348	352	408	350	374	1,832	3146.7

North Dakota							
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	15	11	15	20	14	75	2.2
Rape	206	222	207	243	237	1,115	32.6
Robbery	102	85	91	117	151	546	16.0
Aggrav. Assault	795	847	1,040	1,071	1,156	4,909	143.6
Violent crime	1,118	1,165	1,353	1,451	1,558	6,645	194.3
							0.0
Burglary	2,180	1,826	2,227	2,200	2,656	11,089	324.3
Larceny	8,699	8,673	9,344	10,184	10,243	47,143	1378.6
Motor vehicle theft	854	825	763	854	1,228	4,524	132.3
Property crime	11,733	11,324	12,334	13,238	14,127	62,756	1835.2
							0.0
Total	12,851	12,489	13,687	14,689	15,685	69,401	2029.5

Lake Region Community Health Profile

CHILD HEALTH INDICATORS

Child Indicators: Education 2012	Benson County	Eddy County	Pierce County
Enrolled in Special Education Ages 3-21 (Number and percent of total school enrollment)*	185 (17%)	46 (13%)	89 (15%)
High School Dropouts (Dropouts per 1000 persons Grades 9-12)*	37 (9.7%)	1 (1.0%)	3 (1.6)
Average Expenditure per Student in Public School*	\$13,602	\$8,716	\$10,934
*2013			

43

Child Indicators: Education 2012	Ramsey County	North Dakota
Enrolled in Special Education Ages 3-21 (Number and percent of total school enrollment)*	349 (19%)	13,399 (12.9%)
High School Dropouts (Dropouts per 1000 persons Grades 9-12)*	13 (2.3%)	901 (2.8%)
Average Expenditure per Student in Public School*	\$10,952	\$10,517
*2013		

Child Indicators: Economic Health 2012	Benson County	Eddy County	Pierce County
TANF Recipients Ages 0-19 (Percent of persons ages 0-19)	603 (24%)	4 (0.7%)	10 (1%)
Food Stamp Recipients Ages 0-19 (Percent of all children ages 0-19)	1,722 (72%)	100 (19%)	216 (22%)
Children Receiving Free and Reduced Price Lunches (Percent of total school enrollment)	1,269 (78%)	112 (32%)	153 (25%)
Medicaid Recipients Ages 0-20 (Percent of all persons ages 0-20)*	2,096 (82%)	170 (30%)	296 (27%)
Median Income for Families with Children Ages 0-17 (Percent of all women with children ages 0-17)*	\$34,233	\$41,500	\$70,179
Children Ages 0-17 Living in Extreme Poverty (Percent of children 0-17 for whom poverty is determined)*	617 (28%)	36 (7.4%)	22 (2.6%)
*2013			

44

Child Indicators: Economic Health 2012	Ramsey County	North Dakota
TANF Recipients Ages 0-19 (Percent of persons ages 0-19)	132 (4.6%)	5,795 (3.3%)
Food Stamp Recipients Ages 0-19 (Percent of all children ages 0-19)	808 (30%)	37,826 (23%)
Children Receiving Free and Reduced Price Lunches (Percent of total school enrollment)	762 (39%)	34,381 (31%)
Medicaid Recipients Ages 0-20 (Percent of all persons ages 0-20)*	1,157 (38%)	93,292 (28%)
Median Income for Families with Children Ages 0-17 (Percent of all women with children ages 0-17)*	\$62,676	\$68,658
Children Ages 0-17 Living in Extreme Poverty (Percent of children 0-17 for whom poverty is determined)*	219 (9.1%)	10,576 (7.1%)
*2013		

Lake Region Community Health Profile

CHILD HEALTH INDICATORS

Child Indicators: Families and Child Care 2012	Benson County	Eddy County	Pierce County
Mothers in Labor Force with a Child Ages 0-17 (Percent of all mothers with a child ages 0-17)*	483 (71%)	169 (79%)	403 (88%)
Children Ages 0-17 Living in a Single Parent Family (Percent of all children ages 0-17)*	876 (39%)	172 (35%)	111 (13%)
Children in Foster Care (Percent of children ages 0-18)*	49 (2.1%)	NA	15 (1.5%)
Children Ages 0-17 with Suspected Child Abuse or Neglect (Cases per 100 children 0-17)	40 (1.8%)	15 (3.0%)	50 (5.3%)
Children Ages 0-17 Impact by Domestic Violence (Percent of all children ages 0-17)**	157 (6.8%)	0	9 (1.0%)
Births to Mothers with Inadequate Prenatal Care	45 (28%)	NA	7 (14%)
*2013 **2010			

45

Child Indicators: Families and Child Care 2012	Ramsey County	North Dakota
Mothers in Labor Force with a Child Ages 0-17 (Percent of all mothers with a child ages 0-17)*	869 (76%)	58,222 (82%)
Children Ages 0-17 Living in a Single Parent Family (Percent of all children ages 0-17)*	742 (29%)	33,963 (23%)
Children in Foster Care (Percent of children ages 0-18)*	75 (2.8%)	2,019 (1.2%)
Children Ages 0-17 with Suspected Child Abuse or Neglect (Cases per 100 children 0-17)*	218 (8.7%)	6,170 (4.0%)
Children Ages 0-17 Impact by Domestic Violence (Percent of all children ages 0-17)	73 (2.9%)	4,739 (2.9%)
Births to Mothers with Inadequate Prenatal Care	8 (5.7%)	526 (5.2%)
*2013 **2010		

Child Indicators: Juvenile Justice 2012	Benson County	Eddy County	Pierce County
Children Ages 10-17 Referred to Juvenile Court (Percent of all children ages 0-17)*	12 (1.3%)	6 (2.7%)	11 (2.5%)
Offense Against Person Juvenile Court Referral (Percent of total juvenile court referral)*	1 (6.7%)	1 (8.3%)	4 (20%)
Alcohol-Related Juvenile Court Referral (Percent of all juvenile court referrals)*	1 (6.7%)	2 (16.7%)	3 (15%)
*2013			

46

Child Indicators: Juvenile Justice 2012	Ramsey County	North Dakota
Children Ages 10-17 Referred to Juvenile Court (Percent of all children ages 0-17)*	136 (12.3%)	3,789 (5.8%)
Offense Against Person Juvenile Court Referral (Percent of total juvenile court referral)*	16 (5.7%)	689 (6.8%)
Alcohol-Related Juvenile Court Referral (Percent of all juvenile court referrals)*	43 (15%)	909 (13%)
*2013		

Lake Region Community Health Profile

CHILD HEALTH INDICATORS