

Rolette County

Community Health Profile

April 12, 2015



Tracy K. Miller, PhD, MPH
State Epidemiologist
North Dakota Department of Health

TABLE OF CONTENTS

POPULATION DATA

Chart 1: Population by Age Group.....	1
Chart 2: Pyramid Graph of Number of Residents by Census Year.....	1
Chart 3: Female Population and Percentage Female by Age.....	1
Chart 4: Race.....	1
Chart 5: Decennial Population Change.....	2
Chart 6: Household Populations.....	2
Chart 7: Marital Status of Persons Age 15 and Older.....	2
Chart 8: Educational Attainment Among Persons 25+.....	2
Chart 9: Persons with Disability.....	3
Chart 10: Income and Poverty Status by Age Group.....	3
Chart 11: Family Poverty and Childhood and Elderly Poverty.....	3
Chart 12: Age of Housing.....	3

VITAL STATISTICS DATA

Birth and Deaths Definitions.....	4
Chart 13: Births.....	5
Chart 14: Child Deaths.....	5
Chart 15: Deaths and Age Adjusted Death Rate by Cause.....	5
Chart 16: Leading Causes of Death by Age Group for Rolette County.....	6
Chart 17: Leading Causes of Death by Age Group for North Dakota.....	6

ADULT BEHAVIORAL RISK FACTORS

Chart 18:	
• Adult Behavioral Risk Factors Definition.....	7
• Alcohol.....	8
• Arthritis.....	8
• Asthma.....	8
• Body Weight.....	8
• Cancer.....	8
• Cardiovascular.....	8
Chart 19:	
• Cholesterol.....	9
• Chronic Lung Disease.....	9
• Colorectal Cancer.....	9
• Diabetes.....	9
• Fruits and Vegetables.....	9
• General Health.....	9
• Health Care Access.....	9
Chart 20:	
• Hypertension.....	10
• Immunization.....	10
• Injury.....	10
• Oral Health.....	10
• Physical Activity.....	10
• Tobacco.....	10
• Women’s Health.....	10

CRIME

Chart 21: Rolette County.....	11
Chart 22: North Dakota.....	11

CHILD RISK

Chart 23: Child Indicators—Education.....	12
Chart 24: Child Indicators—Economic Health.....	12

POPULATION DATA


1

Population by Age Group, 2013 Census Estimates				
Age Group	Rolette County		North Dakota	
	Number	Percent	Number	Percent
0-9	2,974	20.4%	95,311	12.6%
10-19	2,328	16.0%	90,573	13.0%
20-29	1,910	13.1%	123,461	16.1%
30-39	1,662	11.4%	90,600	11.6%
40-49	1,669	11.4%	80,527	12.6%
50-59	1,886	12.9%	99,086	14.3%
60-69	1,211	8.3%	71,173	9.2%
70-79	607	4.2%	39,897	5.8%
80+	335	2.3%	32,765	4.8%
Total	14,582	100.0%	723,393	100.0%
0-17	4,849	33.3%	162,688	22.5%
65+	1,607	11.0%	120,495	16.7%

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the Census estimates for 2013 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also. Tables present number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group which is in poverty (e.g., percentage of children under five years in poverty).

2

Number of Residents by Census Year



3

Female Population and Percentage Female by Age, 2013 Census Estimates

Age Group	Rolette County		North Dakota	
	Number	Percent	Number	Percent
0-9	1,482	20.1%	46,501	13.2%
10-19	1,105	15.0%	43,702	12.4%
20-29	983	13.3%	56,171	15.9%
30-39	838	11.4%	42,364	12.0%
40-49	870	11.8%	38,982	11.0%
50-59	957	13.0%	48,814	13.8%
60-69	620	8.4%	34,861	9.9%
70-79	317	4.3%	21,385	6.1%
80+	202	2.7%	20,612	5.8%
Total	7,374	100.0%	353,392	100.0%
0-17	2,375	32.2%	79,421	22.5%
65+	874	11.9%	68,790	19.5%

4

Race, 2013 Census Estimates

Race	Rolette County		North Dakota	
	Number	Percentage	Number	Percentage
Total	14,176	100.0%	723,393	100%
White	2,868	20.2%	643,478	89.0%
Black	50	0.4%	10,827	1.5%
Am. Indian	10,971	77.4%	40,214	5.6%
Asian	0	0.0%	9,096	1.3%
Pac. Islander	13	0.1%	371	0.1%
Other	22	0.2%	4,620	0.6%
Multirace	252	1.8%	14,787	2.0%

POPULATION DATA

5

Decennial Population Change, 1990 to 2000, 2000 to 2010				
Census	Rolette County	10 Year Change (%)	North Dakota	10 Year Change (%)
1990	3,332		638,800	
2000	2,753	-17.4%	642,200	0.5%
2010	2,435	-11.6%	672,591	4.7%

6

Household Populations, 2011 ACS Five Year Estimates				
	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Total	13,885	100.0%	659,858	100.0%
In Family Households	12,175	87.7%	504,148	76.4%
In Non-Family Households	1,514	10.9%	130,531	19.8%
Total In Households	13,689	98.6%	634,679	96.2%
Institutionalized*	108	0.8%	9,675	1.5%
Non-institutionalized*	88	0.6%	15,504	0.0%
Total in Group Quarters	196	1.4%	25,179	3.8%

* 2010 Census

7

Marital Status of Persons Age 15 and Older, 2013 ACS 5 Year Estimate				
Marital Status	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Total Age 15+	10,113	100.0%	561,346	100.0%
Never Married	3,934	38.9%	168,790	31.1%
Now Married	4,409	43.6%	292,900	52.8%
Separated	101	1.0%	4,413	0.8%
Widowed	597	5.9%	34,751	6.1%
Divorced	1,082	10.7%	50,747	9.2%

8

Educational Attainment Among Persons 25+, 2013 ACS 5 Year Estimate				
Education	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Total	8,058	100.0%	450,429	100.0%
Less than 9th Grade	451	5.6%	20,269	4.5%
Some High School	1,015	12.6%	20,720	4.6%
High school or GRE	1,797	22.3%	122,066	27.1%
Some College / Asso. Degree	3,199	39.7%	164,407	36.5%
Bachelor's degree	1,072	13.3%	88,284	19.6%
Post Graduate Degree	532	6.6%	34,233	7.6%

POPULATION DATA

9

Persons with Disability, 2012 ACS Five Year Estimate				
Group	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Total	14,043	100.0%	674,657	100.0%
Any Disability	1,895	13.5%	72,152	10.7%
No Disability	12,148	86.5%	602,505	89.3%
Self Care Disability	415	3.3%	11,069	1.8%
0-17 with any disability	246	13.0%	4,596	6.4%
18-64 with any disability	1,062	56.0%	35,138	48.7%
65+ with any disability	587	31.0%	32,418	44.9%

10

Income and Poverty Status by Age Group, 2013 ACS Five Year Estimate				
	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$31,336		\$53,741	
Per Capita Income	\$15,502		\$29,732	
	Number	Percent	Number	Percent
Below Poverty Level	5,014	13.7%	79,433	11.9%
Under 5 years	816	16.3%	7,697	9.7%
5 to 11 years	697	13.9%	8,139	10.2%
12 to 17 years	652	13.0%	5,567	7.0%
18 to 64 years	2513	50.1%	47,918	60.3%
65 to 74 years	175	3.5%	3,692	4.6%
75 years and over	161	3.2%	6,420	8.1%
Total Known Children in Poverty	2165	44.65%	21,403	13.16%
Total Known Age 65+ in Poverty	336	20.91%	10,112	8.39%

11

Family Poverty and Childhood and Elderly Poverty, 2013 ACS Five Year Estimates				
	Rolette County		North Dakota	
	Number	Percent*	Number	Percent*
Total Families	3,450	100.00%	175,638	100.00%
Families in Poverty	1,107	32.10%	12,470	7.10%
Families with Own Children	2,254	65.33%	79,728	45.39%
Families with Own Children in Poverty	920	26.66%	9,727	5.54%
Families with Own Children and Female Parent Only	965	27.97%	22,324	28.00%
Families with Own Children and Female Parent Only in Poverty	644	18.66%	8,572	4.88%

* Percent family poverty is percent of total families

12

Age of Housing, 2012 ACS Five Year Estimates				
	Rolette County		North Dakota	
	Number	Percent	Number	Percent
Housing units: Total	5,418	100.0%	324,712	100.0%
1980 and Later	1,981	36.6%	120,829	37.2%
1970 to 1979	1,630	30.1%	68,066	21.0%
Prior to 1970	1,807	33.4%	135,817	41.8%

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Vital Statistics Data comes from the birth and death records collected by the State of North Dakota aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. The number of events is blocked if fewer than six. Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate =
Teenage pregnancies (age <20) divided by female teen population x 1000.

Out of Wedlock Live Birth Ratio =
Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio =
Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio =
Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate =
Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.

Vital Statistics Data

BIRTHS AND DEATHS

13

Births, 2009-2013				
	Rolette County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	1,512	21.3	47,959	14
Pregnancies and Rate	1,598	22.5	52,505	15
Fertility Rate	111		72	
Teen Births and Rate	278	60.6	2,118	12
Teen Pregnancies and Rate	287	63	3,725	21
Out of Wedlock Births and Ratio	1161	768	15,686	327
Out of Wedlock Pregnancies and Ratio	1235	773	19436	370
Low Birth Weight Birth and Ratio	160	106	3,078	64

14

Child Deaths, 2009-2013				
	Rolette County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	26	17	286	6
Child and Adolescent Deaths and Rate	9	35	270	31
Total Deaths and Crude Rate	668	942	29,616	859

15

Deaths and Age Adjusted Death Rate by Cause, 2009-2013		
	Rolette County	North Dakota
	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	667 (1248)	29,581 (702)
Heart Disease	121 (240)	6,762 (154)
Cancer	134 (243)	6,315 (156)
Stroke	27 (55)	1,664 (37)
Alzheimers Disease	13 (32)	2,189 (45)
COPD	43 (85)	1,707 (41)
Unintentional Injury	55 (92)	1,625 (44)
Diabetes Mellitus	55 (104)	1,022 (24)
Pneumonia and Influenza	20 (40)	682 (15)
Cirrhosis	25 (38)	394 (11)
Suicide	14 (21)	551 (16)

Vital Statistics Data

BIRTHS AND DEATHS

16

Leading Causes of Death by Age Group for Rolette County, 2009-2013			
Age	1	2	3
0-4	Anomaly 7	Sudden Infant Death*	Prematurity*
5-14	Unintentional Injury		
15-24	Unintentional Injury 6	Suicide*	Diabetes*
25-34	Unintentional Injury 12	Suicide* Heart*	Cancer*
35-44	Unintentional Injury 9	Heart*	Cancer*
45-54	Cancer 15	Cirrhosis 11 Heart 11	Unintentional Injury 10
55-64	Cancer 33	Heart 25	Diabetes 14
65-74	Cancer 32	Heart 25	Diabetes 14
75-84	Cancer 27	Heart 22	COPD 14
85+	Heart 29	Cancer 21	Diabetes 11


*Numbers five or less not listed.

17

Leading Causes of Death by Age Group for North Dakota, 2008-2012			
Age	1	2	3
0-4	Anomaly 46	Sudden Infant Death 39	Prematurity
5-14	Unintentional Injury 24	Cancer 9	Anomaly 5
15-24	Unintentional Injury 193	Suicide 104	Cancer 17
25-34	Unintentional Injury 180	Suicide 183	Heart 35
35-44	Unintentional Injury 175	Heart 99	Cancer 87
45-54	Cancer 432	Heart 313	Unintentional Injury 203
55-64	Cancer 998	Heart 613	Unintentional Injury 147
65-74	Cancer 1530	Heart 826	COPD 323
75-84	Cancer 1948	Heart 1661	COPD 653
85+	Heart 3270	Alzheimer's Dz 1554	Cancer 1384

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. The Adult Behavioral Risk Factor data are derived from aggregated data (the number of years specified is in the table) continuously collected by telephone survey from persons 18 years and older. All data is self-reported data. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalences in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2013

18

	ALCOHOL	Rolette 2011-2013	North Dakota 2011-2013
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	24.5 (18.3-30.7)	24.2 (23.2-25.1)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	8.9 (4.6-13.2)	6.8 (6.2-7.4)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	NA	1.9 (1.5-2.4)
ARTHRITIS			
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.	30.6 (24.7-36.4)	25.1 (24.3-25.9)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	13.4 (8.7-18.1)	8.3 (7.8-8.8)
ASTHMA			
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	8.5 (4.4-12.5)	11.5 (10.7-12.2)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	6.4 (2.6-10.2)	8.1 (7.5-8.7)
BODY WEIGHT			
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	36.9 (30.5-43.2)	36.7 (35.7-37.7)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	31.5 (25.3-37.7)	29.4 (28.5-30.4)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	68.4 (61.8-74.9)	66.1 (65.1-67.2)
CANCER			
Ever Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	7.7 (4.8-10.6)	6.4 (6.0-6.8)
CARDIOVASCULAR			
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	NA	4.3 (3.9-4.6)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	NA	4.1 (3.7-4.4)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	NA	2.3 (2.0-2.5)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	5.8 (3.5- 8.2)	7.6 (7.1-8.0)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

19

	CHOLESTEROL	Rolette 2011-2013	North Dakota 2011-2013
Never Cholesterol Test	Respondents who reported never having a cholesterol test	17.8 (10.6-25.0)	22.3 (21.1-23.4)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	23.3 (15.7-30.9)	26.7 (25.5-27.9)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	33.1 (25.5-40.6)	36.6 (35.4-37.8)
CHRONIC LUNG DISEASE			
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis?	NA	4.6 (4.2-5.0)
COLORECTAL CANCER			
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	81.6 (72.6-90.6)	86.2 (84.8-87.6)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	33.4 (21.0-45.8)	38.0 (35.9-40.2)
Up to date for Colorectal Screening	Respondents age 50 and older who are up to date according to recommended screening guidelines for colorectal screening	64.3 (51.7-76.8)	59.1 (56.9-61.3)
DIABETES			
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	9.7 (6.4-12.9)	8.5 (8.0-9.0)
FRUITS AND VEGETABLES			
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	84.4 (79.3-89.6)	85.9 (85.0-86.7)
GENERAL HEALTH			
Fair or Poor Health	Respondents who reported that their general health was fair or poor	15.0 (10.2-19.8)	14.0 (13.3-14.7)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	12.0 (8.1-15.8)	11.6 (11.0-12.3)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	15.1 (9.6-20.6)	10.8 (10.2-11.5)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	8.6 (4.6-12.6)	7.1 (6.6-7.6)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	19.8 (14.2-25.3)	17.9 (17.2-18.7)
HEALTH CARE ACCESS			
Health Insurance	Respondents who reported not having any form or health care coverage	9.4 (4.4-14.3)	12.4 (11.6-13.1)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	9.5 (4.9-14.1)	8.1 (7.4-8.7)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	17.3 (11.9-22.7)	26.0 (25.0-26.9)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

20

	HYPERTENSION	Rolette 2011-2013	North Dakota 2011-2013
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	25.6 (19.0-32.3)	29.5 (28.6-30.6)
IMMUNIZATION			
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	39.9 (29.6-50.2)	40.3 (38.6-42.0)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	28.3 (18.5-38.1)	29.4 (27.8-31.0)
INJURY			
Fall	Respondents 45 years and older who reported that they had fallen in the past 12 months	22.2 (14.0-30.5)	27.8 (25.9-29.6)
Seat Belt	Respondents who reported not always wearing their seatbelt	35.1 (28.8-41.5)	32.6 (31.6-33.6)
ORAL HEALTH			
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	38.8 (27.1-50.4)	32.8 (31.0-34.7)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	41.3 (30.2-52.5)	43.2 (41.4-45.0)
PHYSICAL ACTIVITY			
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	51.0 (42.4-59.6)	53.8 (52.6-55.1)
Inactive	Respondents reporting little or no physical activity	28.6 (20.9-36.3)	30.4 (29.3-31.6)
TOBACCO			
Current Smoking	Respondents who reported that they smoked every day or some days	22.7 (16.6-28.8)	21.6 (20.6-22.5)
WOMEN'S HEALTH			
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	NA	23.7 (20.9-26.5)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	NA	26.4 (24.0-28.9)

CRIME

21

Rolette County							
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	0	1	0	0	2	3	24.2
Robbery	0	1	0	0	3	4	32.3
Assault	3	4	4	2	15	28	226.2
Violent crime	3	6	4	2	20	35	282.7
Burglary	16	18	23	14	6	77	622.0
Larceny	30	24	26	17	16	113	912.8
Motor vehicle theft	0	5	5	8	5	23	185.8
Property crime	46	47	54	39	27	213	1720.5
Total	7	4	10	23	16	60	484.7

22

North Dakota							
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	15	11	15	20	14	75	2.2
Rape	206	222	207	243	237	1,115	32.6
Robbery	102	85	91	117	151	546	16.0
Assault	795	847	1,040	1,071	1,156	4,909	143.6
Violent crime	1,118	1,165	1,353	1,451	1,558	6,645	194.3
Burglary	2,180	1,826	2,227	2,200	2,656	11,089	324.3
Larceny	8,699	8,673	9,344	10,184	10,243	47,143	1378.6
Motor vehicle theft	854	825	763	854	1,228	4,524	132.3
Property crime	11,733	11,324	12,334	13,238	14,127	62,756	1835.2
Total	12,851	12,489	13,687	14,689	15,685	69,401	2029.5

CHILD HEALTH INDICATORS

23

Child Indicators: Education 2014	Rolette County	North Dakota
Enrolled in Special Education Ages 3-21 (Number and percent of total school enrollment)	204 (6.9%)	13,675 (12.9%)
High School Dropouts (Dropouts per 1000 persons Grades 9-12)	91 (10.1%)	888 (2.8%)
Average Expenditure per Student in Public School	\$10,769	\$10,964

24

Child Indicators: Economic Health 2014	Rolette County	North Dakota
TANF Recipients Ages 0-19 (Percentage of persons ages 0-19)	1,260 (23.8%)	5,358 (2.9%)
Food Stamp Recipients Ages 0-18 (Percentage of all children ages 0-19)	3,416 (67.41%)	36,967 (21.4%)
Children Receiving Free or Reduced Price Lunch (Percentage of total school enrollment)	3,101 (88.0%)	34,731 (30.8%)
Medicaid Recipients Ages 0-20 (Percentage of all persons ages 0-20)	3,721 (67.4%)	53,814 (27.0%)
Median Income for Families with Children Ages 0-17 (Percentage of all women with children ages 0-17)*	\$30,360	\$70,530
Children Ages 0-17 Living in Extreme Poverty (Percentage of children 0-17 for whom poverty is determined)*	1,349 (29.1%)	10,114 (6.7%)

*2013

25

Child Indicators: Families and Child Care 2013	Rolette County	North Dakota
Mothers in Labor Force with a Child Ages 0-17 (Percentage of all mothers with a child ages 0-17)	1,223 (65.2%)	57,908 (80.9%)
Children Ages 0-17 Living in a Single Parent Family (Percentage of all children ages 0-17)	2,025 (42.8%)	34,591 (22.5%)
Children in Foster Care (Percentage of children ages 0-18)	80 (1.6%)	2,019 (1.2%)
Children Ages 0-17 with Suspected Child Abuse or Neglect (Percentage of children 0-17)	45 (0.9%)	6,170 (4.0%)
Children Ages 0-17 Impact by Domestic Violence (Percentage of all children ages 0-17)*	32 (.7%)	4,739 (2.9%)
Births to Mothers with Inadequate Prenatal Care (Percentage of Total Births)	75 (24.0%)	508 (4.8%)

*2010

26

Child Indicators: Juvenile Justice 2013	Rolette County	North Dakota
Children Ages 10-17 Referred to Juvenile Court (Percentage of all children ages 0-17)	33 (1.7%)	3,789 (5.8%)
Offense Against Person Juvenile Court Referral (Percentage of total juvenile court referral)	8 (18.2%)	689 (6.8%)
Alcohol-Related Juvenile Court Referral (Percentage of all juvenile court referrals)	8 (18.2%)	909 (13%)