

Stutsman County Community Health Data

May 5, 2015



Stephen Pickard, MD
North Dakota Department of Health

TABLE OF CONTENTS

POPULATION DATA

Chart 1: Population by Age Group.....	1
Chart 2: Pyramid Graph of Number of Residents by Census Year.....	1
Chart 3: Female Population and Percentage Female by Age.....	1
Chart 4: Decennial Population Change.....	1
Chart 5: Race.....	2
Chart 6: Household Populations.....	2
Chart 7: Marital Status of Persons Age 15 and Older.....	2
Chart 8: Educational Attainment Among Persons 25+.....	2
Chart 9: Persons with Disability.....	3
Chart 10: Income and Poverty Status by Age Group.....	3
Chart 11: Family Poverty and Childhood and Elderly Poverty.....	3
Chart 12: Age of Housing.....	3

VITAL STATISTICS DATA

Birth and Deaths Definitions.....	4
Chart 13: Births.....	5
Chart 14: Child Deaths.....	5
Chart 15: Deaths and Age Adjusted Death Rate by Cause.....	5
Chart 16: Leading Causes of Death by Age Group for Rolette County.....	6
Chart 17: Leading Causes of Death by Age Group for North Dakota.....	6

ADULT BEHAVIORAL RISK FACTORS

Chart 18 –21:	
• Adult Behavioral Risk Factors Definition.....	7
• Alcohol.....	8
• Arthritis.....	8
• Asthma.....	8
• Body Weight.....	8
• Cancer.....	8
• Cardiovascular.....	9
• Cholesterol.....	9
• Chronic Lung Disease.....	9
• Colorectal Cancer.....	9
• Diabetes.....	9
• Fruits and Vegetables.....	9
• General Health.....	10
• Health Care Access.....	10
• Hypertension.....	10
• Immunization.....	10
• Injury.....	10
• Oral Health.....	11
• Physical Activity.....	11
• Tobacco.....	11
• Women’s Health.....	11

CRIME

Chart 21: Rolette County.....	12
Chart 22: North Dakota.....	12

CHILD RISK

Chart 23: Child Indicators—Education.....	13
Chart 24: Child Indicators—Economic Health.....	13
Chart 25: Child Indicators—Families and Child Care.....	13
Chart 26: Child Indicators—Juvenile Justice.....	13


POPULATION DATA

1

Population by Age Group, 2011-2013 ACS Estimates				
Age Group	Stutsman County		North Dakota,	
	Number	Percent	Number	Percent
0-9	2,251	10.7%	91,871	12.7%
10-19	2,629	12.5%	93,318	12.9%
20-29	2,756	13.1%	124,424	17.2%
30-39	2,398	11.4%	91,148	12.6%
40-49	2,566	12.2%	79,573	11.0%
50-59	3,324	15.8%	101,998	14.1%
60-69	2,650	12.6%	69,446	9.6%
70-79	1,199	5.7%	41,233	5.7%
80+	1,283	6.1%	31,829	4.4%
Total	21,056	100.0%	724,840	100.0%
0-17	4,249	20.2%	161,317	22.3%
65+	3,580	17.0%	102,722	14.2%

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the Census estimates for 2013 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also. Tables present number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group which is in poverty (e.g., percentage of children under five years in poverty).

2



3

Female Population and Percentage Female by Age, 2011-2013 ACS Estimates				
Age Group	Stutsman County 2011-2013		North Dakota, 2013	
	Number	Percent	Number	Percent
0-9	1,145	50.9%	45,342	49.4%
10-19	1,187	45.1%	44,988	48.2%
20-29	1,291	46.8%	55,615	44.7%
30-39	1,103	46.0%	41,092	45.1%
40-49	1,187	46.2%	39,675	49.9%
50-59	1,769	53.2%	50,656	49.7%
60-69	1,301	49.1%	34,361	49.5%
70-79	614	51.2%	21,254	51.5%
80+	801	62.5%	20,546	64.5%
Total	10,398	49.4%	353,530	48.8%
0-17	2,038	48.0%	78,484	48.7%
65+	1,768	49.4%	50,201	48.9%

4

Decennial Population Change, 1990 to 2000, 2000 to 2010				
Census	Stutsman County	10 Year Change (%)	North Dakota	10 Year Change (%)
1990	22,241		638,800	
2000	21,908	-1.5%	642,200	0.5%
2010	21,100	-3.7%	672,591	4.7%

POPULATION DATA

5

Race, 2011-2013 ACS Three Year Estimates				
Race	Stutsman County 2011-2013		North Dakota 2013	
	Number	Percentage	Number	Percentage
Total	21,035	100.0%	723,393	100.0%
White	19,879	94.5%	643,478	89.0%
Black	193	0.9%	10,827	1.5%
Am. Indian	279	1.3%	40,214	5.6%
Asian	70	0.3%	9,096	1.3%
Pac. Islander	0	0.0%	371	0.1%
Other	194	0.9%	4,620	0.6%
Multirace	840	4.0%	29,574	4.1%

6

Household Populations, 2011-2013 ACS Three Year Estimates				
	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
Total	21,035	100.0%	703,203	100.0%
In Family Households	15,290	72.7%	530,615	75.5%
In Non-Family Households	4,149	19.7%	146,330	20.8%
Total In Households	19,439	92.4%	676,945	96.3%
Institutionalized*	1042	5.0%	9,675	1.4%
Non-institutionalized*	554	2.6%	16,583	2.4%
Total in Group Quarters	1596	7.6%	26,258	3.7%

7

Marital Status of Persons Age 15 and Older, 2009-2013 ACS Five Year Estimate				
Marital Status	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
Total Age 15+	17,410	100.0%	561,346	100.0%
Never Married	4,979	28.6%	177,385	31.6%
Now Married	8,757	50.3%	291,900	52.0%
Separated	192	1.1%	5,052	0.9%
Widowed	1,393	8.0%	33,681	6.0%
Divorced	2,089	12.0%	53,328	9.5%

8

Educational Attainment Among Persons 25+, 2011-2013 ACS Three Year Estimate				
Education	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
Total	14,722	100.0%	457,771	100.0%
Less than 9th Grade	766	5.2%	19,226	4.2%
Some High School	1,016	6.9%	21,057	4.6%
High school or GRE	5,374	36.5%	125,429	27.4%
Some College / Asso. Degree	4,034	27.4%	168,002	36.7%
Bachelor's degree	2,930	19.9%	89,723	19.6%
Post Graduate Degree	618	4.2%	34,791	7.6%

POPULATION DATA

9

Persons with Disability, 2011-2013 ACS Three Year Estimates					
Group	Stutsman County		North Dakota		
	Number	Percent	Number	Percent	
Total	20,118	100.0%	688,158	100.0%	
Any Disability	3,140	15.6%	72,762	10.6%	
No Disability	16,978	84.4%	615,396	89.4%	
Self Care Disability	390	1.9%	11,274	1.6%	
0-17 with any disability	99	2.3%	4,677	2.9%	
18-64 with any disability	1,858	14.0%	35,931	7.8%	
65+ with any disability	1,183	33.0%	32,154	31.3%	

10

Income and Poverty Status by Age Group, 2011-2013 ACS Three Year Est				
	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$50,276		\$54,920	
Per Capita Income	\$28,091		\$30,436	
	Number	Percent	Number	Percent
Below Poverty Level	2,113	10.8%	80,644	11.9%
Under 5 years	233	20.7%	7,714	16.9%
5 to 11 years	208	12.0%	7,944	13.2%
12 to 17 years	165	13.2%	5,776	11.8%
18 to 64 years	1,090	9.0%	49,568	11.6%
65 to 74 years	155	9.6%	3,448	7.0%
75 years and over	262	15.7%	6,194	13.7%

11

Family Poverty and Childhood and Elderly Poverty, 2011-2013 ACS Three Year Estimates					
	Stutsman County		North Dakota		
	Number	Percent*	Number	Percent*	
Total Families	5,520	100.0%	176,378	100.0%	
Families in Poverty	580	10.5%	13,052	7.4%	
Families with Own Children	2343	42.4%	80,964	45.9%	
Families with Own Children in Poverty	471	8.5%	10,121	5.7%	
Families with Own Children and Female Parent Only	576	10.4%	16,716	9.5%	
Families with Own Children and Female Parent Only in Poverty	358	6.5%	6,452	3.7%	
Total Known Children in Poverty	606	14.3%	21,434	13.3%	
Total Known Age 65+ in Poverty	417	11.6%	9,642	9.4%	

* Percent family poverty is percent of total families

12

Age of Housing, 2011-2013 ACS Three Year Estimates				
	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
Housing units: Total	9,970	100.0%	329,970	100.0%
1980 and Later	2,691	27.0%	128,111	38.8%
1970 to 1979	2,440	24.5%	66,396	20.1%
Prior to 1970	4,839	48.5%	135,463	41.1%

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Vital Statistics Data comes from the birth and death records collected by the State of North Dakota aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. The number of events is blocked if fewer than five. Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate =
Teenage pregnancies (age <20) divided by female teen population x 1000.

Out of Wedlock Live Birth Ratio =
Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio =
Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio =
Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate =
Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.

Vital Statistics Data

BIRTHS AND DEATHS

13

Births, 2009-2013	Stutsman County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	1,152	11	47,959	14
Pregnancies and Rate	1,251	12	52,505	15
Fertility Rate		64		72
Teen Births and Rate	73	15	2,118	12
Teen Pregnancies and Rate	90	19	3,725	21
Out of Wedlock Births and Ratio	402	349	15,686	327
Out of Wedlock Pregnancies and Ratio	480	384	19,436	370
Low Birth Weight Birth and Ratio	103	89	3,078	64

14

Child Deaths, 2009-2013	Stutsman County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	6	5	286	6
Child and Adolescent Deaths and Rate	12	52	270	32
Total Deaths and Crude Rate	1,188	1,128	29,616	866

15

Deaths and Age Adjusted Death Rate by Cause, 2009-2013	Stutsman County		North Dakota	
	Number (Adj. Rate)	Number (Adj. Rate)	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	1188 (746)		29,581 (702)	
Heart Disease	246 (149)		6,762 (154)	
Cancer	262 (173)		6,315 (156)	
Stroke	75 (45)		1,664 (37)	
Alzheimers Disease	88 (46)		2,189 (45)	
COPD	65 (40)		1,707 (41)	
Unintentional Injury	61 (43)		1,625 (44)	
Diabetes Mellitus	61 (40)		1,022 (24)	
Pneumonia and Influenza	14 (8)		682 (15)	
Cirrhosis	16 (12)		394 (11)	
Suicide	13 (13)		551 (16)	

Vital Statistics Data

BIRTHS AND DEATHS

16


Leading Causes of Death by Age Group for Stutsman County, 2009-2013			
Age	1	2	3
0-4	Prematurity	SIDS	Cancer
5-14	Anomaly		
15-24	Unintentional Injury Suicide	Heart	Pneumonia/Flu
25-34	Unintentional Injury	Anomaly	Suicide Pneumonia/Flu
35-44	Unintentional Injury 5	Heart	Suicide
45-54	Cancer 19	Heart 8	Unintentional Inj 6 DM 6
55-64	Cancer 34	Heart 18	Unintentional Injury 7
65-74	Cancer 60	Heart 36	DM 14
75-84	Cancer 75	Heart 60	COPD 22
85+	Heart 18	Cancer 70	Alzheimer's Dz 67

17

Leading Causes of Death by Age Group for North Dakota, 2008-2012			
Age	1	2	3
0-4	Anomaly 46	SIDS 39	Prematurity 25
5-14	Unintentional Injury 24	Cancer 9	Anomaly 5
15-24	Unintentional Injury 193	Suicide 104	Cancer 17
25-34	Unintentional Injury 180	Suicide 183	Heart 35
35-44	Unintentional Injury 175	Heart 99	Cancer 87
45-54	Cancer 432	Heart 313	Unintentional Injury 203
55-64	Cancer 998	Heart 613	Unintentional Injury 147
65-74	Cancer 1530	Heart 826	COPD 323
75-84	Cancer 1948	Heart 1661	COPD 653
85+	Heart 3270	Alzheimer's Dz 1554	Cancer 1384

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. The Adult Behavioral Risk Factor data are derived from aggregated data (the number of years specified is in the table) continuously collected by telephone survey from persons 18 years and older. All data is self-reported data. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence intervals may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalences in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2013

18

	ALCOHOL	Stutsman County 2011-2013	North Dakota 2011-2013
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	19.0 (14.1-23.8)	24.2 (23.2-25.1)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	5.6 (2.7- 8.5)	6.8 (6.2- 7.4)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	NA	1.9 (1.5- 2.4)
ARTHRITIS			
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.	29.1 (24.3-33.8)	25.1 (24.3-25.9)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	9.0 (6.0-12.0)	8.3 (7.8- 8.8)
ASTHMA			
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	12.9 (8.4-17.5)	11.5 (10.7-12.2)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	9.5 (5.8-13.1)	8.1 (7.5- 8.7)
BODY WEIGHT			
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	40.3 (34.4-46.2)	36.7 (35.7-37.7)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	27.6 (22.3-32.8)	29.4 (28.5-30.4)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	67.9 (61.9-73.8)	66.1 (65.1-67.2)
CANCER			
Ever Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	7.0 (4.6- 9.4)	6.4 (6.0- 6.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

19

	CARDIOVASCULAR	Stutsman County	North Dakota
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	4.8 (2.6- 6.9)	4.3 (3.9- 4.6)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	3.9 (1.9- 5.8)	4.1 (3.7- 4.4)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	1.6 (0.7- 2.5)	2.3 (2.0- 2.5)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	7.1 (4.7- 9.5)	7.6 (7.1- 8.0)
CHOLESTEROL			
Never Cholesterol Test	Respondents who reported never having a cholesterol test	16.9 (10.4-23.5)	22.3 (21.1-23.4)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	24.0 (17.0-31.0)	26.7 (25.5-27.9)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	38.4 (31.5-45.3)	36.6 (35.4-37.8)
CHRONIC LUNG DISEASE			
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis?	4.7 (2.7- 6.7)	4.6 (4.2- 5.0)
COLORECTAL CANCER			
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	61.6 (49.0-74.3)	86.2 (84.8-87.6)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	39.3 (26.9-51.7)	38.0 (35.9-40.2)
DIABETES			
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	10.4 (7.1-13.6)	8.5 (8.0- 9.0)
FRUITS AND VEGETABLES			
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	88.4 (83.7-93.1)	85.9 (85.0-86.7)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

20

	GENERAL HEALTH	Stutsman County	North Dakota
Fair or Poor Health	Respondents who reported that their general health was fair or poor	14.6 (10.5-18.7)	14.0 (13.3-14.7)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	14.0 (10.0-18.1)	11.6 (11.0-12.3)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	9.3 (5.7-12.9)	10.8 (10.2-11.5)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	7.9 (4.5-11.2)	7.1 (6.6- 7.6)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	18.1 (14.0-22.3)	17.9 (17.2-18.7)
HEALTH CARE ACCESS			
Health Insurance	Respondents who reported not having any form or health care coverage	9.2 (5.3-13.2)	12.4 (11.6-13.1)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	4.4 (1.8- 6.9)	8.1 (7.4- 8.7)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	15.5 (10.9-20.0)	26.0 (25.0-26.9)
HYPERTENSION			
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	34.7 (28.9-40.5)	29.5 (28.6-30.6)
IMMUNIZATION			
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	38.7 (29.3-48.1)	40.3 (38.6-42.0)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	26.9 (17.7-36.2)	29.4 (27.8-31.0)
INJURY			
Fall	Respondents 45 years and older who reported that they had fallen in the past 3 months	28.1 (17.8-38.4)	27.8 (25.9-29.6)
Seat Belt	Respondents who reported not always wearing their seatbelt	33.1 (27.4-38.8)	32.6 (31.6-33.6)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

21

	ORAL HEALTH	Stutsman County	North Dakota
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	23.9 (15.3-32.6)	32.8 (31.0-34.7)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	46.8 (36.0-57.6)	43.2 (41.4-45.0)
PHYSICAL ACTIVITY			
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	61.0 (54.0-68.1)	53.8 (52.6-55.1)
Inactive	Respondents reporting little or no physical activity	38.2 (31.1-45.4)	30.4 (29.3-31.6)
TOBACCO			
Current Smoking	Respondents who reported that they smoked every day or some days	18.4 (13.5-23.2)	21.6 (20.6-22.5)
WOMEN'S HEALTH			
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	32.7 (13.8-51.5)	23.7 (20.9-26.5)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	32.2 (17.4-47.0)	26.4 (24.0-28.9)

CRIME

Stutsman County							
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	0	0	1	0	0	1	0.9
Rape	11	14	16	15	23	79	73.6
Robbery	1	1	0	0	2	4	3.7
Assualt	13	33	22	21	22	111	103.5
Violent crime	25	48	39	36	47	195	181.8
Burglary	61	62	52	91	108	374	348.6
Larceny	254	259	264	349	296	1,422	1325.5
Motor vehicle theft	27	29	20	33	21	130	121.2
Property crime	342	350	336	473	425	1,926	1795.3
Total	367	398	375	509	472	2,121	1977.1

North Dakota							
	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	15	11	15	20	14	75	2.2
Rape	206	222	207	243	237	1,115	32.6
Robbery	102	85	91	117	151	546	16.0
Aggrav. Assault	795	847	1,040	1,071	1,156	4,909	143.6
Violent crime	1,118	1,165	1,353	1,451	1,558	6,645	194.3
							0.0
Burglary	2,180	1,826	2,227	2,200	2,656	11,089	324.3
Larceny	8,699	8,673	9,344	10,184	10,243	47,143	1378.6
Motor vehicle theft	854	825	763	854	1,228	4,524	132.3
Property crime	11,733	11,324	12,334	13,238	14,127	62,756	1835.2
							0.0
Total	12,851	12,489	13,687	14,689	15,685	69,401	2029.5

CHILD HEALTH INDICATORS

23

Child Indicators: Education 2013	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
	Enrolled in Special Education Ages 3-21 (Number and percent of total school enrollment)	387	15%	13,399
High School Dropouts (Dropouts per 100 persons Grades 9-12)*	22	2.5%	888	2.8%
Average Expenditure per Student in Public School	\$10,353		\$10,964	

24

Child Indicators: Economic Health 2013	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
	TANF Recipients Ages 0-19 (Percentage of persons ages 0-19)	51	1.0%	5,358
Food Stamp (SNAP) Recipients Ages 0-18 (Percentage of all children ages 0-19)	896	20%	37,826	23%
Children Receiving Free or Reduced Price Lunch (Percentage of total school enrollment)	930	32%	34,381	31%
Medicaid Recipients Ages 0-20 (Percentage of all persons ages 0-20)*	1,513	29%	53,814	27%
Children Ages 0-17 Living in Extreme Poverty (Percentage of children 0-17 for whom poverty is determined)	309	7.3%	10,114	6.2%
Median Income for Families with Children Ages 0-17 (Percentage of all women with children ages 0-17)	\$57,438		\$70,530	

25

Child Indicators: Families and Child Care 2013	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
	Mothers in Labor Force with a Child Ages 0-17 (Percentage of all mothers with a child ages 0-17)	1,691	85%	57,908
Children Ages 0-17 Living in a Single Parent Family (Percentage of all children ages 0-17)	1,457	33%	34,591	23%
Children in Foster Care (Percentage of children ages 0-18)*	52	1.2%	2,019	1.2%
Children Ages 0-17 with Suspected Child Abuse or Neglect (Percentage of children 0-17)	166	3.9%	6,170	4.0%
Children Ages 0-17 Impact by Domestic Violence (Percentage of all children ages 0-17)**	64	1.4%	4,739	2.9%
Births to Mothers with Inadequate Prenatal Care (Percentage of Total Births)	10	3.9%	508	4.8%

**2010

26

Child Indicators: Juvenile Justice 2013	Stutsman County		North Dakota	
	Number	Percent	Number	Percent
	Children Ages 10-17 Referred to Juvenile Court (Percentage of all children ages 0-17)	152	7.9%	3,789
Offense Against Person Juvenile Court Referral (Percentage of total juvenile court referral)	28	9.0%	689	9.8%
Alcohol-Related Juvenile Court Referral (Percentage of all juvenile court referrals)*	49	16%	909	13%