

Saskatchewan-North Dakota Trans-Boundary Ambient Monitoring Network

Air Quality Report

3rd Quarter 2003

Prepared By:

Air Quality Monitoring Branch
Division of Air Quality
North Dakota Department of Health

December 2003

TABLE OF CONTENTS

<u>Description</u>	<u>Page</u>
Introduction	iii
DISCUSSION OF MONITORING RESULTS	1
Sulfur Dioxide (SO ₂)	2
Sulfur Dioxide (SO ₂) 5-Minute Average	2
Nitrogen Dioxide (NO ₂)	2
Inhalable Continuous PM _{2.5} Particulates	2
Inhalable FRM PM _{2.5} Particulates	2
Inhalable PM ₁₀ Particulates	3
AMBIENT AIR QUALITY DATA SUMMARIES	5
Sulfur Dioxide	6
Sulfur Dioxide 5-Minute Averages	6
Nitrogen Dioxide	7
Inhalable Continuous PM _{2.5}	7
Inhalable FRM PM _{2.5} Particulates	8
Inhalable PM ₁₀ Particulates	8
EXCEEDANCE LISTINGS	9
By Site Date Hour	10
By Date Hour Site	10

Introduction

The Saskatchewan (SK) - North Dakota (ND) Trans-Boundary Ambient Monitoring Network is a cooperative effort among Environment Canada (EC), US Environmental Protection Agency (EPA), Saskatchewan Environment Resource Management (SERM), North Dakota Department of Health (NDDH), and SaskPower. The working participants are SaskPower (Boundary Dam Power Station) and NDDH (Division of Air Quality). After the initial data sharing details are worked out, data collected by SaskPower at the Boundary Dam Power Station (BDPS) and Estevan site continuous data will be included in this quarterly report.

Section One provides a description of the data collected, by pollutant, and a brief summary of data and any significant action(s) that may affect the data. Section Two presents the data in summary tables comparing the data to the applicable Saskatchewan, North Dakota and US ambient air quality standards. Section Three lists any exceedance of the North Dakota ambient air quality standards first by site and date, then by date and site.

SECTION ONE

DISCUSSION OF
MONITORING RESULTS

Sulfur Dioxide (SO₂)

There were no exceedances of either the Saskatchewan, ND state, or US federal standards during the quarter. The maximum 1-hour concentration was 60 ppb on September 12 at Short Creek, ND; the maximum 3-hour concentration was 34 ppb on July 24 at Short Creek, ND; and, the maximum 24-hour concentration was 7 ppb on September 12 at Short Creek, ND. An 80% data recovery was achieved for the period operated.

Sulfur Dioxide (SO₂) 5-Minute Average

The maximum 5-minute concentration was 84 ppb on September 12 at Short Creek, ND.

Nitrogen Dioxide (NO₂)

The maximum 1-hour concentration observed was 16 ppb on July 24 at Short Creek, ND. An 80% data recovery was achieved for the period operated.

Inhalable Continuous PM_{2.5} Particulates

The maximum 1-hour concentration was 64.0 µg/m³ on July 4 at Short Creek, ND.; the maximum 24-hour concentration was 30.4 µg/m³ on September 6 at Short Creek, ND. An 80% data recovery was achieved for the period operated.

Inhalable FRM PM_{2.5} Particulates

The maximum 24-hour average concentration was 35.9 µg/m³ on September 6 at Estevan, SK. An 80% data recovery was achieved at all sites the period operated.

Inhalable PM₁₀ Particulates

There was no exceedance of the 24-hour Saskatchewan or ND state standards during the quarter. The maximum 24-hour average concentration was 70 $\mu\text{g}/\text{m}^3$ on September 6 at Short Creek, ND. An 80% data recovery was achieved for the period operated.

SECTION TWO

AMBIENT AIR QUALITY DATA

SUMMARIES

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Sulfur Dioxide (ppb)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	1 - HOUR		M A X I M A 3 - HOUR		24 - HOUR		ARITH MEAN	1HR #>273	24HR #>99	% >MDV
				1ST MM/DD:HH	2ND MM/DD:HH	1ST MM/DD:HH	2ND MM/DD:HH	1ST MM/DD	2ND MM/DD				
Short Creek, ND	2003	JUL-SEP	2183	60 09/12:10	53 07/24:13	34 07/24:14	31 09/12:11	7 09/12	6 07/24	2.0			16.6

The maximum 1-hour concentration is 60 ppb at Short Creek, ND on 09/12:10
The maximum 3-hour concentration is 34 ppb at Short Creek, ND on 07/24:14
the maximum 24-hour concentration is 7 ppb at Short Creek, ND on 09/12

* The air quality standards are:

Sask. Provincial Standards -

- 1) 0.17 ppm maximum 1-hour average concentration.
- 2) 0.06 ppm maximum 24-hour average concentration.
- 3) 0.01 ppm annual arithmetic mean.

ND STATE Standards -

- 1) 273 ppb maximum 1-hour average concentration.
- 2) 99 ppb maximum 24-hour average concentration.
- 3) 23 ppb maximum annual arithmetic mean concentration.

US FEDERAL Standards -

- 1) 500 ppb maximum 3-hour concentration not to be exceeded more than once per year.
- 2) 140 ppb maximum 24-hour concentration not to be exceeded more than once per year.
- 3) 30 ppb annual arithmetic mean.

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Sulfur Dioxide 5-Minute Averages (ppb)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	5 - M I N U T E			M A X I M A 3RD	# HOURS >600	% >MDV
				1ST DATE MM/DD:HH	2ND DATE MM/DD:HH	DATE MM/DD:HH			
Short Creek, ND	2003	JUL-SEP	2183	84 09/12:10	81 07/28:09	81 09/22:09	0	27.3	

The maximum 5-minute concentration is 84 ppb at Short Creek, ND on 09/12:10

* No Standard is currently in effect:

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Nitrogen Dioxide (ppb)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	M A X I M A 1 - HOUR		ARITH MEAN	% >MDV
				1ST MM/DD:HH	2ND MM/DD:HH		
Short Creek, ND	2003	JUL-SEP	2178	16 07/24:13	16 07/25:23	2.6	62.1

The maximum 1-hour concentration is 16 ppb at Short Creek, ND on 07/24:13

* The air quality standards are:

Sask. Provincial Standards are:

- 1) 0.2 ppm maximum 1-hour average concentration.
- 2) 0.05 ppm maximum annual arithmetic mean concentration.

ND STATE - 53 ppb maximum annual arithmetic mean.

US FEDERAL - 53 ppb annual arithmetic mean.

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Inhalable Continuous PM_{2.5} (µg/m³)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	M A X I M A 1 - HOUR		24 - HOUR				MEAN	1HR #>150	24HR #>65
				1ST MM/DD:HH	2ND MM/DD:HH	1ST MM/DD	2ND MM/DD	3RD MM/DD	4TH MM/DD			
Short Creek, ND	2003	JUL-SEP	1958	64.0 07/04:22	51.8 07/04:21	30.4 09/06	26.3 09/05	18.7 08/24	15.3 08/23	5.6		

The maximum 1-hour concentration is 64.0 µg/m³ at Short Creek, ND on 07/04:22

The maximum 24-hour concentration is 30.4 µg/m³ at Short Creek, ND on 09/06

* The ambient air quality standards are:

US FEDERAL Standards -

- 1) 24-hour: 3-year average of 98th percentiles not to exceed 65 µg/m³.
- 2) Annual: 3-year average not to exceed 15 µg/m³.

Canadian-Wide Standard -

- 24-hour: 3-year average of 98th percentiles not to exceed 30 µg/m³.

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Inhalable FRM PM_{2.5} Particulates (µg/m³)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	MIN	M A X I M A 24 - HOUR			ARITH MEAN	#> 65	AM>15	% >MDV
					1ST MM/DD	2ND MM/DD	3RD MM/DD				
Estevan, SK	2003	JUL-SEP	16	2.3	35.9 09/06	21.3 08/25	13.8 08/19	9.8			100.0
Lignite, ND	2003	JUL-SEP	16	3.3	30.6 09/06	18.5 08/25	11.5 08/19	8.6			100.0
Raferty Dam, SK	2003	JUL-SEP	16	3.3	34.5 09/06	22.3 08/25	16.3 08/19	10.3			100.0
Short Creek, ND	2003	JUL-SEP	16	3.8	31.4 09/06	18.0 08/25	13.0 08/19	9.4			100.0

The maximum 24-hour concentration is 35.9 µg/m³ at Estevan, SK on 09/06

* The ambient air quality standards are:

US FEDERAL Standards -

- 1) 24-hour: 3-year average of 98th percentiles not to exceed 65 µg/m³.
- 2) Annual: 3-year average not to exceed 15 µg/m³.

Canadian-Wide Standard -

- 24-hour: 3-year average of 98th percentiles not to exceed 30 µg/m³.

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Inhalable PM₁₀ Particulates (µg/m³)

LOCATION	YEAR	SAMPLING PERIOD	NUM OBS	MIN	M A X I M A 24 - HOUR			ARITH MEAN	#>150	AM>50	% >MDV
					1ST MM/DD	2ND MM/DD	3RD MM/DD				
Short Creek, ND	2003	JUL-SEP	14	7.0	70.0 09/06	63.0 08/19	48.0 08/25	30.6			100.0

The maximum 24-hour concentration is 70.0 µg/m³ at Short Creek, ND on 06/26

* The STATE and FEDERAL air quality standards are:

- 1) 150 µg/m³ maximum averaged over a 24-hour period with no more than one expected exceedance per year.
- 2) 50 µg/m³ expected annual arithmetic mean.

SECTION THREE

EXCEEDANCE LISTINGS

By Site Date Hour

All Units Are in Parts Per Billion Except Wind Direction (Degrees),
Wind Speed (MPH), CO (PPM), and PM_{2.5} and PM₁₀ (g/m³)

The * Identifies the Exceedances

NONE

By Date Hour Site

All Units Are in Parts Per Billion Except Wind Direction (Degrees),
Wind Speed (MPH), CO (PPM), and PM_{2.5} and PM₁₀ (g/m³)

The * Identifies the Exceedances

NONE