

NORTH DAKOTA

2013 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 29, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6532	472,034	3850	52.0	50.2-53.8	2682	48.0	46.2-49.8
Male	2873	234,535	1554	45.3	42.8-47.8	1319	54.7	52.2-57.2
Female	3659	237,499	2296	58.5	56.1-60.9	1363	41.5	39.1-43.9
18-24	446	74,540	112	27.9	22.2-33.6	334	72.1	66.4-77.8
25-34	829	89,288	354	41.1	36.8-45.4	475	58.9	54.6-63.2
35-44	795	71,352	358	44.3	39.8-48.8	437	55.7	51.2-60.2
45-54	1119	75,449	663	58.4	54.5-62.3	456	41.6	37.7-45.5
55-64	1412	74,605	997	69.9	66.6-73.2	415	30.1	26.8-33.4
65+	1876	82,899	1332	69.3	66.4-72.2	544	30.7	27.8-33.6
Less Than H.S.	401	42,598	208	41.3	34.4-48.2	193	58.7	51.8-65.6
H.S. or G.E.D.	1980	125,965	1129	49.7	46.6-52.8	851	50.3	47.2-53.4
Some Post-H.S.	2124	182,954	1294	54.4	51.5-57.3	830	45.6	42.7-48.5
College Graduate	2003	118,857	1208	54.5	51.6-57.4	795	45.5	42.6-48.4
Less than \$15,000	403	37,392	229	47.9	40.5-55.3	174	52.1	44.7-59.5
\$15,000- 24,999	731	56,658	421	52.8	47.5-58.1	310	47.2	41.9-52.5
\$25,000- 34,999	568	39,427	331	49.1	43.2-55.0	237	50.9	45.0-56.8
\$35,000- 49,999	879	61,480	509	50.4	45.7-55.1	370	49.6	44.9-54.3
\$50,000- 74,999	1080	83,748	639	51.2	46.9-55.5	441	48.8	44.5-53.1
\$75,000+	2039	135,780	1240	55.4	52.5-58.3	799	44.6	41.7-47.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2873	234,535	1554	45.3	42.8-47.8	1319	54.7	52.2-57.2
18-24	259	39,892	45	15.7	10.4-21.0	214	84.3	79.0-89.6
25-34	402	46,534	127	31.1	25.4-36.8	275	68.9	63.2-74.6
35-44	374	36,890	150	36.7	30.4-43.0	224	63.3	57.0-69.6
45-54	519	37,254	291	55.2	49.5-60.9	228	44.8	39.1-50.5
55-64	627	37,384	454	70.2	65.1-75.3	173	29.8	24.7-34.9
65+	672	35,093	477	69.6	64.9-74.3	195	30.4	25.7-35.1
Less Than H.S.	214	24,859	95	32.5	24.7-40.3	119	67.5	59.7-75.3
H.S. or G.E.D.	924	68,510	479	42.2	37.9-46.5	445	57.8	53.5-62.1
Some Post-H.S.	907	87,301	499	47.3	43.0-51.6	408	52.7	48.4-57.0
College Graduate	816	52,820	477	52.4	47.9-56.9	339	47.6	43.1-52.1
Less than \$15,000	125	13,991	49	28.8	18.8-38.8	76	71.2	61.2-81.2
\$15,000- 24,999	271	25,840	139	44.3	36.1-52.5	132	55.7	47.5-63.9
\$25,000- 34,999	225	19,779	123	43.6	35.0-52.2	102	56.4	47.8-65.0
\$35,000- 49,999	428	34,813	230	44.7	38.4-51.0	198	55.3	49.0-61.6
\$50,000- 74,999	536	45,648	294	46.1	40.4-51.8	242	53.9	48.2-59.6
\$75,000+	1023	71,183	601	51.9	47.8-56.0	422	48.1	44.0-52.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3659	237,499	2296	58.5	56.1-60.9	1363	41.5	39.1-43.9
18-24	187	34,648	67	42.0	32.4-51.6	120	58.0	48.4-67.6
25-34	427	42,754	227	51.9	45.6-58.2	200	48.1	41.8-54.4
35-44	421	34,462	208	52.3	46.4-58.2	213	47.7	41.8-53.6
45-54	600	38,195	372	61.5	56.2-66.8	228	38.5	33.2-43.8
55-64	785	37,221	543	69.6	65.5-73.7	242	30.4	26.3-34.5
65+	1204	47,806	855	69.1	65.4-72.8	349	30.9	27.2-34.6
Less Than H.S.	187	17,739	113	53.6	42.6-64.6	74	46.4	35.4-57.4
H.S. or G.E.D.	1056	57,455	650	58.7	54.2-63.2	406	41.3	36.8-45.8
Some Post-H.S.	1217	95,653	795	60.8	56.9-64.7	422	39.2	35.3-43.1
College Graduate	1187	66,037	731	56.2	52.3-60.1	456	43.8	39.9-47.7
Less than \$15,000	278	23,401	180	59.3	49.9-68.7	98	40.7	31.3-50.1
\$15,000- 24,999	460	30,818	282	59.9	53.2-66.6	178	40.1	33.4-46.8
\$25,000- 34,999	343	19,648	208	54.6	47.0-62.2	135	45.4	37.8-53.0
\$35,000- 49,999	451	26,667	279	57.7	50.8-64.6	172	42.3	35.4-49.2
\$50,000- 74,999	544	38,100	345	57.3	51.0-63.6	199	42.7	36.4-49.0
\$75,000+	1016	64,597	639	59.2	55.1-63.3	377	40.8	36.7-44.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6843	495,960	573	6.9	06.1-07.7	63	1.2	00.8-01.6	6207	91.9	90.9-92.9
Male	3027	247,863	242	6.5	05.3-07.7				2785	93.5	92.3-94.7
Female	3816	248,098	331	7.4	06.2-08.6	63	2.4	01.4-03.4	3422	90.2	88.8-91.6
18-24	465	77,871	7	2.0	00.0-04.0	5	2.0	00.0-04.2	453	95.9	93.0-98.8
25-34	859	92,973	17	2.3	00.9-03.7	12	1.1	00.3-01.9	830	96.6	95.0-98.2
35-44	829	74,862	34	3.7	02.1-05.3	13	1.9	00.7-03.1	782	94.4	92.4-96.4
45-54	1184	81,738	98	7.7	05.7-09.7	14	1.2	00.4-02.0	1072	91.1	89.1-93.1
55-64	1470	77,394	160	11.1	08.9-13.3	10	0.8	00.2-01.4	1300	88.1	85.9-90.3
65+	1977	87,281	253	14.2	12.0-16.4	9	0.4	00.0-00.8	1715	85.4	83.2-87.6
Less Than H.S.	422	44,862	45	9.2	05.9-12.5	1	1.5	00.0-04.4	376	89.3	85.0-93.6
H.S. or G.E.D.	2077	132,316	179	6.7	05.3-08.1	22	1.2	00.4-02.0	1876	92.1	90.7-93.5
Some Post-H.S.	2228	192,753	213	8.2	06.8-09.6	19	1.2	00.4-02.0	1996	90.6	89.0-92.2
College Graduate	2092	124,368	135	4.5	03.5-05.5	21	1.1	00.5-01.7	1936	94.5	93.3-95.7
Less than \$15,000	418	38,773	48	7.6	04.9-10.3	3	1.6	00.0-04.3	367	90.8	87.1-94.5
\$15,000- 24,999	757	58,590	75	7.9	05.5-10.3	8	1.9	00.3-03.5	674	90.2	87.5-92.9
\$25,000- 34,999	599	41,882	53	6.9	04.4-09.4	5	1.0	00.0-02.0	541	92.2	89.5-94.9
\$35,000- 49,999	910	63,682	97	10.1	07.4-12.8	9	0.8	00.2-01.4	804	89.1	86.4-91.8
\$50,000- 74,999	1132	87,072	91	6.2	04.4-08.0	12	1.7	00.1-03.3	1029	92.2	89.8-94.6
\$75,000+	2133	142,866	133	5.0	03.8-06.2	20	0.9	00.5-01.3	1980	94.1	92.7-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3027	247,863	242	6.5	05.3-07.7	2785	93.5	92.3-94.7
18-24	268	41,507	3	1.7	00.0-04.1	265	98.3	95.9-0100
25-34	427	49,675	10	2.6	00.6-04.6	417	97.4	95.4-99.4
35-44	391	38,883	9	2.2	00.4-04.0	382	97.8	96.0-99.6
45-54	554	40,869	51	7.5	05.0-10.0	503	92.5	90.0-95.0
55-64	656	38,928	71	10.5	07.6-13.4	585	89.5	86.6-92.4
65+	709	36,591	97	16.0	12.1-19.9	612	84.0	80.1-87.9
Less Than H.S.	223	25,311	23	9.7	05.0-14.4	200	90.3	85.6-95.0
H.S. or G.E.D.	977	72,588	73	5.7	03.9-07.5	904	94.3	92.5-96.1
Some Post-H.S.	959	93,325	86	7.3	05.3-09.3	873	92.7	90.7-94.7
College Graduate	856	55,593	60	4.6	03.0-06.2	796	95.4	93.8-97.0
Less than \$15,000	133	14,646	12	7.4	02.7-12.1	121	92.6	87.9-97.3
\$15,000- 24,999	284	26,826	19	5.0	01.9-08.1	265	95.0	91.9-98.1
\$25,000- 34,999	241	21,374	12	4.3	01.0-07.6	229	95.7	92.4-99.0
\$35,000- 49,999	446	36,572	48	9.1	05.8-12.4	398	90.9	87.6-94.2
\$50,000- 74,999	564	47,708	55	7.6	05.1-10.1	509	92.4	89.9-94.9
\$75,000+	1074	75,491	75	5.8	03.8-07.8	999	94.2	92.2-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3816	248,098	331	7.4	06.2-08.6	63	2.4	01.4-03.4	3422	90.2	88.8-91.6
18-24	197	36,364	4	2.4	00.0-05.5	5	4.3	00.0-09.0	188	93.3	87.6-99.0
25-34	432	43,299	7	2.0	00.2-03.8	12	2.4	00.6-04.2	413	95.6	93.1-98.1
35-44	438	35,979	25	5.4	02.9-07.9	13	3.9	01.4-06.4	400	90.7	87.2-94.2
45-54	630	40,869	47	8.0	05.3-10.7	14	2.4	00.8-04.0	569	89.6	86.5-92.7
55-64	814	38,466	89	11.7	08.6-14.8	10	1.7	00.5-02.9	715	86.6	83.3-89.9
65+	1268	50,690	156	13.0	10.6-15.4	9	0.7	00.1-01.3	1103	86.4	84.0-88.8
Less Than H.S.	199	19,552	22	8.6	03.7-13.5	1	3.4	00.0-09.9	176	88.0	80.4-95.6
H.S. or G.E.D.	1100	59,729	106	7.8	06.0-09.6	22	2.7	01.1-04.3	972	89.5	87.1-91.9
Some Post-H.S.	1269	99,428	127	9.0	06.8-11.2	19	2.4	00.8-04.0	1123	88.7	86.2-91.2
College Graduate	1236	68,775	75	4.4	03.2-05.6	21	1.9	00.9-02.9	1140	93.7	92.1-95.3
Less than \$15,000	285	24,127	36	7.7	04.4-11.0	3	2.6	00.0-06.9	246	89.7	84.4-95.0
\$15,000- 24,999	473	31,764	56	10.4	07.1-13.7	8	3.4	00.5-06.3	409	86.2	81.9-90.5
\$25,000- 34,999	358	20,508	41	9.6	05.7-13.5	5	2.0	00.0-04.0	312	88.4	84.1-92.7
\$35,000- 49,999	464	27,111	49	11.5	07.2-15.8	9	1.9	00.3-03.5	406	86.6	82.1-91.1
\$50,000- 74,999	568	39,364	36	4.4	02.4-06.4	12	3.7	00.2-07.2	520	91.9	88.0-95.8
\$75,000+	1059	67,375	58	4.1	02.7-05.5	20	1.9	00.9-02.9	981	94.0	92.2-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	815	47,196	19	2.5	00.9-04.1	50	8.0	04.9-11.1	180	28.5	23.8-33.2	344	40.8	36.1-45.5	222	20.2	16.9-23.5
Male	433	27,338	9	2.5	00.3-04.7	28	7.0	03.3-10.7	94	27.6	21.1-34.1	199	44.8	38.3-51.3	103	18.1	14.0-22.2
Female	382	19,858	10	2.4	00.4-04.4	22	9.4	04.1-14.7	86	29.8	23.1-36.5	145	35.2	28.9-41.5	119	23.2	17.9-28.5
45-54	126	9,286	6	4.0	00.0-08.1	6	2.1	00.0-04.3	68	55.3	43.9-66.7	46	38.5	27.1-49.9			
55-64	206	11,672	4	1.7	00.0-03.5	12	4.5	01.4-07.6	42	28.5	18.3-38.7	137	61.8	51.8-71.8	11	3.5	01.1-05.9
65+	419	19,939	3	0.4	00.0-01.0	8	1.8	00.0-03.6	44	11.4	07.5-15.3	155	40.7	34.4-47.0	209	45.7	39.4-52.0
Less Than H.S.	94	7,173	4	1.2	00.0-02.6	1	2.3	00.0-06.8	11	18.7	06.2-31.2	34	37.9	24.6-51.2	44	39.9	27.2-52.6
H.S. or G.E.D.	291	15,463	4	2.6	00.0-05.7	17	6.2	02.3-10.1	64	26.3	19.2-33.4	120	43.3	35.7-50.9	86	21.6	16.1-27.1
Some Post-H.S.	253	17,099	4	2.7	00.0-05.4	14	10.4	03.7-17.1	73	37.2	28.2-46.2	106	36.7	28.9-44.5	56	13.0	08.5-17.5
College Graduate	176	7,452	7	2.9	00.5-05.3	18	11.7	04.4-19.0	32	22.6	14.2-31.0	84	47.8	38.2-57.4	35	15.0	09.1-20.9
Less than \$15,000	73	5,236				10	18.5	04.0-33.0	22	43.4	26.7-60.1	23	23.5	11.9-35.1	18	14.7	06.1-23.3
\$15,000- 24,999	157	9,328	2	1.0	00.0-02.4	7	6.7	00.0-14.1	28	25.1	13.7-36.5	63	40.2	29.0-51.4	57	27.1	18.1-36.1
\$25,000- 34,999	96	6,027	2	2.9	00.0-07.6	4	6.1	00.0-13.4	19	29.5	12.6-46.4	40	37.0	23.7-50.3	31	24.5	13.5-35.5
\$35,000- 49,999	116	6,578	3	3.2	00.0-06.9	3	4.4	00.0-10.9	26	26.3	15.7-36.9	51	46.7	35.1-58.3	33	19.3	11.1-27.5
\$50,000- 74,999	112	5,843	1	0.3	00.0-00.9	11	10.3	03.2-17.4	26	23.8	14.2-33.4	52	50.9	38.7-63.1	22	14.7	07.8-21.6
\$75,000+	164	8,987	7	6.1	00.0-12.2	9	6.2	00.1-12.3	42	32.5	22.5-42.5	79	44.3	34.3-54.3	27	10.9	06.0-15.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	433	27,338	9	2.5	00.3-04.7	28	7.0	03.3-10.7	94	27.6	21.1-34.1	199	44.8	38.3-51.3	103	18.1	14.0-22.2
45-54	71	5,432	3	4.6	00.0-11.1	3	0.9	00.0-02.1	36	47.8	31.9-63.7	29	46.7	30.6-62.8			
55-64	122	7,490	3	1.9	00.0-04.3	6	2.9	00.0-06.0	25	32.3	18.0-46.6	82	60.7	46.8-74.6	6	2.3	00.3-04.3
65+	206	11,187				3	1.1	00.0-02.5	20	10.5	05.0-16.0	86	45.7	36.9-54.5	97	42.7	34.3-51.1
H.S. or G.E.D.	154	9,264	3	3.8	00.0-08.7	7	4.3	00.0-09.2	30	22.2	13.0-31.4	73	49.0	38.6-59.4	41	20.8	13.5-28.1
Some Post-H.S.	116	8,720	2	2.6	00.0-06.5	10	11.6	02.4-20.8	36	39.4	25.9-52.9	51	38.0	26.0-50.0	17	8.4	03.3-13.5
College Graduate	115	4,971	3	1.8	00.0-04.0	11	10.2	02.8-17.6	21	19.3	09.9-28.7	59	54.2	42.6-65.8	21	14.6	07.2-22.0
\$15,000- 24,999	69	5,205	1	1.1	00.0-03.3	3	8.1	00.0-20.6	11	29.1	11.1-47.1	33	39.3	22.6-56.0	21	22.4	09.5-35.3
\$35,000- 49,999	71	4,498	2	2.8	00.0-06.7	3	6.5	00.0-15.9	18	29.8	16.1-43.5	29	44.2	29.5-58.9	19	16.9	06.9-26.9
\$50,000- 74,999	75	4,218	1	0.4	00.0-01.2	8	10.7	01.7-19.7	13	15.0	05.8-24.2	41	62.3	48.6-76.0	12	11.7	04.3-19.1
\$75,000+	118	6,552	4	7.1	00.0-15.1	5	3.4	00.0-07.1	31	29.8	18.2-41.4	58	47.3	35.5-59.1	20	12.4	06.1-18.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	382	19,858	10	2.4	00.4-04.4	22	9.4	04.1-14.7	86	29.8	23.1-36.5	145	35.2	28.9-41.5	119	23.2	18.1-28.3
45-54	55	3,854	3	3.1	00.0-07.6	3	3.9	00.0-08.8	32	66.0	51.3-80.7	17	27.1	13.2-41.0			
55-64	84	4,182	1	1.2	00.0-03.6	6	7.4	00.5-14.3	17	21.7	11.3-32.1	55	64.0	51.8-76.2	5	5.7	00.4-11.0
65+	213	8,752	3	1.0	00.0-02.4	5	2.6	00.0-06.3	24	12.5	06.8-18.2	69	34.3	25.9-42.7	112	49.5	40.5-58.5
H.S. or G.E.D.	137	6,199	1	0.9	00.0-02.7	10	9.2	02.3-16.1	34	32.5	21.5-43.5	47	34.7	24.1-45.3	45	22.8	14.8-30.8
Some Post-H.S.	137	8,380	2	2.8	00.0-06.7	4	9.2	00.0-19.0	37	34.9	23.1-46.7	55	35.3	24.9-45.7	39	17.8	10.5-25.1
College Graduate	61	2,481	4	5.1	00.0-10.6	7	14.9	00.0-30.6	11	29.3	12.4-46.2	25	35.0	19.1-50.9	14	15.8	06.6-25.0
\$15,000- 24,999	88	4,123	1	0.8	00.0-02.4	4	4.8	00.0-10.9	17	20.1	09.5-30.7	30	41.2	27.3-55.1	36	33.1	21.1-45.1
\$25,000- 34,999	53	3,053	2	5.7	00.0-15.1	2	9.2	00.0-22.3	13	31.7	14.6-48.8	20	32.7	17.6-47.8	16	20.7	06.6-34.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	859	49,376	316	37.9	33.2-42.6	543	62.1	57.4-66.8
Male	445	27,988	166	37.7	31.2-44.2	279	62.3	55.8-68.8
Female	414	21,388	150	38.2	31.7-44.7	264	61.8	55.3-68.3
45-54	129	9,523	45	34.7	23.7-45.7	84	65.3	54.3-76.3
55-64	217	12,322	80	40.7	31.1-50.3	137	59.3	49.7-68.9
65+	447	21,190	164	35.8	30.1-41.5	283	64.2	58.5-69.9
Less Than H.S.	98	7,480	36	37.4	24.5-50.3	62	62.6	49.7-75.5
H.S. or G.E.D.	307	16,230	102	29.9	23.2-36.6	205	70.1	63.4-76.8
Some Post-H.S.	271	17,986	117	47.4	38.8-56.0	154	52.6	44.0-61.2
College Graduate	182	7,671	61	33.2	24.2-42.2	121	66.8	57.8-75.8
Less than \$15,000	78	5,567	29	42.6	26.9-58.3	49	57.4	41.7-73.1
\$15,000- 24,999	160	9,449	60	35.8	25.0-46.6	100	64.2	53.4-75.0
\$25,000- 34,999	102	6,246	36	41.2	25.7-56.7	66	58.8	43.3-74.3
\$35,000- 49,999	119	6,659	48	40.0	28.4-51.6	71	60.0	48.4-71.6
\$50,000- 74,999	117	6,091	44	38.4	26.8-50.0	73	61.6	50.0-73.2
\$75,000+	169	9,346	58	33.5	23.9-43.1	111	66.5	56.9-76.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	445	27,988	166	37.7	31.2-44.2	279	62.3	55.8-68.8
45-54	72	5,496	21	30.6	15.1-46.1	51	69.4	53.9-84.9
55-64	125	7,615	51	46.1	33.0-59.2	74	53.9	40.8-67.0
65+	214	11,648	79	33.7	25.7-41.7	135	66.3	58.3-74.3
Less Than H.S.	50	4,534	18	36.2	18.2-54.2	32	63.8	45.8-81.8
H.S. or G.E.D.	159	9,488	49	25.9	17.1-34.7	110	74.1	65.3-82.9
Some Post-H.S.	120	8,942	58	53.6	41.1-66.1	62	46.4	33.9-58.9
College Graduate	116	5,025	41	33.1	22.3-43.9	75	66.9	56.1-77.7
\$15,000- 24,999	69	5,205	28	35.6	18.9-52.3	41	64.4	47.7-81.1
\$35,000- 49,999	71	4,498	29	42.3	27.2-57.4	42	57.7	42.6-72.8
\$50,000- 74,999	76	4,293	33	42.6	27.7-57.5	43	57.4	42.5-72.3
\$75,000+	123	6,911	39	28.9	18.7-39.1	84	71.1	60.9-81.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	414	21,388	150	38.2	31.5-44.9	264	61.8	55.1-68.5
45-54	57	4,027	24	40.2	24.7-55.7	33	59.8	44.3-75.3
55-64	92	4,707	29	32.1	20.7-43.5	63	67.9	56.5-79.3
65+	233	9,542	85	38.4	30.0-46.8	148	61.6	53.2-70.0
H.S. or G.E.D.	148	6,742	53	35.5	25.3-45.7	95	64.5	54.3-74.7
Some Post-H.S.	151	9,044	59	41.3	30.1-52.5	92	58.7	47.5-69.9
College Graduate	66	2,646	20	33.5	17.2-49.8	46	66.5	50.2-82.8
Less than \$15,000	51	3,464	22	49.3	28.1-70.5	29	50.7	29.5-71.9
\$15,000- 24,999	91	4,244	32	36.1	23.0-49.2	59	63.9	50.8-77.0
\$25,000- 34,999	56	3,252	18	34.6	18.1-51.1	38	65.4	48.9-81.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	851	48,912	102	10.6	08.1-13.1	195	24.4	20.5-28.3	538	63.5	59.2-67.8	16	1.4	00.4-02.4
Male	441	27,565	58	10.1	07.0-13.2	117	27.2	21.7-32.7	260	62.2	56.1-68.3	6	0.5	00.1-00.9
Female	410	21,347	44	11.3	07.4-15.2	78	20.8	15.3-26.3	278	65.3	59.0-71.6	10	2.6	00.4-04.8
45-54	129	9,523	15	11.3	04.6-18.0	31	26.9	17.3-36.5	79	59.1	48.1-70.1	4	2.8	00.0-06.5
55-64	217	12,322	35	13.1	08.2-18.0	50	24.7	17.1-32.3	126	61.0	52.4-69.6	6	1.2	00.0-02.4
65+	441	20,943	44	9.8	06.3-13.3	100	24.3	19.0-29.6	294	65.5	59.6-71.4	3	0.4	00.0-01.0
Less Than H.S.	97	7,358	10	7.0	02.1-11.9	20	28.4	15.3-41.5	67	64.7	51.4-78.0			
H.S. or G.E.D.	302	15,899	36	13.0	08.1-17.9	75	26.3	19.6-33.0	186	59.7	52.4-67.0	5	0.9	00.0-01.9
Some Post-H.S.	270	17,982	26	7.6	04.1-11.1	60	20.7	14.8-26.6	179	69.4	62.3-76.5	5	2.3	00.0-04.8
College Graduate	181	7,664	30	16.3	09.4-23.2	40	25.2	16.8-33.6	105	56.6	47.2-66.0	6	1.8	00.0-03.6
Less than \$15,000	77	5,556	8	6.2	01.3-11.1	15	25.2	12.3-38.1	54	68.6	55.1-82.1			
\$15,000- 24,999	158	9,424	19	10.0	04.3-15.7	26	20.7	10.5-30.9	113	69.3	58.5-80.1			
\$25,000- 34,999	101	6,241	13	8.4	02.7-14.1	24	24.2	13.0-35.4	63	65.1	52.2-78.0	1	2.3	00.0-06.8
\$35,000- 49,999	117	6,457	13	11.4	04.7-18.1	36	31.5	20.9-42.1	65	55.1	43.7-66.5	3	2.0	00.0-04.4
\$50,000- 74,999	117	6,091	14	14.9	06.5-23.3	33	24.6	15.2-34.0	67	59.8	48.4-71.2	3	0.7	00.0-01.5
\$75,000+	168	9,247	20	10.5	04.8-16.2	35	21.6	14.0-29.2	107	64.9	55.5-74.3	6	3.0	00.0-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	441	27,565	58	10.1	06.8-13.4	117	27.2	21.7-32.7	260	62.2	56.1-68.3	6	0.5	00.1-00.9
45-54	72	5,496	8	9.1	00.9-17.3	20	29.1	16.0-42.2	42	60.5	45.8-75.2	2	1.3	00.0-03.5
55-64	125	7,615	19	8.9	04.2-13.6	34	28.6	18.0-39.2	70	62.3	50.7-73.9	2	0.3	00.0-00.7
65+	211	11,420	28	13.1	07.4-18.8	54	25.5	18.2-32.8	128	61.1	52.9-69.3	1	0.2	00.0-00.6
H.S. or G.E.D.	157	9,194	23	14.6	07.7-21.5	49	32.6	23.2-42.0	83	52.4	42.2-62.6	2	0.4	00.0-01.0
Some Post-H.S.	120	8,942	11	6.2	01.5-10.9	29	20.6	12.2-29.0	78	72.4	62.6-82.2	2	0.8	00.0-02.0
College Graduate	115	5,018	19	11.8	05.9-17.7	29	29.6	18.8-40.4	65	58.1	46.7-69.5	2	0.5	00.0-01.1
\$15,000- 24,999	69	5,205	9	8.6	01.7-15.5	14	23.9	07.6-40.2	46	67.5	50.8-84.2			
\$35,000- 49,999	69	4,296	6	5.0	01.3-08.7	24	38.0	23.9-52.1	37	55.1	40.6-69.6	2	1.9	00.0-04.8
\$50,000- 74,999	76	4,293	7	10.5	01.3-19.7	24	28.3	16.0-40.6	42	60.1	46.0-74.2	3	1.0	00.0-02.2
\$75,000+	122	6,812	17	11.7	04.4-19.0	29	24.8	15.4-34.2	75	63.3	52.5-74.1	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	410	21,347	44	11.3	07.4-15.2	78	20.8	15.3-26.3	278	65.3	59.0-71.6	10	2.6	00.2-05.0
45-54	57	4,027	7	14.1	03.1-25.1	11	23.9	09.8-38.0	37	57.2	41.1-73.3	2	4.8	00.0-13.2
55-64	92	4,707	16	20.0	10.2-29.8	16	18.4	07.8-29.0	56	59.1	46.8-71.4	4	2.5	00.0-05.4
65+	230	9,522	16	5.8	02.5-09.1	46	22.9	15.1-30.7	166	70.7	62.5-78.9	2	0.6	00.0-01.6
H.S. or G.E.D.	145	6,706	13	10.9	04.0-17.8	26	17.8	09.0-26.6	103	69.7	59.5-79.9	3	1.5	00.0-03.5
Some Post-H.S.	150	9,040	15	8.9	03.8-14.0	31	20.9	12.5-29.3	101	66.4	56.4-76.4	3	3.8	00.0-08.7
College Graduate	66	2,646	11	24.9	09.4-40.4	11	16.9	04.2-29.6	40	53.8	37.1-70.5	4	4.4	00.0-09.5
Less than \$15,000	50	3,453	3	3.2	00.0-07.1	6	18.1	02.8-33.4	41	78.8	63.1-94.5			
\$15,000- 24,999	89	4,218	10	11.8	02.8-20.8	12	16.7	06.1-27.3	67	71.5	59.0-84.0			
\$25,000- 34,999	55	3,247	4	4.1	00.0-09.0	15	31.8	15.3-48.3	35	59.6	42.5-76.7	1	4.5	00.0-13.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	831	48,165	444	54.8	50.1-59.5	196	21.9	18.4-25.4	56	6.9	04.4-09.4	14	1.5	00.7-02.3	110	14.0	10.7-17.3	11	1.1	00.3-01.9
Male	431	27,412	219	54.7	48.2-61.2	89	18.5	14.0-23.0	32	6.8	03.7-09.9	10	2.1	00.7-03.5	74	16.9	11.8-22.0	7	1.0	00.2-01.8
Female	400	20,753	225	54.8	48.1-61.5	107	26.4	20.7-32.1	24	6.9	02.4-11.4	4	0.6	00.0-01.4	36	10.1	06.0-14.2	4	1.3	00.0-02.7
45-54	125	9,264	69	51.5	39.9-63.1	26	22.7	13.1-32.3	7	2.9	00.4-05.4	3	2.0	00.0-04.4	17	18.0	07.6-28.4	3	2.9	00.0-06.2
55-64	212	12,122	130	63.4	55.0-71.8	43	17.7	11.6-23.8	12	6.4	02.3-10.5	2	0.4	00.0-01.0	23	11.8	05.9-17.7	2	0.5	00.0-01.1
65+	428	20,439	206	49.2	43.1-55.3	113	24.9	19.8-30.0	31	7.3	04.2-10.4	9	2.3	00.7-03.9	63	15.4	10.5-20.3	6	1.0	00.0-02.0
Less Than H.S.	90	6,873	47	54.0	40.1-67.9	18	12.6	05.5-19.7	6	6.3	00.0-12.6				19	27.1	13.6-40.6			
H.S. or G.E.D.	297	16,009	151	52.2	44.8-59.6	70	23.8	17.5-30.1	25	7.8	03.9-11.7	5	1.7	00.1-03.3	41	12.7	07.8-17.6	5	1.7	00.0-03.7
Some Post-H.S.	266	17,739	159	57.6	49.2-66.0	65	23.1	16.6-29.6	10	5.9	00.6-11.2	2	0.7	00.0-01.7	26	11.8	06.3-17.3	4	0.9	00.0-01.9
College Graduate	177	7,536	87	54.2	44.8-63.6	42	23.1	15.1-31.1	15	7.5	02.8-12.2	7	4.1	00.8-07.4	24	9.8	05.3-14.3	2	1.3	00.0-03.3
Less than \$15,000	77	5,412	48	60.1	44.4-75.8	12	12.7	04.7-20.7	5	10.7	00.0-25.2	2	1.6	00.0-04.7	8	11.0	02.0-20.0	2	3.8	00.0-09.1
\$15,000- 24,999	153	9,161	88	56.7	45.1-68.3	29	16.3	08.3-24.3	13	9.4	03.1-15.7	3	1.6	00.0-03.6	16	14.7	05.5-23.9	4	1.3	00.0-02.7
\$25,000- 34,999	99	6,161	57	58.6	44.5-72.7	23	23.5	12.7-34.3	9	6.9	01.4-12.4				10	11.0	01.8-20.2			
\$35,000- 49,999	117	6,619	62	62.4	51.6-73.2	32	22.9	14.1-31.7	6	2.0	00.0-04.4	2	1.6	00.0-04.0	13	10.0	02.9-17.1	2	1.1	00.0-03.1
\$50,000- 74,999	115	5,935	52	47.0	35.0-59.0	29	22.6	13.2-32.0	15	13.1	05.5-20.7	2	0.6	00.0-01.6	16	16.2	06.2-26.2	1	0.5	00.0-01.5
\$75,000+	166	9,283	81	48.1	38.1-58.1	45	26.5	17.5-35.5	6	4.5	00.0-09.4	4	2.7	00.0-05.4	28	17.1	08.9-25.3	2	1.1	00.0-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	431	27,412	219	54.7	48.2-61.2	89	18.5	14.0-23.0	32	6.8	03.7-09.9	10	2.1	00.7-03.5	74	16.9	11.8-22.0	7	1.0	00.2-01.8
45-54	69	5,307	38	53.3	37.0-69.6	12	18.4	05.5-31.3	3	2.6	00.0-06.3	3	3.5	00.0-07.8	12	21.0	05.7-36.3	1	1.2	00.0-03.6
55-64	121	7,484	69	61.0	49.0-73.0	27	18.0	09.8-26.2	8	6.1	00.8-11.4				17	14.9	06.3-23.5			
65+	207	11,392	91	45.7	37.1-54.3	46	22.6	15.5-29.7	17	8.3	03.4-13.2	7	3.5	01.0-06.0	40	18.1	11.0-25.2	6	1.7	00.0-03.5
H.S. or G.E.D.	155	9,434	68	47.6	37.4-57.8	37	24.9	16.1-33.7	15	8.3	02.4-14.2	4	2.8	00.1-05.5	28	15.8	08.7-22.9	3	0.7	00.0-01.9
Some Post-H.S.	119	8,866	70	60.7	48.5-72.9	24	17.9	09.5-26.3	6	4.6	00.3-08.9	1	0.7	00.0-02.1	15	14.7	05.5-23.9	3	1.5	00.0-03.5
College Graduate	111	4,890	57	58.8	47.8-69.8	21	16.1	08.1-24.1	7	6.2	00.5-11.9	5	5.3	00.4-10.2	20	12.1	06.0-18.2	1	1.3	00.0-03.8
\$15,000- 24,999	66	5,060	40	56.7	38.7-74.7	8	10.9	00.1-21.7	5	9.4	00.0-19.0	2	2.1	00.0-05.2	9	19.6	04.1-35.1	2	1.2	00.0-03.4
\$35,000- 49,999	69	4,457	39	67.0	53.7-80.3	15	18.3	08.1-28.5	4	2.3	00.0-05.4	1	0.9	00.0-02.7	8	10.0	01.0-19.0	2	1.6	00.0-04.5
\$50,000- 74,999	74	4,137	28	43.0	27.9-58.1	19	21.3	10.1-32.5	13	15.8	05.8-25.8	1	0.7	00.0-02.1	12	18.5	05.0-32.0	1	0.7	00.0-02.1
\$75,000+	120	6,848	58	49.2	37.6-60.8	26	20.8	11.6-30.0	5	5.5	00.0-12.0	4	3.7	00.0-07.4	25	19.3	09.7-28.9	2	1.5	00.0-03.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	400	20,753	225	54.8	48.1-61.5	107	26.4	20.7-32.1	24	6.9	02.4-11.4	4	0.6	00.0-01.4	36	10.1	06.0-14.2	4	1.3	00.0-02.7
45-54	56	3,957	31	49.0	32.9-65.1	14	28.5	14.2-42.8	4	3.2	00.0-06.7				5	14.1	00.8-27.4	2	5.2	00.0-12.3
55-64	91	4,637	61	67.2	56.0-78.4	16	17.1	08.5-25.7	4	6.9	00.2-13.6	2	1.0	00.0-02.8	6	6.6	00.9-12.3	2	1.2	00.0-03.0
65+	221	9,048	115	53.6	45.2-62.0	67	27.7	20.3-35.1	14	5.9	02.4-09.4	2	0.8	00.0-02.2	23	12.1	06.0-18.2			
H.S. or G.E.D.	142	6,574	83	59.0	48.4-69.6	33	22.4	13.8-31.0	10	7.2	02.3-12.1	1	0.1	00.0-00.3	13	8.3	01.8-14.8	2	3.1	00.0-07.4
Some Post-H.S.	147	8,873	89	54.5	43.1-65.9	41	28.4	18.6-38.2	4	7.3	00.0-16.7	1	0.8	00.0-02.4	11	8.9	02.6-15.2	1	0.2	00.0-00.6
College Graduate	66	2,646	30	45.7	29.2-62.2	21	35.9	19.6-52.2	8	9.8	01.0-18.6	2	1.7	00.0-04.8	4	5.5	00.0-11.4	1	1.3	00.0-03.8
Less than \$15,000	51	3,464	35	59.5	37.9-81.1	6	8.2	00.6-15.8	4	15.7	00.0-37.5	1	0.1	00.0-00.3	3	10.5	00.0-22.8	2	5.9	00.0-14.1
\$15,000- 24,999	87	4,101	48	56.6	43.3-69.9	21	23.0	11.6-34.4	8	9.5	02.2-16.8	1	1.0	00.0-03.0	7	8.6	01.7-15.5	2	1.3	00.0-03.3
\$25,000- 34,999	54	3,177	34	59.3	42.1-76.5	13	26.4	11.5-41.3	5	6.4	00.0-13.1				2	8.0	00.0-20.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	837	48,684	188	23.5	19.6-27.4	190	19.7	16.4-23.0	125	15.5	12.2-18.8	157	19.6	15.7-23.5	80	12.1	08.4-15.8	97	9.7	07.3-12.1
Male	437	27,706	97	21.9	16.8-27.0	104	20.2	15.5-24.9	65	16.3	11.8-20.8	72	17.7	12.4-23.0	43	13.6	07.7-19.5	56	10.3	07.2-13.4
Female	400	20,978	91	25.5	19.4-31.6	86	19.0	14.3-23.7	60	14.4	09.1-19.7	85	22.0	16.3-27.7	37	10.2	06.3-14.1	41	8.9	05.6-12.2
45-54	127	9,513	23	21.9	11.9-31.9	24	19.5	10.7-28.3	21	14.6	07.7-21.5	26	18.2	09.6-26.8	17	15.0	06.2-23.8	16	10.8	04.7-16.9
55-64	216	12,300	46	21.6	14.3-28.9	52	19.9	13.6-26.2	30	15.3	09.2-21.4	49	21.6	14.5-28.7	14	11.1	01.7-20.5	25	10.4	05.7-15.1
65+	431	20,653	104	26.1	20.6-31.6	97	21.0	16.3-25.7	67	15.1	10.6-19.6	71	17.5	12.6-22.4	38	9.1	05.6-12.6	54	11.2	07.5-14.9
Less Than H.S.	95	7,334	21	23.5	12.1-34.9	20	17.6	09.0-26.2	15	12.9	05.3-20.5	18	21.7	08.8-34.6	10	14.8	03.8-25.8	11	9.5	02.8-16.2
H.S. or G.E.D.	299	16,050	69	23.6	17.3-29.9	64	20.3	14.2-26.4	51	15.7	10.4-21.0	51	19.3	13.0-25.6	28	10.6	05.9-15.3	36	10.5	06.4-14.6
Some Post-H.S.	261	17,627	58	21.2	14.5-27.9	64	20.3	14.4-26.2	40	18.4	11.3-25.5	47	18.4	11.9-24.9	26	13.8	06.0-21.6	26	8.0	04.3-11.7
College Graduate	181	7,664	39	28.4	19.4-37.4	42	19.0	12.3-25.7	19	10.8	05.1-16.5	41	20.7	13.4-28.0	16	8.9	02.8-15.0	24	12.2	06.5-17.9
Less than \$15,000	78	5,567	14	22.5	09.6-35.4	8	5.4	01.1-09.7	17	26.9	11.6-42.2	14	19.2	05.7-32.7	14	14.1	05.1-23.1	11	11.9	04.1-19.7
\$15,000- 24,999	152	9,147	34	20.5	11.9-29.1	25	16.4	09.0-23.8	25	13.5	06.1-20.9	31	21.6	10.8-32.4	23	20.9	10.1-31.7	14	7.2	01.9-12.5
\$25,000- 34,999	98	6,129	24	27.0	14.8-39.2	24	17.9	08.7-27.1	16	16.4	07.0-25.8	15	12.0	04.9-19.1	9	21.9	04.5-39.3	10	4.9	00.8-09.0
\$35,000- 49,999	118	6,606	25	19.4	11.0-27.8	32	25.3	15.3-35.3	15	14.1	05.5-22.7	18	16.6	08.2-25.0	11	12.5	03.5-21.5	17	12.0	04.9-19.1
\$50,000- 74,999	116	6,074	25	25.6	14.6-36.6	33	20.4	12.4-28.4	17	17.8	08.8-26.8	18	16.9	06.5-27.3	8	6.8	01.7-11.9	15	12.5	05.2-19.8
\$75,000+	166	9,230	41	27.3	17.7-36.9	38	23.1	14.5-31.7	20	12.9	06.6-19.2	40	22.9	14.9-30.9	8	3.0	00.5-05.5	19	10.8	05.1-16.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	437	27,706	97	21.9	16.8-27.0	104	20.2	15.5-24.9	65	16.3	11.8-20.8	72	17.7	12.4-23.0	43	13.6	07.7-19.5	56	10.3	07.2-13.4
45-54	70	5,486	12	18.3	05.4-31.2	13	21.7	09.0-34.4	10	11.3	03.5-19.1	13	16.6	04.8-28.4	11	19.6	05.7-33.5	11	12.4	03.6-21.2
55-64	125	7,615	23	20.6	10.8-30.4	37	23.4	14.4-32.4	21	17.4	09.0-25.8	23	16.4	08.0-24.8	6	13.7	00.0-28.2	15	8.4	03.3-13.5
65+	208	11,377	57	27.4	19.8-35.0	44	19.1	12.6-25.6	30	17.3	10.4-24.2	27	14.7	08.0-21.4	22	8.9	04.2-13.6	28	12.7	07.2-18.2
H.S. or G.E.D.	156	9,449	41	24.6	16.2-33.0	33	17.5	09.7-25.3	26	17.2	09.4-25.0	23	17.6	09.2-26.0	14	10.6	03.9-17.3	19	12.5	06.2-18.8
Some Post-H.S.	118	8,844	20	15.8	06.8-24.8	32	23.4	13.8-33.0	19	19.1	09.9-28.3	21	15.5	07.5-23.5	11	17.4	03.7-31.1	15	8.8	03.3-14.3
College Graduate	116	5,025	24	26.7	15.9-37.5	30	23.4	14.2-32.6	14	13.1	05.3-20.9	19	16.7	07.9-25.5	10	6.0	01.5-10.5	19	14.2	06.8-21.6
\$15,000- 24,999	66	5,079	13	14.2	03.4-25.0	9	13.7	03.5-23.9	11	15.4	03.4-27.4	16	27.9	10.5-45.3	10	23.4	06.0-40.8	7	5.4	00.0-11.3
\$35,000- 49,999	71	4,498	19	22.1	11.1-33.1	19	26.6	13.3-39.9	7	13.4	02.6-24.2	7	10.9	01.5-20.3	10	16.4	04.1-28.7	9	10.6	02.4-18.8
\$50,000- 74,999	75	4,276	15	25.0	11.1-38.9	22	18.0	09.0-27.0	14	22.4	10.1-34.7	10	17.8	04.1-31.5	3	3.3	00.0-07.8	11	13.5	04.7-22.3
\$75,000+	120	6,795	28	24.7	14.3-35.1	29	25.2	14.6-35.8	17	13.6	06.3-20.9	26	21.6	12.4-30.8	5	2.1	00.0-04.3	15	12.7	05.4-20.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	400	20,978	91	25.5	19.4-31.6	86	19.0	14.5-23.5	60	14.4	09.1-19.7	85	22.0	16.3-27.7	37	10.2	06.3-14.1	41	8.9	05.6-12.2
45-54	57	4,027	11	26.8	11.5-42.1	11	16.5	05.5-27.5	11	19.0	06.8-31.2	13	20.4	07.5-33.3	6	8.6	01.3-15.9	5	8.7	00.5-16.9
55-64	91	4,685	23	23.2	13.2-33.2	15	14.3	06.5-22.1	9	11.8	04.2-19.4	26	30.0	18.6-41.4	8	6.8	00.9-12.7	10	13.8	05.2-22.4
65+	223	9,277	47	24.5	16.5-32.5	53	23.4	16.7-30.1	37	12.4	07.3-17.5	44	21.1	13.8-28.4	16	9.3	04.2-14.4	26	9.4	04.5-14.3
H.S. or G.E.D.	143	6,600	28	22.2	12.4-32.0	31	24.2	14.8-33.6	25	13.5	07.0-20.0	28	21.8	12.8-30.8	14	10.7	04.4-17.0	17	7.5	02.8-12.2
Some Post-H.S.	143	8,782	38	26.6	16.8-36.4	32	17.1	10.2-24.0	21	17.8	07.2-28.4	26	21.2	11.2-31.2	15	10.1	04.2-16.0	11	7.2	02.3-12.1
College Graduate	65	2,640	15	31.7	15.4-48.0	12	10.6	03.5-17.7	5	6.4	00.1-12.7	22	28.5	15.2-41.8	6	14.4	00.0-29.5	5	8.4	00.0-17.2
Less than \$15,000	51	3,464	11	25.9	08.7-43.1	5	4.4	00.0-08.9	10	25.9	04.7-47.1	11	24.6	05.2-44.0	8	8.5	01.1-15.9	6	10.7	01.1-20.3
\$15,000- 24,999	86	4,068	21	28.3	15.6-41.0	16	19.8	09.4-30.2	14	11.0	03.7-18.3	15	13.7	04.1-23.3	13	17.7	07.5-27.9	7	9.6	00.2-19.0
\$25,000- 34,999	53	3,157	14	27.5	12.0-43.0	14	24.7	10.4-39.0	10	18.2	05.3-31.1	9	14.7	04.1-25.3	3	11.4	00.0-25.9	3	3.5	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	810	46,553	430	53.9	49.2-58.6	270	33.0	28.5-37.5	15	2.1	00.3-03.9	5	0.3	00.0-00.7	63	7.4	05.0-09.8	27	3.3	01.5-05.1
Male	421	26,166	226	53.7	47.0-60.4	129	31.5	25.2-37.8	10	2.6	00.0-05.3	3	0.1	00.0-00.3	39	8.8	05.5-12.1	14	3.3	00.9-05.7
Female	389	20,387	204	54.1	47.4-60.8	141	35.0	28.5-41.5	5	1.5	00.0-03.1	2	0.5	00.0-01.3	24	5.7	02.8-08.6	13	3.3	00.8-05.8
45-54	126	9,103	61	50.8	39.4-62.2	48	34.8	24.4-45.2	2	3.9	00.0-11.2	1	0.9	00.0-02.7	14	9.7	03.8-15.6			
55-64	212	11,954	115	57.6	48.6-66.6	75	33.1	24.9-41.3	2	0.7	00.0-01.9	2	0.1	00.0-00.3	14	5.4	02.1-08.7	4	3.1	00.0-07.0
65+	409	19,303	218	51.7	45.2-58.2	127	30.9	24.8-37.0	9	2.5	00.5-04.5	2	0.1	00.0-00.3	31	8.9	04.8-13.0	22	5.9	02.6-09.2
Less Than H.S.	86	6,688	32	29.3	17.7-40.9	25	29.3	15.2-43.4	3	7.6	00.0-18.0				16	19.5	08.9-30.1	10	14.3	04.3-24.3
H.S. or G.E.D.	284	15,055	148	51.5	43.7-59.3	94	37.4	29.8-45.0	7	1.9	00.1-03.7	1	0.0	00.0-00.0	22	7.2	03.5-10.9	12	2.0	00.4-03.6
Some Post-H.S.	260	17,159	150	63.1	55.3-70.9	84	29.4	22.1-36.7	3	0.7	00.0-01.5	1	0.5	00.0-01.5	17	4.6	01.9-07.3	5	1.7	00.0-03.5
College Graduate	180	7,651	100	59.4	50.2-68.6	67	35.8	26.8-44.8	2	1.0	00.0-02.4	3	0.3	00.0-00.7	8	3.5	00.4-06.6			
Less than \$15,000	71	5,124	30	49.8	33.3-66.3	26	31.1	16.2-46.0	1	1.1	00.0-03.3	1	0.1	00.0-00.3	11	13.6	04.2-23.0	2	4.3	00.0-12.5
\$15,000- 24,999	144	8,500	70	44.9	32.7-57.1	47	32.7	20.9-44.5	8	7.4	00.0-15.6	1	0.1	00.0-00.3	10	8.5	01.6-15.4	8	6.4	01.5-11.3
\$25,000- 34,999	97	6,005	52	56.6	42.1-71.1	29	31.4	18.5-44.3	1	0.5	00.0-01.5				9	5.1	00.6-09.6	6	6.4	00.0-13.7
\$35,000- 49,999	115	6,388	70	57.4	45.8-69.0	30	28.9	18.1-39.7	1	1.0	00.0-03.0	1	0.1	00.0-00.3	12	11.6	04.3-18.9	1	1.0	00.0-03.0
\$50,000- 74,999	114	5,996	63	54.8	42.8-66.8	44	40.3	28.5-52.1	1	0.6	00.0-01.8				5	4.1	00.0-08.4	1	0.2	00.0-00.6
\$75,000+	166	8,969	92	58.6	49.0-68.2	59	32.9	23.9-41.9	1	0.5	00.0-01.5	2	1.1	00.0-03.1	11	6.8	02.1-11.5	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	421	26,166	226	53.7	47.0-60.4	129	31.5	25.2-37.8	10	2.6	00.0-05.3	3	0.1	00.0-00.3	39	8.8	05.5-12.1	14	3.3	00.9-05.7
45-54	70	5,239	32	45.3	29.6-61.0	27	37.0	22.1-51.9	2	6.8	00.0-19.3				9	10.9	02.3-19.5			
55-64	122	7,269	70	62.1	49.9-74.3	39	28.4	17.6-39.2	1	0.9	00.0-02.7	1	0.1	00.0-00.3	9	5.4	01.3-09.5	2	3.1	00.0-09.0
65+	195	10,429	105	51.1	42.1-60.1	52	28.8	20.2-37.4	5	1.9	00.0-03.9	2	0.2	00.0-00.4	19	11.8	05.3-18.3	12	6.1	01.8-10.4
H.S. or G.E.D.	148	8,973	78	52.7	42.1-63.3	44	34.2	23.8-44.6	6	2.5	00.0-05.0				13	8.1	03.0-13.2	7	2.5	00.0-05.0
Some Post-H.S.	115	8,268	69	66.2	55.2-77.2	37	28.1	17.7-38.5	1	0.4	00.0-01.2				7	5.1	00.6-09.6	1	0.2	00.0-00.6
College Graduate	116	5,025	66	59.7	48.5-70.9	37	33.0	22.0-44.0	2	1.5	00.0-03.7	3	0.5	00.0-01.1	8	5.3	00.4-10.2			
\$15,000- 24,999	61	4,756	24	40.1	21.7-58.5	22	35.6	17.2-54.0	5	10.8	00.0-24.7				6	8.4	00.0-17.8	4	5.2	00.0-11.7
\$35,000- 49,999	69	4,284	41	53.4	38.3-68.5	15	28.5	14.4-42.6	1	1.5	00.0-04.4	1	0.1	00.0-00.3	10	15.0	04.8-25.2	1	1.5	00.0-04.4
\$50,000- 74,999	74	4,260	42	55.6	40.5-70.7	26	38.8	23.7-53.9	1	0.8	00.0-02.4				4	4.5	00.0-10.0	1	0.3	00.0-00.9
\$75,000+	120	6,534	66	56.5	45.1-67.9	41	33.6	23.0-44.2	1	0.7	00.0-02.1	1	0.2	00.0-00.6	10	8.9	02.6-15.2	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 18: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	389	20,387	204	54.1	47.4-60.8	141	35.0	28.5-41.5	5	1.5	00.0-03.1	2	0.5	00.0-01.3	24	5.7	02.8-08.6	13	3.3	00.8-05.8
45-54	56	3,864	29	58.1	42.8-73.4	21	31.7	17.6-45.8				1	2.2	00.0-06.5	5	8.0	00.6-15.4			
55-64	90	4,685	45	50.6	38.4-62.8	36	40.4	28.2-52.6	1	0.5	00.0-01.5	1	0.2	00.0-00.6	5	5.4	00.0-10.9	2	2.9	00.0-07.6
65+	214	8,874	113	52.4	43.6-61.2	75	33.5	25.3-41.7	4	3.1	00.0-06.4				12	5.3	01.0-09.6	10	5.7	00.6-10.8
H.S. or G.E.D.	136	6,082	70	49.8	38.6-61.0	50	42.1	31.1-53.1	1	0.9	00.0-02.7	1	0.1	00.0-00.3	9	5.9	01.0-10.8	5	1.3	00.0-02.9
Some Post-H.S.	145	8,890	81	60.1	49.3-70.9	47	30.6	20.2-41.0	2	1.0	00.0-02.6	1	1.0	00.0-03.0	10	4.2	00.9-07.5	4	3.1	00.0-06.2
College Graduate	64	2,627	34	58.8	42.5-75.1	30	41.2	24.9-57.5												
\$15,000- 24,999	83	3,744	46	51.0	36.9-65.1	25	29.0	16.3-41.7	3	3.2	00.0-07.1	1	0.2	00.0-00.6	4	8.7	00.0-18.7	4	7.9	00.6-15.2
\$25,000- 34,999	53	3,137	28	47.4	29.8-65.0	17	36.6	19.4-53.8							5	7.8	00.0-16.0	3	8.2	00.0-20.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	828	48,166	238	29.3	25.0-33.6	178	19.9	16.4-23.4	84	10.8	07.9-13.7	102	12.9	09.2-16.6	54	6.6	04.1-09.1	172	20.5	16.8-24.2
Male	427	27,314	118	26.5	21.0-32.0	87	17.9	13.2-22.6	47	12.8	08.5-17.1	49	13.3	07.6-19.0	27	7.2	03.3-11.1	99	22.4	16.9-27.9
Female	401	20,852	120	33.1	26.6-39.6	91	22.5	17.2-27.8	37	8.2	04.5-11.9	53	12.3	07.8-16.8	27	5.7	03.0-08.4	73	18.1	13.2-23.0
45-54	126	9,252	37	32.3	21.5-43.1	24	16.4	08.6-24.2	11	9.3	02.4-16.2	17	8.3	03.2-13.4	6	6.6	00.0-14.2	31	27.2	17.0-37.4
55-64	214	12,257	70	33.8	25.6-42.0	49	21.9	15.2-28.6	22	10.9	05.6-16.2	27	14.5	05.1-23.9	11	5.1	01.0-09.2	35	13.8	08.1-19.5
65+	423	20,391	115	26.4	21.1-31.7	90	20.6	15.7-25.5	45	10.7	06.8-14.6	51	12.9	08.6-17.2	31	7.2	03.9-10.5	91	22.1	16.8-27.4
Less Than H.S.	93	7,141	20	21.4	10.6-32.2	11	13.7	04.7-22.7	13	7.8	02.5-13.1	11	11.7	03.1-20.3	6	10.7	00.1-21.3	32	34.9	21.6-48.2
H.S. or G.E.D.	297	15,777	77	27.8	20.9-34.7	69	23.1	17.0-29.2	32	12.6	06.9-18.3	36	11.4	06.9-15.9	15	5.5	01.6-09.4	68	19.6	13.9-25.3
Some Post-H.S.	259	17,677	81	31.0	23.2-38.8	59	19.9	13.8-26.0	23	9.9	05.2-14.6	31	15.7	07.5-23.9	18	5.8	02.5-09.1	47	17.6	11.5-23.7
College Graduate	178	7,562	59	36.0	26.8-45.2	39	18.8	11.7-25.9	16	12.0	04.7-19.3	24	10.7	05.4-16.0	15	6.7	02.4-11.0	25	15.9	08.8-23.0
Less than \$15,000	74	5,283	21	38.1	21.4-54.8	8	12.1	03.1-21.1	7	9.2	01.2-17.2	15	16.9	03.8-30.0	6	2.9	00.0-05.8	17	20.8	09.6-32.0
\$15,000- 24,999	149	9,090	35	23.4	14.2-32.6	33	19.8	11.4-28.2	14	8.8	01.9-15.7	19	14.7	05.9-23.5	17	12.8	04.0-21.6	31	20.4	10.2-30.6
\$25,000- 34,999	100	6,221	28	25.3	14.5-36.1	21	16.8	07.8-25.8	13	18.6	07.4-29.8	10	19.8	02.7-36.9	7	4.8	00.9-08.7	21	14.7	05.9-23.5
\$35,000- 49,999	114	6,498	32	21.8	12.8-30.8	34	27.7	17.7-37.7	8	6.1	00.6-11.6	11	10.3	03.2-17.4	8	11.6	02.4-20.8	21	22.5	12.3-32.7
\$50,000- 74,999	115	6,043	40	37.0	25.4-48.6	22	13.5	07.0-20.0	12	13.2	05.0-21.4	17	16.1	06.1-26.1	3	3.1	00.0-07.8	21	17.0	09.2-24.8
\$75,000+	166	9,170	48	32.2	22.6-41.8	32	19.2	11.2-27.2	22	12.0	06.1-17.9	21	8.7	04.4-13.0	6	2.8	00.3-05.3	37	25.1	15.9-34.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	427	27,314	118	26.5	21.0-32.0	87	17.9	13.2-22.6	47	12.8	08.5-17.1	49	13.3	07.6-19.0	27	7.2	03.3-11.1	99	22.4	16.9-27.9
45-54	71	5,430	19	26.6	13.1-40.1	14	13.5	04.5-22.5	8	12.5	01.7-23.3	11	9.5	01.9-17.1	1	6.5	00.0-18.5	18	31.4	16.7-46.1
55-64	124	7,605	35	28.2	17.6-38.8	31	22.2	13.2-31.2	15	13.7	05.9-21.5	14	16.0	01.7-30.3	6	5.7	00.0-11.6	23	14.2	06.4-22.0
65+	198	11,050	57	28.3	20.5-36.1	35	15.9	09.6-22.2	21	13.0	06.7-19.3	19	12.3	05.6-19.0	16	7.1	02.4-11.8	50	23.3	16.0-30.6
H.S. or G.E.D.	154	9,331	39	27.2	18.2-36.2	36	21.0	12.8-29.2	18	13.4	05.6-21.2	16	10.5	04.2-16.8	7	7.3	01.0-13.6	38	20.7	12.7-28.7
Some Post-H.S.	114	8,772	32	21.6	12.4-30.8	24	18.0	09.2-26.8	11	14.1	05.7-22.5	17	19.1	05.4-32.8	6	4.2	00.0-08.7	24	23.0	12.6-33.4
College Graduate	113	4,950	36	33.8	22.6-45.0	24	18.7	10.1-27.3	12	13.8	05.8-21.8	11	9.2	02.5-15.9	12	8.1	02.0-14.2	18	16.4	07.8-25.0
\$15,000- 24,999	63	5,009	11	17.7	05.5-29.9	11	15.1	02.9-27.3	7	13.3	01.3-25.3	10	17.6	03.1-32.1	8	16.4	01.7-31.1	16	19.9	04.4-35.4
\$35,000- 49,999	67	4,390	25	27.3	14.8-39.8	18	25.0	12.7-37.3	2	4.4	00.0-10.9	5	9.9	00.5-19.3	6	12.5	00.3-24.7	11	20.8	08.1-33.5
\$50,000- 74,999	74	4,245	23	33.5	19.0-48.0	12	8.9	02.6-15.2	11	18.6	07.2-30.0	10	16.5	03.2-29.8	2	4.2	00.0-10.9	16	18.2	08.0-28.4
\$75,000+	120	6,735	31	28.1	17.7-38.5	25	19.0	10.0-28.0	17	12.6	05.5-19.7	14	8.4	03.1-13.7	3	1.7	00.0-03.9	30	30.2	18.6-41.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	401	20,852	120	33.1	26.6-39.6	91	22.5	17.4-27.6	37	8.2	04.5-11.9	53	12.3	07.8-16.8	27	5.7	03.0-08.4	73	18.1	13.2-23.0
45-54	55	3,821	18	40.2	24.1-56.3	10	20.5	07.2-33.8	3	4.8	00.0-10.9	6	6.5	00.8-12.2	5	6.8	00.0-13.9	13	21.2	08.7-33.7
55-64	90	4,652	35	43.0	30.7-55.3	18	21.4	11.6-31.2	7	6.3	00.8-11.8	13	12.1	04.5-19.7	5	4.0	00.0-09.3	12	13.2	04.8-21.6
65+	225	9,341	58	24.2	17.1-31.3	55	26.2	18.6-33.8	24	8.1	03.8-12.4	32	13.5	08.2-18.8	15	7.4	02.9-11.9	41	20.7	13.1-28.3
H.S. or G.E.D.	143	6,446	38	28.7	18.3-39.1	33	26.2	17.2-35.2	14	11.5	03.9-19.1	20	12.7	06.4-19.0	8	3.0	00.3-05.7	30	18.0	10.2-25.8
Some Post-H.S.	145	8,905	49	40.4	29.0-51.8	35	21.9	13.5-30.3	12	5.8	01.7-09.9	14	12.3	03.5-21.1	12	7.5	02.4-12.6	23	12.2	06.1-18.3
College Graduate	65	2,612	23	40.0	23.9-56.1	15	19.1	07.1-31.1	4	8.6	00.0-22.9	13	13.5	05.3-21.7	3	3.8	00.0-08.3	7	14.9	02.2-27.6
\$15,000- 24,999	86	4,081	24	30.5	17.4-43.6	22	25.6	14.2-37.0	7	3.4	00.5-06.3	9	11.0	03.2-18.8	9	8.3	01.0-15.6	15	21.1	08.9-33.3
\$25,000- 34,999	55	3,247	18	30.2	15.3-45.1	13	23.3	09.0-37.6	8	23.2	06.7-39.7	4	10.0	00.0-21.2	3	3.8	00.0-08.3	9	9.5	01.5-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	848	48,438	144	17.2	13.5-20.9	471	55.7	51.0-60.4	110	10.9	08.4-13.4	101	13.0	09.9-16.1	22	3.2	01.6-04.8
Male	439	27,294	77	19.3	13.6-25.0	230	51.4	44.7-58.1	60	10.6	07.1-14.1	58	15.1	10.2-20.0	14	3.6	01.4-05.8
Female	409	21,143	67	14.5	10.2-18.8	241	61.2	54.9-67.5	50	11.4	07.7-15.1	43	10.3	06.6-14.0	8	2.6	00.2-05.0
45-54	127	9,110	25	17.5	09.5-25.5	58	45.8	34.4-57.2	17	12.1	05.0-19.2	23	20.4	10.6-30.2	4	4.3	00.0-08.6
55-64	216	12,215	32	18.2	08.6-27.8	108	50.6	41.4-59.8	38	12.9	08.0-17.8	33	16.4	09.7-23.1	5	1.8	00.0-03.6
65+	440	20,819	80	18.5	13.6-23.4	269	59.8	53.7-65.9	47	11.0	07.1-14.9	35	8.5	04.8-12.2	9	2.1	00.5-03.7
Less Than H.S.	97	7,453	16	17.1	06.9-27.3	51	48.8	35.5-62.1	15	14.7	06.5-22.9	13	17.7	05.9-29.5	2	1.7	00.0-04.1
H.S. or G.E.D.	304	16,090	47	16.4	10.7-22.1	164	51.6	44.2-59.0	42	13.0	08.3-17.7	39	14.1	08.8-19.4	12	4.9	01.6-08.2
Some Post-H.S.	268	17,429	47	17.2	09.9-24.5	157	62.4	54.2-70.6	26	7.1	03.6-10.6	35	12.5	07.4-17.6	3	0.8	00.0-02.0
College Graduate	178	7,457	34	19.1	11.7-26.5	98	55.6	46.2-65.0	27	11.7	06.0-17.4	14	7.4	02.5-12.3	5	6.3	00.0-12.8
Less than \$15,000	78	5,567	12	13.8	05.0-22.6	39	50.9	35.4-66.4	8	11.9	02.5-21.3	17	21.8	10.0-33.6	2	1.6	00.0-04.5
\$15,000- 24,999	159	9,305	25	13.2	06.5-19.9	84	51.9	40.3-63.5	17	7.5	02.6-12.4	29	24.5	13.9-35.1	4	3.0	00.0-06.3
\$25,000- 34,999	100	6,165	19	27.8	10.9-44.7	51	42.2	28.3-56.1	15	12.2	04.9-19.5	13	13.8	05.0-22.6	2	4.0	00.0-10.5
\$35,000- 49,999	119	6,659	18	13.3	05.9-20.7	68	56.4	44.8-68.0	21	16.8	08.0-25.6	6	6.6	01.3-11.9	6	6.9	00.2-13.6
\$50,000- 74,999	115	5,932	20	19.7	09.1-30.3	64	57.3	45.3-69.3	13	10.1	03.6-16.6	16	11.1	04.0-18.2	2	1.8	00.0-04.3
\$75,000+	166	8,973	31	18.2	10.8-25.6	99	66.3	57.3-75.3	20	8.2	03.7-12.7	12	4.9	01.4-08.4	4	2.5	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	439	27,294	77	19.3	13.6-25.0	230	51.4	44.7-58.1	60	10.6	07.1-14.1	58	15.1	10.2-20.0	14	3.6	01.4-05.8
45-54	70	5,082	15	16.8	06.4-27.2	33	44.1	28.2-60.0	10	15.8	04.4-27.2	8	15.6	01.7-29.5	4	7.7	00.1-15.3
55-64	124	7,508	22	24.6	10.3-38.9	54	42.2	29.9-54.5	23	11.4	05.5-17.3	23	20.7	10.9-30.5	2	1.1	00.0-02.7
65+	212	11,522	36	19.0	11.6-26.4	127	58.6	49.8-67.4	24	10.3	05.2-15.4	20	10.2	04.3-16.1	5	1.9	00.1-03.7
Less Than H.S.	50	4,534	10	21.8	06.3-37.3	23	41.7	23.3-60.1	7	11.7	01.7-21.7	8	22.0	04.2-39.8	2	2.8	00.0-06.7
H.S. or G.E.D.	158	9,416	26	17.0	09.2-24.8	81	51.1	40.7-61.5	23	12.7	06.4-19.0	21	13.5	06.6-20.4	7	5.6	00.7-10.5
Some Post-H.S.	118	8,528	19	20.0	07.1-32.9	63	54.6	41.5-67.7	13	7.2	01.7-12.7	21	17.0	08.0-26.0	2	1.3	00.0-03.5
College Graduate	113	4,817	22	20.2	10.6-29.8	63	55.5	43.9-67.1	17	11.4	04.3-18.5	8	8.4	01.3-15.5	3	4.5	00.0-10.2
\$15,000- 24,999	69	5,205	10	10.4	01.8-19.0	36	52.7	34.9-70.5	7	4.9	00.0-10.2	13	27.2	10.5-43.9	3	4.8	00.0-10.5
\$35,000- 49,999	71	4,498	11	15.1	04.7-25.5	35	45.9	31.0-60.8	14	20.9	08.6-33.2	5	7.9	00.8-15.0	6	10.1	00.3-19.9
\$50,000- 74,999	75	4,186	12	21.8	07.7-35.9	41	56.3	41.2-71.4	10	9.7	02.3-17.1	10	9.7	01.5-17.9	2	2.5	00.0-06.0
\$75,000+	120	6,538	22	18.2	09.6-26.8	68	63.1	52.5-73.7	17	10.3	04.2-16.4	10	5.7	01.2-10.2	3	2.6	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	409	21,143	67	14.5	10.2-18.8	241	61.2	54.9-67.5	50	11.4	07.7-15.1	43	10.3	06.6-14.0	8	2.6	00.2-05.0
45-54	57	4,027	10	18.3	06.0-30.6	25	48.0	31.9-64.1	7	7.3	00.4-14.2	15	26.4	12.7-40.1			
55-64	92	4,707	10	8.0	01.7-14.3	54	64.1	52.5-75.7	15	15.5	06.9-24.1	10	9.6	02.3-16.9	3	2.9	00.0-06.8
65+	228	9,298	44	17.9	11.8-24.0	142	61.4	53.2-69.6	23	12.0	05.9-18.1	15	6.5	02.8-10.2	4	2.2	00.0-04.7
H.S. or G.E.D.	146	6,674	21	15.6	07.4-23.8	83	52.2	41.4-63.0	19	13.4	06.1-20.7	18	14.9	06.9-22.9	5	3.9	00.0-08.0
Some Post-H.S.	150	8,901	28	14.5	07.8-21.2	94	69.9	60.7-79.1	13	7.1	02.6-11.6	14	8.1	03.2-13.0	1	0.4	00.0-01.2
College Graduate	65	2,640	12	17.1	05.1-29.1	35	55.7	39.2-72.2	10	12.1	02.5-21.7	6	5.5	00.4-10.6	2	9.6	00.0-24.1
Less than \$15,000	51	3,464	7	13.3	02.5-24.1	29	61.9	43.3-80.5	4	11.1	00.0-22.9	9	11.2	02.2-20.2	2	2.6	00.0-07.3
\$15,000- 24,999	90	4,100	15	16.7	06.9-26.5	48	50.7	37.4-64.0	10	10.8	02.4-19.2	16	21.0	09.2-32.8	1	0.8	00.0-02.4
\$25,000- 34,999	55	3,225	10	19.3	04.6-34.0	28	45.5	28.8-62.2	9	13.4	03.0-23.8	6	14.0	02.4-25.6	2	7.7	00.0-19.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	848	48,486	133	17.7	13.6-21.8	715	82.3	78.2-86.4
Male	442	27,598	75	19.0	13.1-24.9	367	81.0	75.1-86.9
Female	406	20,888	58	16.0	10.3-21.7	348	84.0	78.3-89.7
45-54	129	9,523	20	14.5	07.1-21.9	109	85.5	78.1-92.9
55-64	215	12,123	31	20.7	10.7-30.7	184	79.3	69.3-89.3
65+	439	20,694	73	16.7	11.8-21.6	366	83.3	78.4-88.2
Less Than H.S.	95	7,224	15	16.1	06.1-26.1	80	83.9	73.9-93.9
H.S. or G.E.D.	304	15,856	42	14.9	09.4-20.4	262	85.1	79.6-90.6
Some Post-H.S.	267	17,841	45	22.7	14.1-31.3	222	77.3	68.7-85.9
College Graduate	181	7,556	31	13.4	07.5-19.3	150	86.6	80.7-92.5
Less than \$15,000	74	5,268	18	32.1	15.6-48.6	56	67.9	51.4-84.4
\$15,000- 24,999	159	9,388	30	17.3	08.1-26.5	129	82.7	73.5-91.9
\$25,000- 34,999	100	6,042	17	25.0	08.1-41.9	83	75.0	58.1-91.9
\$35,000- 49,999	118	6,544	16	13.9	05.7-22.1	102	86.1	77.9-94.3
\$50,000- 74,999	117	6,091	14	17.2	06.6-27.8	103	82.8	72.2-93.4
\$75,000+	169	9,346	24	11.2	05.7-16.7	145	88.8	83.3-94.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	442	27,598	75	19.0	13.1-24.9	367	81.0	75.1-86.9
45-54	72	5,496	10	14.7	04.7-24.7	62	85.3	75.3-95.3
55-64	124	7,497	24	29.5	15.2-43.8	100	70.5	56.2-84.8
65+	212	11,375	37	15.2	08.7-21.7	175	84.8	78.3-91.3
H.S. or G.E.D.	158	9,370	23	14.7	07.6-21.8	135	85.3	78.2-92.4
Some Post-H.S.	120	8,942	25	27.9	14.2-41.6	95	72.1	58.4-85.8
College Graduate	115	4,909	20	16.0	07.8-24.2	95	84.0	75.8-92.2
\$15,000- 24,999	69	5,205	15	17.9	04.0-31.8	54	82.1	68.2-96.0
\$35,000- 49,999	70	4,383	12	16.7	05.7-27.7	58	83.3	72.3-94.3
\$50,000- 74,999	76	4,293	10	19.2	05.3-33.1	66	80.8	66.9-94.7
\$75,000+	123	6,911	17	12.5	05.4-19.6	106	87.5	80.4-94.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	406	20,888	58	16.0	10.3-21.7	348	84.0	78.3-89.7
45-54	57	4,027	10	14.3	02.9-25.7	47	85.7	74.3-97.1
55-64	91	4,626	7	6.5	00.2-12.8	84	93.5	87.2-99.8
65+	227	9,319	36	18.5	11.4-25.6	191	81.5	74.4-88.6
H.S. or G.E.D.	146	6,486	19	15.1	06.5-23.7	127	84.9	76.3-93.5
Some Post-H.S.	147	8,899	20	17.5	07.1-27.9	127	82.5	72.1-92.9
College Graduate	66	2,646	11	8.7	02.4-15.0	55	91.3	85.0-97.6
\$15,000- 24,999	90	4,183	15	16.6	05.6-27.6	75	83.4	72.4-94.4
\$25,000- 34,999	54	3,048	6	10.9	00.9-20.9	48	89.1	79.1-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	855	49,186	490	60.3	55.8-64.8	365	39.7	35.2-44.2
Male	445	27,988	238	58.4	52.1-64.7	207	41.6	35.3-47.9
Female	410	21,198	252	62.7	56.2-69.2	158	37.3	30.8-43.8
45-54	129	9,523	84	65.9	55.5-76.3	45	34.1	23.7-44.5
55-64	214	12,187	133	65.4	57.2-73.6	81	34.6	26.4-42.8
65+	446	21,136	233	55.4	49.5-61.3	213	44.6	38.7-50.5
Less Than H.S.	98	7,480	39	49.3	36.0-62.6	59	50.7	37.4-64.0
H.S. or G.E.D.	306	16,176	171	57.4	50.0-64.8	135	42.6	35.2-50.0
Some Post-H.S.	269	17,867	175	69.7	62.1-77.3	94	30.3	22.7-37.9
College Graduate	181	7,655	104	55.1	45.7-64.5	77	44.9	35.5-54.3
Less than \$15,000	78	5,567	43	54.6	38.9-70.3	35	45.4	29.7-61.1
\$15,000- 24,999	160	9,449	86	57.5	46.3-68.7	74	42.5	31.3-53.7
\$25,000- 34,999	102	6,246	64	69.1	56.9-81.3	38	30.9	18.7-43.1
\$35,000- 49,999	119	6,659	60	50.0	38.4-61.6	59	50.0	38.4-61.6
\$50,000- 74,999	116	6,042	68	66.0	55.4-76.6	48	34.0	23.4-44.6
\$75,000+	168	9,330	111	68.5	59.5-77.5	57	31.5	22.5-40.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	445	27,988	238	58.4	52.1-64.7	207	41.6	35.3-47.9
45-54	72	5,496	46	67.2	53.1-81.3	26	32.8	18.7-46.9
55-64	125	7,615	74	66.1	55.1-77.1	51	33.9	22.9-44.9
65+	214	11,648	99	50.3	41.7-58.9	115	49.7	41.1-58.3
Less Than H.S.	50	4,534	14	41.7	22.5-60.9	36	58.3	39.1-77.5
H.S. or G.E.D.	159	9,488	79	51.3	41.1-61.5	80	48.7	38.5-58.9
Some Post-H.S.	120	8,942	82	77.4	68.4-86.4	38	22.6	13.6-31.6
College Graduate	116	5,025	63	53.1	41.7-64.5	53	46.9	35.5-58.3
\$15,000- 24,999	69	5,205	30	56.3	38.9-73.7	39	43.7	26.3-61.1
\$35,000- 49,999	71	4,498	35	48.0	33.1-62.9	36	52.0	37.1-66.9
\$50,000- 74,999	76	4,293	44	66.3	53.2-79.4	32	33.7	20.6-46.8
\$75,000+	123	6,911	77	67.9	57.5-78.3	46	32.1	21.7-42.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	410	21,198	252	62.7	56.2-69.2	158	37.3	30.8-43.8
45-54	57	4,027	38	64.2	48.9-79.5	19	35.8	20.5-51.1
55-64	89	4,572	59	64.1	51.9-76.3	30	35.9	23.7-48.1
65+	232	9,488	134	61.7	53.7-69.7	98	38.3	30.3-46.3
H.S. or G.E.D.	147	6,688	92	66.0	56.2-75.8	55	34.0	24.2-43.8
Some Post-H.S.	149	8,925	93	62.0	50.6-73.4	56	38.0	26.6-49.4
College Graduate	65	2,630	41	59.0	42.5-75.5	24	41.0	24.5-57.5
Less than \$15,000	51	3,464	32	61.7	40.3-83.1	19	38.3	16.9-59.7
\$15,000- 24,999	91	4,244	56	59.0	46.1-71.9	35	41.0	28.1-53.9
\$25,000- 34,999	56	3,252	38	77.3	64.8-89.8	18	22.7	10.2-35.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	43
2 MALES ONLY	44
3 FEMALES ONLY	45
ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)	
4 MALES AND FEMALES	46
5 MALES ONLY	47
6 FEMALES ONLY	48
OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)	
7 MALES AND FEMALES	49
8 MALES ONLY	50
9 FEMALES ONLY	51
DELAYED GETTING MEDICAL CARE OTHER RESPONSE (DLYOTHER)	
10 MALES AND FEMALES	52
11 MALES ONLY	53
12 FEMALES ONLY	54
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
13 MALES AND FEMALES	55
14 MALES ONLY	56
15 FEMALES ONLY	57
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
16 MALES AND FEMALES	58
17 MALES ONLY	59
18 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
19 MALES AND FEMALES	61
20 MALES ONLY	62
21 FEMALES ONLY	63
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
22 MALES AND FEMALES	64
23 MALES ONLY	65
24 FEMALES ONLY	66
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY-- (CARERCVD)	
25 MALES AND FEMALES	67
26 MALES ONLY	68
27 FEMALES ONLY	69
DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)	
28 MALES AND FEMALES	70
29 MALES ONLY	71
30 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7164	498,669	2535	25.8	24.4-27.2	4629	74.2	72.8-75.6
Male	3199	249,274	998	24.4	22.4-26.4	2201	75.6	73.6-77.6
Female	3965	249,395	1537	27.2	25.4-29.0	2428	72.8	71.0-74.6
18-24	415	70,489	45	12.2	07.9-16.5	370	87.8	83.5-92.1
25-34	798	84,825	39	5.6	03.4-07.8	759	94.4	92.2-96.6
35-44	801	71,296	26	3.7	01.9-05.5	775	96.3	94.5-98.1
45-54	1218	84,006	68	7.0	04.8-09.2	1150	93.0	90.8-95.2
55-64	1595	83,530	141	10.6	08.2-13.0	1454	89.4	87.0-91.8
65+	2274	100,318	2190	95.9	94.9-96.9	84	4.1	03.1-05.1
Less Than H.S.	461	44,768	324	56.6	49.7-63.5	137	43.4	36.5-50.3
H.S. or G.E.D.	2191	133,732	946	31.3	28.8-33.8	1245	68.7	66.2-71.2
Some Post-H.S.	2324	194,755	724	21.3	19.1-23.5	1600	78.7	76.5-80.9
College Graduate	2166	123,830	532	15.8	14.0-17.6	1634	84.2	82.4-86.0
Less than \$15,000	446	37,900	275	42.4	35.5-49.3	171	57.6	50.7-64.5
\$15,000- 24,999	848	60,739	493	43.6	38.9-48.3	355	56.4	51.7-61.1
\$25,000- 34,999	658	45,455	312	32.1	27.4-36.8	346	67.9	63.2-72.6
\$35,000- 49,999	965	64,292	386	28.4	24.7-32.1	579	71.6	67.9-75.3
\$50,000- 74,999	1174	86,922	290	18.2	15.3-21.1	884	81.8	78.9-84.7
\$75,000+	2193	142,842	312	9.7	08.3-11.1	1881	90.3	88.9-91.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3199	249,274	998	24.4	22.4-26.4	2201	75.6	73.6-77.6
18-24	245	37,939	33	14.5	08.4-20.6	212	85.5	79.4-91.6
25-34	389	44,095	27	8.0	04.5-11.5	362	92.0	88.5-95.5
35-44	373	36,565	12	3.5	01.0-06.0	361	96.5	94.0-99.0
45-54	576	42,143	35	7.6	04.5-10.7	541	92.4	89.3-95.5
55-64	734	43,176	73	12.0	08.1-15.9	661	88.0	84.1-91.9
65+	861	43,878	814	94.7	92.7-96.7	47	5.3	03.3-07.3
Less Than H.S.	245	25,748	150	51.8	43.0-60.6	95	48.2	39.4-57.0
H.S. or G.E.D.	1031	73,020	346	25.9	22.4-29.4	685	74.1	70.6-77.6
Some Post-H.S.	991	93,486	237	18.0	14.9-21.1	754	82.0	78.9-85.1
College Graduate	921	56,026	263	20.5	17.6-23.4	658	79.5	76.6-82.4
Less than \$15,000	138	13,733	70	38.7	28.3-49.1	68	61.3	50.9-71.7
\$15,000- 24,999	316	27,650	173	43.0	35.4-50.6	143	57.0	49.4-64.6
\$25,000- 34,999	266	22,619	116	30.2	22.8-37.6	150	69.8	62.4-77.2
\$35,000- 49,999	478	36,929	188	28.2	22.9-33.5	290	71.8	66.5-77.1
\$50,000- 74,999	597	48,026	158	19.6	15.7-23.5	439	80.4	76.5-84.3
\$75,000+	1130	76,528	186	12.7	10.3-15.1	944	87.3	84.9-89.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3965	249,395	1537	27.2	25.4-29.0	2428	72.8	71.0-74.6
18-24	170	32,550	12	9.5	03.0-16.0	158	90.5	84.0-97.0
25-34	409	40,729	12	3.0	00.8-05.2	397	97.0	94.8-99.2
35-44	428	34,731	14	3.8	01.6-06.0	414	96.2	94.0-98.4
45-54	642	41,862	33	6.5	03.6-09.4	609	93.5	90.6-96.4
55-64	861	40,354	68	9.0	06.5-11.5	793	91.0	88.5-93.5
65+	1413	56,439	1376	96.9	95.7-98.1	37	3.1	01.9-04.3
Less Than H.S.	216	19,020	174	63.0	52.0-74.0	42	37.0	26.0-48.0
H.S. or G.E.D.	1160	60,713	600	37.8	33.9-41.7	560	62.2	58.3-66.1
Some Post-H.S.	1333	101,269	487	24.3	21.6-27.0	846	75.7	73.0-78.4
College Graduate	1245	67,804	269	11.9	09.9-13.9	976	88.1	86.1-90.1
Less than \$15,000	308	24,167	205	44.5	35.5-53.5	103	55.5	46.5-64.5
\$15,000- 24,999	532	33,089	320	44.2	38.3-50.1	212	55.8	49.9-61.7
\$25,000- 34,999	392	22,836	196	34.0	27.9-40.1	196	66.0	59.9-72.1
\$35,000- 49,999	487	27,364	198	28.7	23.6-33.8	289	71.3	66.2-76.4
\$50,000- 74,999	577	38,896	132	16.5	11.8-21.2	445	83.5	78.8-88.2
\$75,000+	1063	66,314	126	6.2	04.8-07.6	937	93.8	92.4-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 4: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7126	497,355	5524	77.3	75.9-78.7	494	6.6	05.8-07.4	44	0.6	00.4-00.8	5	0.1	00.0-00.3	288	3.6	03.0-04.2	771	11.8	10.6-13.0
Male	3199	250,402	2446	75.6	73.4-77.8	255	7.1	05.9-08.3	24	0.7	00.3-01.1	3	0.1	00.0-00.3	124	4.2	03.2-05.2	347	12.4	10.8-14.0
Female	3927	246,953	3078	79.1	77.1-81.1	239	6.0	04.8-07.2	20	0.5	00.3-00.7	2	0.1	00.0-00.3	164	3.0	02.2-03.8	424	11.3	09.7-12.9
18-24	419	70,850	310	73.9	68.4-79.4	17	4.8	01.7-07.9	4	1.0	00.0-02.4				22	5.7	03.0-08.4	66	14.6	10.3-18.9
25-34	805	85,899	622	76.8	73.1-80.5	57	5.7	03.7-07.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	14	2.3	00.9-03.7	110	15.0	11.7-18.3
35-44	799	71,173	675	83.8	80.5-87.1	53	5.6	03.6-07.6	3	0.3	00.0-00.7				8	1.0	00.2-01.8	60	9.3	06.6-12.0
45-54	1219	83,800	985	80.5	77.4-83.6	80	6.2	04.4-08.0	10	0.8	00.2-01.4				13	1.0	00.0-02.0	131	11.5	09.0-14.0
55-64	1587	83,096	1295	81.2	78.5-83.9	105	7.6	05.4-09.8	9	0.5	00.1-00.9	1	0.1	00.0-00.3	42	2.9	01.7-04.1	135	7.7	05.9-09.5
65+	2239	98,715	1591	70.2	67.7-72.7	180	8.8	07.2-10.4	17	0.7	00.3-01.1	2	0.1	00.0-00.3	187	8.0	06.6-09.4	262	12.1	10.3-13.9
Less Than H.S.	449	43,257	292	66.8	60.7-72.9	33	7.4	04.3-10.5	1	0.3	00.0-00.9				25	4.5	02.0-07.0	98	20.9	15.8-26.0
H.S. or G.E.D.	2176	133,619	1579	70.8	67.9-73.7	155	7.4	05.4-09.4	11	0.6	00.0-01.4	2	0.1	00.0-00.3	105	4.3	03.1-05.5	324	16.8	14.4-19.2
Some Post-H.S.	2319	194,942	1826	79.9	77.5-82.3	159	5.9	04.5-07.3	20	0.6	00.2-01.0	1	0.0	00.0-00.0	86	3.3	02.3-04.3	227	10.2	08.4-12.0
College Graduate	2161	123,968	1812	84.2	82.0-86.4	145	6.2	05.0-07.4	12	0.5	00.1-00.9	2	0.2	00.0-00.6	70	3.0	02.0-04.0	120	5.9	04.3-07.5
Less than \$15,000	445	38,502	294	64.4	57.3-71.5	27	7.1	02.2-12.0	1	0.1	00.0-00.3				19	5.3	02.4-08.2	104	23.0	17.1-28.9
\$15,000- 24,999	844	60,862	541	62.9	58.0-67.8	61	8.0	05.3-10.7	4	0.2	00.0-00.6				52	5.6	03.4-07.8	186	23.4	19.3-27.5
\$25,000- 34,999	652	45,360	479	72.8	67.5-78.1	42	8.2	04.7-11.7	4	0.7	00.0-01.7				34	5.1	02.4-07.8	93	13.1	09.2-17.0
\$35,000- 49,999	962	64,079	734	75.2	71.1-79.3	62	4.8	03.0-06.6	10	1.4	00.0-03.0				47	4.8	02.6-07.0	109	13.8	10.7-16.9
\$50,000- 74,999	1178	87,044	980	84.8	82.1-87.5	82	6.3	04.3-08.3	4	0.3	00.1-00.5	1	0.1	00.0-00.3	41	2.8	01.6-04.0	70	5.8	04.0-07.6
\$75,000+	2192	143,723	1862	85.3	83.1-87.5	170	6.8	05.6-08.0	16	0.7	00.3-01.1	3	0.3	00.0-00.7	48	1.8	01.2-02.4	93	5.0	03.4-06.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3199	250,402	2446	75.6	73.4-77.8	255	7.1	05.9-08.3	24	0.7	00.3-01.1	3	0.1	00.0-00.3	124	4.2	03.2-05.2	347	12.4	10.8-14.0
18-24	244	38,059	178	73.2	65.9-80.5	9	4.2	00.9-07.5	3	1.3	00.0-03.7				14	7.1	03.0-11.2	40	14.2	08.7-19.7
25-34	397	45,365	302	74.4	68.9-79.9	20	4.9	02.4-07.4				1	0.2	00.0-00.6	10	3.5	01.1-05.9	64	16.9	12.0-21.8
35-44	375	36,869	319	83.4	78.3-88.5	21	4.9	02.2-07.6	2	0.4	00.0-01.0				5	1.3	00.0-02.7	28	10.0	05.7-14.3
45-54	580	42,395	455	77.8	73.3-82.3	39	6.2	03.7-08.7	5	0.6	00.0-01.2				7	0.9	00.1-01.7	74	14.4	10.3-18.5
55-64	730	42,910	586	79.7	75.4-84.0	55	8.7	05.2-12.2	5	0.6	00.0-01.2				25	3.8	01.8-05.8	59	7.3	04.8-09.8
65+	852	43,326	591	66.6	62.5-70.7	109	13.2	10.3-16.1	9	1.2	00.4-02.0	2	0.3	00.0-00.7	62	8.5	06.0-11.0	79	10.2	07.7-12.7
Less Than H.S.	239	24,861	156	67.5	59.7-75.3	21	7.9	03.4-12.4							11	4.2	01.1-07.3	51	20.4	13.7-27.1
H.S. or G.E.D.	1030	72,974	744	70.3	66.4-74.2	92	8.1	05.9-10.3	4	0.8	00.0-02.0	2	0.2	00.0-00.4	43	4.6	02.8-06.4	145	16.1	12.8-19.4
Some Post-H.S.	995	94,894	778	78.2	74.5-81.9	76	6.4	04.2-08.6	15	0.8	00.4-01.2	1	0.1	00.0-00.3	29	3.6	01.8-05.4	96	10.9	08.2-13.6
College Graduate	924	56,679	760	81.8	78.5-85.1	64	6.2	04.2-08.2	5	0.6	00.0-01.2				41	4.7	02.7-06.7	54	6.7	04.5-08.9
Less than \$15,000	140	14,389	95	72.5	63.3-81.7	4	2.4	00.0-04.9	1	0.4	00.0-01.2				6	5.5	00.8-10.2	34	19.2	11.2-27.2
\$15,000- 24,999	316	27,818	182	58.0	50.2-65.8	37	11.2	06.3-16.1	3	0.5	00.0-01.1				18	5.7	02.2-09.2	76	24.6	17.9-31.3
\$25,000- 34,999	266	22,772	192	69.0	60.8-77.2	25	12.4	05.9-18.9	3	0.4	00.0-00.8				14	6.8	01.7-11.9	32	11.4	06.3-16.5
\$35,000- 49,999	477	36,886	349	70.3	64.4-76.2	35	4.7	02.2-07.2	6	2.0	00.0-04.5				23	6.0	02.7-09.3	64	17.0	12.3-21.7
\$50,000- 74,999	601	48,218	478	81.8	77.7-85.9	51	7.0	04.5-09.5	2	0.3	00.0-00.7	1	0.1	00.0-00.3	22	3.3	01.5-05.1	47	7.6	04.7-10.5
\$75,000+	1135	77,523	960	83.8	80.7-86.9	80	6.5	04.7-08.3	7	0.6	00.2-01.0	1	0.1	00.0-00.3	31	2.4	01.4-03.4	56	6.5	04.0-09.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			CURRENTLY covered by 4 or more health coverage plans			Some other source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3927	246,953	3078	79.1	77.1-81.1	239	6.0	04.8-07.2	20	0.5	00.3-00.7	2	0.1	00.0-00.3	164	3.0	02.2-03.8	424	11.3	09.7-12.9
18-24	175	32,791	132	74.8	66.2-83.4	8	5.4	00.0-11.1	1	0.7	00.0-02.1				8	4.0	00.7-07.3	26	15.0	08.1-21.9
25-34	408	40,535	320	79.4	74.1-84.7	37	6.7	04.0-09.4	1	0.1	00.0-00.3				4	1.0	00.0-02.0	46	12.8	08.1-17.5
35-44	424	34,304	356	84.2	79.7-88.7	32	6.4	03.5-09.3	1	0.2	00.0-00.6				3	0.7	00.0-01.7	32	8.5	05.0-12.0
45-54	639	41,405	530	83.2	79.3-87.1	41	6.1	03.7-08.5	5	1.1	00.1-02.1				6	1.1	00.0-02.7	57	8.5	05.6-11.4
55-64	857	40,187	709	82.9	79.6-86.2	50	6.4	04.2-08.6	4	0.5	00.0-01.1	1	0.1	00.0-00.3	17	2.0	00.8-03.2	76	8.2	05.8-10.6
65+	1387	55,389	1000	72.9	69.8-76.0	71	5.4	03.6-07.2	8	0.4	00.0-00.8				125	7.6	06.0-09.2	183	13.7	11.3-16.1
Less Than H.S.	210	18,396	136	66.0	56.6-75.4	12	6.8	02.3-11.3	1	0.7	00.0-02.1				14	4.9	00.8-09.0	47	21.7	13.7-29.7
H.S. or G.E.D.	1146	60,645	835	71.5	67.2-75.8	63	6.5	03.4-09.6	7	0.4	00.0-00.8				62	4.0	02.6-05.4	179	17.6	14.1-21.1
Some Post-H.S.	1324	100,049	1048	81.4	78.5-84.3	83	5.5	03.9-07.1	5	0.5	00.0-01.1				57	3.0	01.8-04.2	131	9.6	07.2-12.0
College Graduate	1237	67,289	1052	86.2	83.5-88.9	81	6.2	04.4-08.0	7	0.4	00.0-00.8	2	0.4	00.0-01.2	29	1.5	00.7-02.3	66	5.2	03.0-07.4
Less than \$15,000	305	24,113	199	59.5	49.9-69.1	23	10.0	02.6-17.4							13	5.2	01.3-09.1	70	25.3	17.3-33.3
\$15,000- 24,999	528	33,044	359	67.0	60.9-73.1	24	5.3	02.2-08.4	1	0.0	00.0-00.0				34	5.4	02.7-08.1	110	22.3	17.0-27.6
\$25,000- 34,999	386	22,588	287	76.7	70.4-83.0	17	4.0	01.5-06.5	1	1.0	00.0-03.0				20	3.4	01.4-05.4	61	14.9	09.2-20.6
\$35,000- 49,999	485	27,192	385	81.8	77.1-86.5	27	4.9	02.2-07.6	4	0.5	00.0-01.1				24	3.2	00.8-05.6	45	9.5	06.2-12.8
\$50,000- 74,999	577	38,826	502	88.6	85.1-92.1	31	5.5	02.8-08.2	2	0.3	00.0-00.7				19	2.1	00.9-03.3	23	3.5	01.5-05.5
\$75,000+	1057	66,200	902	87.1	84.4-89.8	90	7.2	05.4-09.0	9	0.8	00.2-01.4	2	0.4	00.0-01.2	17	1.2	00.4-02.0	37	3.3	01.5-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 7: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7123	496,551	30	0.4	00.2-00.6	314	4.3	03.5-05.1	106	1.7	01.1-02.3	26	0.5	00.3-00.7	237	4.0	03.2-04.8	6410	89.2	88.0-90.4
Male	3185	248,826	12	0.3	00.1-00.5	127	3.6	02.6-04.6	43	1.4	00.8-02.0	16	0.6	00.2-01.0	100	3.8	02.8-04.8	2887	90.2	88.6-91.8
Female	3938	247,725	18	0.4	00.2-00.6	187	4.9	03.7-06.1	63	2.1	01.1-03.1	10	0.3	00.1-00.5	137	4.1	03.1-05.1	3523	88.2	86.4-90.0
18-24	425	71,608	1	0.2	00.0-00.6	17	4.1	01.4-06.8	11	2.6	00.1-05.1	5	1.2	00.0-02.4	20	5.5	02.6-08.4	371	86.3	81.6-91.0
25-34	795	84,366	6	0.4	00.0-00.8	53	5.9	03.9-07.9	19	2.7	01.1-04.3	7	1.0	00.2-01.8	33	4.6	02.6-06.6	677	85.3	82.2-88.4
35-44	802	71,385	3	0.5	00.0-01.3	47	5.1	03.1-07.1	16	1.3	00.5-02.1	6	0.4	00.0-00.8	23	2.6	01.2-04.0	707	90.0	87.5-92.5
45-54	1217	84,198	6	0.4	00.0-00.8	75	4.4	03.0-05.8	16	1.6	00.6-02.6	3	0.1	00.0-00.3	55	5.8	03.6-08.0	1062	87.6	85.1-90.1
55-64	1578	82,454	9	0.4	00.0-00.8	72	4.6	02.8-06.4	20	1.4	00.4-02.4	4	0.3	00.0-00.7	45	2.7	01.5-03.9	1428	90.5	88.3-92.7
65+	2246	98,801	5	0.2	00.0-00.4	48	1.9	01.1-02.7	23	1.0	00.4-01.6	1	0.0	00.0-00.0	56	2.5	01.5-03.5	2113	94.5	93.1-95.9
Less Than H.S.	451	44,233				5	2.9	00.0-06.2	10	2.1	00.0-04.3				23	6.9	03.2-10.6	413	88.1	83.0-93.2
H.S. or G.E.D.	2172	132,343	9	0.3	00.1-00.5	89	3.9	02.7-05.1	28	2.3	00.7-03.9	7	0.3	00.1-00.5	83	5.2	03.6-06.8	1956	88.1	85.7-90.5
Some Post-H.S.	2314	194,685	8	0.5	00.1-00.9	109	4.4	03.2-05.6	35	1.4	00.8-02.0	10	0.5	00.1-00.9	78	3.7	02.5-04.9	2074	89.5	87.7-91.3
College Graduate	2164	123,705	13	0.4	00.2-00.6	109	4.8	03.6-06.0	33	1.6	01.0-02.2	9	0.8	00.2-01.4	51	1.9	01.1-02.7	1949	90.5	88.7-92.3
Less than \$15,000	444	38,512	2	0.1	00.0-00.3	10	2.0	00.4-03.6	15	6.7	01.6-11.8	3	0.6	00.0-01.4	52	11.7	07.0-16.4	362	79.0	72.5-85.5
\$15,000- 24,999	845	60,661	1	0.1	00.0-00.3	25	3.1	01.3-04.9	22	2.9	01.3-04.5	5	0.9	00.0-02.1	43	7.4	04.7-10.1	749	85.7	82.0-89.4
\$25,000- 34,999	652	44,808	6	1.3	00.0-02.7	22	4.7	01.6-07.8	9	1.5	00.3-02.7	3	0.8	00.0-01.8	25	5.0	02.5-07.5	587	86.7	82.4-91.0
\$35,000- 49,999	956	63,283	6	0.4	00.0-00.8	43	3.7	02.1-05.3	15	2.0	00.6-03.4	1	0.0	00.0-00.0	19	1.6	00.6-02.6	872	92.2	89.8-94.6
\$50,000- 74,999	1175	86,849	2	0.1	00.0-00.3	52	5.7	03.3-08.1	8	0.4	00.0-00.8	3	0.3	00.0-00.7	30	2.3	00.9-03.7	1080	91.1	88.4-93.8
\$75,000+	2183	142,596	11	0.4	00.0-00.8	140	5.6	04.4-06.8	22	0.8	00.4-01.2	10	0.4	00.0-00.8	31	1.5	00.9-02.1	1969	91.3	89.7-92.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 8: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3185	248,826	12	0.3	00.1-00.5	127	3.6	02.6-04.6	43	1.4	00.8-02.0	16	0.6	00.2-01.0	100	3.8	02.8-04.8	2887	90.2	88.6-91.8
18-24	250	38,480	1	0.5	00.0-01.5	8	2.0	00.2-03.8	5	1.5	00.0-03.5	3	1.1	00.0-02.7	11	6.5	02.4-10.6	222	88.5	83.6-93.4
25-34	391	44,347	2	0.2	00.0-00.6	18	3.6	01.4-05.8	11	2.9	00.7-05.1	5	1.5	00.0-03.1	20	5.5	02.4-08.6	335	86.3	82.0-90.6
35-44	377	37,051				16	4.1	01.6-06.6	4	0.5	00.0-01.1	4	0.5	00.1-00.9	9	2.0	00.4-03.6	344	93.0	89.9-96.1
45-54	576	42,364	4	0.7	00.0-01.5	32	4.1	02.1-06.1	5	0.9	00.1-01.7	28	6.0	03.3-08.7	507	88.2	84.9-91.5			
55-64	725	42,457	4	0.4	00.0-00.8	33	5.7	02.6-08.8	8	1.4	00.0-03.0	3	0.5	00.0-01.1	20	1.8	00.6-03.0	657	90.3	86.8-93.8
65+	846	42,900	1	0.1	00.0-00.3	20	2.2	01.0-03.4	10	1.1	00.3-01.9	1	0.0	00.0-00.0	10	0.9	00.1-01.7	804	95.6	94.0-97.2
Less Than H.S.	239	25,355				1	0.8	00.0-02.4	5	2.0	00.0-04.7				11	6.1	01.8-10.4	222	91.1	85.8-96.4
H.S. or G.E.D.	1022	72,136	3	0.3	00.0-00.7	44	4.4	02.6-06.2	14	2.0	00.6-03.4	4	0.4	00.0-00.8	35	4.8	02.6-07.0	922	88.3	85.4-91.2
Some Post-H.S.	990	93,951	4	0.4	00.0-00.8	46	4.2	02.4-06.0	14	0.9	00.1-01.7	6	0.7	00.0-01.5	29	3.4	01.6-05.2	891	90.3	87.8-92.8
College Graduate	923	56,390	5	0.4	00.0-00.8	35	2.9	01.7-04.1	10	1.3	00.3-02.3	6	0.9	00.0-01.9	24	2.0	00.8-03.2	843	92.6	90.4-94.8
Less than \$15,000	139	14,181	1	0.1	00.0-00.3	5	3.4	00.0-07.1	5	4.1	00.0-09.2	1	0.6	00.0-01.8	16	10.0	03.3-16.7	111	81.8	73.2-90.4
\$15,000- 24,999	317	27,822				13	4.5	01.2-07.8	10	3.5	00.6-06.4	3	0.8	00.0-02.2	19	8.3	03.6-13.0	272	82.8	76.7-88.9
\$25,000- 34,999	266	22,539				8	5.5	00.0-11.0	4	1.5	00.0-03.5	2	1.3	00.0-03.3	11	6.1	01.8-10.4	241	85.6	78.5-92.7
\$35,000- 49,999	473	36,347	3	0.6	00.0-01.2	16	2.1	00.9-03.3	8	2.1	00.1-04.1	1	0.0	00.0-00.0	7	1.0	00.0-02.2	438	94.3	91.8-96.8
\$50,000- 74,999	600	48,111	2	0.2	00.0-00.6	18	2.6	01.0-04.2	1	0.1	00.0-00.3	2	0.5	00.0-01.3	17	2.7	00.5-04.9	560	93.9	91.2-96.6
\$75,000+	1124	76,544	4	0.3	00.0-00.7	62	5.0	03.4-06.6	9	0.7	00.1-01.3	6	0.5	00.0-01.1	19	1.9	00.7-03.1	1024	91.5	89.3-93.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 9: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3938	247,725	18	0.4	00.2-00.6	187	4.9	03.7-06.1	63	2.1	01.1-03.1	10	0.3	00.1-00.5	137	4.1	03.1-05.1	3523	88.2	86.4-90.0
18-24	175	33,128				9	6.6	01.1-12.1	6	4.0	00.0-09.3	2	1.3	00.0-03.3	9	4.4	00.3-08.5	149	83.8	75.8-91.8
25-34	404	40,019	4	0.7	00.0-01.5	35	8.6	05.1-12.1	8	2.6	00.4-04.8	2	0.4	00.0-01.0	13	3.6	01.2-06.0	342	84.2	79.5-88.9
35-44	425	34,333	3	1.1	00.0-02.7	31	6.2	03.5-08.9	12	2.2	00.8-03.6	2	0.3	00.0-00.7	14	3.3	01.1-05.5	363	86.9	83.0-90.8
45-54	641	41,834	2	0.1	00.0-00.3	43	4.7	02.9-06.5	11	2.2	00.2-04.2	3	0.3	00.0-00.7	27	5.7	02.6-08.8	555	87.0	83.1-90.9
55-64	853	39,997	5	0.5	00.0-01.1	39	3.5	02.1-04.9	12	1.3	00.3-02.3	1	0.1	00.0-00.3	25	3.7	01.5-05.9	771	90.8	88.1-93.5
65+	1400	55,901	4	0.2	00.0-00.4	28	1.6	00.8-02.4	13	0.9	00.3-01.5				46	3.7	01.9-05.5	1309	93.6	91.6-95.6
Less Than H.S.	212	18,878				4	5.6	00.0-12.9	5	2.3	00.0-05.8				12	7.9	01.6-14.2	191	84.2	74.8-93.6
H.S. or G.E.D.	1150	60,207	6	0.3	00.1-00.5	45	3.4	02.0-04.8	14	2.7	00.0-05.4	3	0.2	00.0-00.4	48	5.7	03.2-08.2	1034	87.8	84.1-91.5
Some Post-H.S.	1324	100,734	4	0.5	00.0-01.1	63	4.7	02.9-06.5	21	1.8	00.8-02.8	4	0.2	00.0-00.4	49	4.0	02.4-05.6	1183	88.8	86.3-91.3
College Graduate	1241	67,315	8	0.5	00.1-00.9	74	6.5	04.3-08.7	23	1.8	00.8-02.8	3	0.7	00.0-01.7	27	1.8	00.8-02.8	1106	88.7	86.2-91.2
Less than \$15,000	305	24,331	1	0.1	00.0-00.3	5	1.1	00.1-02.1	10	8.2	00.8-15.6	2	0.6	00.0-01.6	36	12.7	06.4-19.0	251	77.3	68.5-86.1
\$15,000- 24,999	528	32,839	1	0.2	00.0-00.6	12	1.8	00.2-03.4	12	2.4	00.6-04.2	2	1.0	00.0-02.8	24	6.6	03.3-09.9	477	88.0	83.9-92.1
\$25,000- 34,999	386	22,269	6	2.6	00.1-05.1	14	3.9	01.0-06.8	5	1.4	00.0-03.0	1	0.3	00.0-00.9	14	4.0	01.1-06.9	346	87.9	83.0-92.8
\$35,000- 49,999	483	26,936	3	0.3	00.0-00.7	27	5.9	02.6-09.2	7	1.9	00.1-03.7				12	2.4	00.4-04.4	434	89.5	85.4-93.6
\$50,000- 74,999	575	38,738				34	9.6	04.7-14.5	7	0.7	00.1-01.3	1	0.2	00.0-00.6	13	1.8	00.4-03.2	520	87.7	82.6-92.8
\$75,000+	1059	66,052	7	0.4	00.0-00.8	78	6.3	04.3-08.3	13	1.0	00.4-01.6	4	0.3	00.0-00.7	12	1.1	00.3-01.9	945	90.9	88.7-93.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 13: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6578	448,844	239	4.8	04.0-05.6	6339	95.2	94.4-96.0
Male	2889	220,775	115	5.2	04.0-06.4	2774	94.8	93.6-96.0
Female	3689	228,069	124	4.5	03.3-05.7	3565	95.5	94.3-96.7
18-24	343	59,783	32	8.4	04.7-12.1	311	91.6	87.9-95.3
25-34	679	71,555	52	10.1	07.0-13.2	627	89.9	86.8-93.0
35-44	734	64,466	34	5.2	03.0-07.4	700	94.8	92.6-97.0
45-54	1087	74,516	45	4.1	02.7-05.5	1042	95.9	94.5-97.3
55-64	1453	76,582	41	2.2	01.2-03.2	1412	97.8	96.8-98.8
65+	2221	97,904	31	1.0	00.6-01.4	2190	99.0	98.6-99.4
Less Than H.S.	413	39,720	21	5.9	02.8-09.0	392	94.1	91.0-97.2
H.S. or G.E.D.	1914	112,350	80	5.8	04.0-07.6	1834	94.2	92.4-96.0
Some Post-H.S.	2148	176,961	85	5.0	03.4-06.6	2063	95.0	93.4-96.6
College Graduate	2085	118,613	53	3.3	02.1-04.5	2032	96.7	95.5-97.9
Less than \$15,000	377	30,951	22	6.5	02.6-10.4	355	93.5	89.6-97.4
\$15,000- 24,999	723	49,873	47	8.1	05.0-11.2	676	91.9	88.8-95.0
\$25,000- 34,999	579	38,308	30	7.5	03.8-11.2	549	92.5	88.8-96.2
\$35,000- 49,999	885	56,787	37	6.6	04.1-09.1	848	93.4	90.9-95.9
\$50,000- 74,999	1107	81,109	24	2.9	01.3-04.5	1083	97.1	95.5-98.7
\$75,000+	2095	136,438	49	2.6	01.6-03.6	2046	97.4	96.4-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2889	220,775	115	5.2	04.0-06.4	2774	94.8	93.6-96.0
18-24	191	30,615	16	7.2	02.9-11.5	175	92.8	88.5-97.1
25-34	323	36,751	23	10.4	05.9-14.9	300	89.6	85.1-94.1
35-44	338	32,924	15	5.3	01.8-08.8	323	94.7	91.2-98.2
45-54	509	36,674	27	5.7	03.2-08.2	482	94.3	91.8-96.8
55-64	674	39,716	22	2.8	01.4-04.2	652	97.2	95.8-98.6
65+	833	42,617	11	1.1	00.3-01.9	822	98.9	98.1-99.7
Less Than H.S.	214	22,937	15	7.8	03.1-12.5	199	92.2	87.5-96.9
H.S. or G.E.D.	886	60,490	42	6.4	03.9-08.9	844	93.6	91.1-96.1
Some Post-H.S.	900	83,516	34	4.6	02.6-06.6	866	95.4	93.4-97.4
College Graduate	881	53,170	24	3.6	01.6-05.6	857	96.4	94.4-98.4
Less than \$15,000	113	11,779	5	5.9	00.0-12.6	108	94.1	87.4-0100
\$15,000- 24,999	260	21,933	18	8.6	03.9-13.3	242	91.4	86.7-96.1
\$25,000- 34,999	227	18,322	16	9.4	03.3-15.5	211	90.6	84.5-96.7
\$35,000- 49,999	428	31,627	19	8.1	04.0-12.2	409	91.9	87.8-96.0
\$50,000- 74,999	554	44,255	13	2.3	00.5-04.1	541	97.7	95.9-99.5
\$75,000+	1071	72,213	30	3.0	01.6-04.4	1041	97.0	95.6-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 15: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3689	228,069	124	4.5	03.3-05.7	3565	95.5	94.3-96.7
18-24	152	29,168	16	9.7	03.6-15.8	136	90.3	84.2-96.4
25-34	356	34,804	29	9.9	05.6-14.2	327	90.1	85.8-94.4
35-44	396	31,542	19	5.1	02.4-07.8	377	94.9	92.2-97.6
45-54	578	37,842	18	2.5	01.1-03.9	560	97.5	96.1-98.9
55-64	779	36,865	19	1.7	00.7-02.7	760	98.3	97.3-99.3
65+	1388	55,287	20	0.9	00.5-01.3	1368	99.1	98.7-99.5
Less Than H.S.	199	16,782	6	3.4	00.0-07.3	193	96.6	92.7-0100
H.S. or G.E.D.	1028	51,860	38	5.2	02.7-07.7	990	94.8	92.3-97.3
Some Post-H.S.	1248	93,445	51	5.3	03.1-07.5	1197	94.7	92.5-96.9
College Graduate	1204	65,443	29	3.0	01.6-04.4	1175	97.0	95.6-98.4
Less than \$15,000	264	19,171	17	7.0	02.3-11.7	247	93.0	88.3-97.7
\$15,000- 24,999	463	27,940	29	7.7	03.4-12.0	434	92.3	88.0-96.6
\$25,000- 34,999	352	19,986	14	5.9	01.8-10.0	338	94.1	90.0-98.2
\$35,000- 49,999	457	25,160	18	4.8	01.7-07.9	439	95.2	92.1-98.3
\$50,000- 74,999	553	36,854	11	3.6	00.7-06.5	542	96.4	93.5-99.3
\$75,000+	1024	64,225	19	2.2	00.8-03.6	1005	97.8	96.4-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 16: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year ago, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	526	47,606	87	21.5	16.0-27.0	44	9.1	05.6-12.6	85	18.6	13.9-23.3	197	31.6	26.3-36.9	113	19.3	14.6-24.0
Male	290	28,152	51	22.4	15.1-29.7	23	7.5	03.6-11.4	47	19.3	12.8-25.8	97	29.6	22.7-36.5	72	21.2	14.9-27.5
Female	236	19,454	36	20.0	11.6-28.4	21	11.5	05.2-17.8	38	17.6	10.3-24.9	100	34.4	25.8-43.0	41	16.5	09.2-23.8
18-24	70	11,398	18	35.0	19.7-50.3	8	9.8	01.0-18.6	17	22.2	09.7-34.7	7	4.8	00.0-10.3	20	28.2	14.7-41.7
25-34	114	13,161	23	20.1	10.5-29.7	14	11.7	04.3-19.1	27	25.4	15.0-35.8	38	32.8	21.6-44.0	12	10.1	02.5-17.7
35-44	60	6,052	13	17.5	06.7-28.3	6	8.7	00.0-17.5	11	19.4	06.7-32.1	20	37.8	22.3-53.3	10	16.6	04.3-28.9
45-54	128	9,478	11	13.7	02.9-24.5	10	8.4	02.3-14.5	23	16.1	08.1-24.1	58	45.6	33.8-57.4	26	16.2	08.6-23.8
55-64	127	6,144	10	7.5	01.8-13.2	5	5.5	00.0-11.0	7	4.7	00.6-08.8	69	53.1	41.1-65.1	36	29.3	18.1-40.5
H.S. or G.E.D.	249	20,245	39	19.1	12.0-26.2	17	7.2	02.7-11.7	39	21.2	13.4-29.0	99	36.4	28.2-44.6	55	16.1	10.4-21.8
Some Post-H.S.	162	17,622	22	20.3	10.1-30.5	19	14.2	06.8-21.6	29	18.6	10.4-26.8	63	28.0	19.2-36.8	29	19.0	10.0-28.0
College Graduate	73	5,094	14	22.7	10.2-35.2	4	4.8	00.0-10.7	15	24.3	11.6-37.0	25	29.5	17.0-42.0	15	18.7	07.9-29.5
Less than \$15,000	70	7,900	7	16.8	02.7-30.9	7	11.7	01.5-21.9	6	3.3	00.2-06.4	31	43.9	27.8-60.0	19	24.2	10.5-37.9
\$15,000- 24,999	113	10,200	25	31.8	18.1-45.5	13	18.2	07.8-28.6	22	17.0	07.6-26.4	33	20.1	11.3-28.9	20	12.9	05.1-20.7
\$25,000- 34,999	74	6,676	11	19.5	04.2-34.8	4	1.6	00.0-03.4	12	25.7	10.0-41.4	38	39.5	23.8-55.2	9	13.7	00.0-27.4
\$35,000- 49,999	75	7,097	12	17.7	07.1-28.3	4	3.5	00.0-07.6	15	22.1	10.1-34.1	31	45.6	31.5-59.7	13	11.2	03.9-18.5
\$50,000- 74,999	65	5,325	9	11.7	00.1-23.3	6	3.0	00.5-05.5	9	23.9	07.2-40.6	28	35.4	19.9-50.9	13	26.1	09.4-42.8
\$75,000+	77	5,693	13	26.5	09.6-43.4	4	7.5	00.0-15.7	12	16.8	05.0-28.6	22	14.9	06.7-23.1	26	34.4	18.3-50.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	290	28,152	51	22.4	15.1-29.7	23	7.5	03.6-11.4	47	19.3	13.0-25.6	97	29.6	22.7-36.5	72	21.2	14.9-27.5
25-34	67	7,814	14	23.7	10.2-37.2	9	14.9	03.9-25.9	14	22.1	09.2-35.0	24	35.0	20.3-49.7	6	4.3	00.0-08.8
45-54	70	5,707	8	19.4	02.9-35.9	5	6.3	00.0-12.8	14	21.3	09.1-33.5	25	35.8	21.3-50.3	18	17.2	07.6-26.8
55-64	57	3,362	5	8.3	00.0-17.1	2	4.1	00.0-10.6	2	3.8	00.0-09.7	28	46.1	28.9-63.3	20	37.7	20.3-55.1
H.S. or G.E.D.	137	11,946	23	20.1	10.9-29.3	7	3.6	00.3-06.9	22	20.5	10.3-30.7	51	38.0	27.0-49.0	34	17.8	10.2-25.4
Some Post-H.S.	84	10,512	12	22.3	08.4-36.2	11	13.3	04.3-22.3	16	20.5	09.1-31.9	27	23.5	12.5-34.5	18	20.3	08.0-32.6
\$15,000- 24,999	55	5,418	11	32.9	13.1-52.7	6	18.5	04.0-33.0	9	19.3	04.0-34.6	15	15.7	05.7-25.7	14	13.6	03.6-23.6
\$75,000+	50	4,405	10	30.3	09.7-50.9	4	9.7	00.0-20.5	7	13.9	01.9-25.9	11	10.9	02.3-19.5	18	35.3	16.1-54.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	236	19,454	36	20.0	11.4-28.6	21	11.5	05.2-17.8	38	17.6	10.3-24.9	100	34.4	26.0-42.8	41	16.5	09.2-23.8
45-54	58	3,772	3	5.1	00.0-13.1	5	11.5	00.0-23.3	9	8.2	01.1-15.3	33	60.5	42.9-78.1	8	14.7	02.0-27.4
55-64	70	2,782	5	6.5	00.0-13.2	3	7.2	00.0-16.4	5	5.7	00.0-11.8	41	61.5	46.2-76.8	16	19.1	08.1-30.1
H.S. or G.E.D.	112	8,300	16	17.6	06.6-28.6	10	12.5	02.9-22.1	17	22.1	09.9-34.3	48	34.2	22.2-46.2	21	13.6	05.4-21.8
Some Post-H.S.	78	7,110	10	17.3	02.8-31.8	8	15.5	03.0-28.0	13	15.7	03.7-27.7	36	34.5	20.0-49.0	11	17.1	04.6-29.6
\$15,000- 24,999	58	4,782	14	30.6	11.6-49.6	7	17.7	02.8-32.6	13	14.4	04.4-24.4	18	25.1	10.4-39.8	6	12.1	00.0-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7786	557,158	6482	82.9	81.7-84.1	276	3.5	02.9-04.1	43	0.5	00.3-00.7	45	0.6	00.2-01.0	178	2.3	01.7-02.9	762	10.1	09.1-11.1
Male	3514	281,958	2811	80.9	79.1-82.7	118	3.2	02.4-04.0	14	0.4	00.2-00.6	16	0.3	00.1-00.5	58	1.6	01.0-02.2	497	13.6	12.0-15.2
Female	4272	275,200	3671	84.9	83.1-86.7	158	3.8	03.0-04.6	29	0.7	00.3-01.1	29	0.9	00.3-01.5	120	3.1	02.3-03.9	265	6.6	05.4-07.8
18-24	495	84,482	415	84.4	80.1-88.7	14	2.8	00.8-04.8				1	0.8	00.0-02.4	7	2.3	00.1-04.5	58	9.7	06.6-12.8
25-34	896	98,605	709	80.9	77.6-84.2	45	4.6	02.8-06.4	6	0.5	00.0-01.1	5	0.6	00.0-01.4	15	1.8	00.6-03.0	116	11.5	08.8-14.2
35-44	869	78,221	681	77.2	73.5-80.9	33	3.9	02.3-05.5	3	0.3	00.0-00.7	5	0.5	00.0-01.1	20	3.0	01.4-04.6	127	15.1	12.0-18.2
45-54	1322	91,795	1077	82.2	79.5-84.9	34	2.9	01.7-04.1	12	0.8	00.2-01.4	8	0.8	00.2-01.4	14	1.6	00.4-02.8	177	11.7	09.3-14.1
55-64	1704	90,766	1444	84.8	82.4-87.2	59	3.7	02.5-04.9	6	0.4	00.0-00.8	11	0.6	00.2-01.0	30	1.6	00.8-02.4	154	9.0	07.0-11.0
65+	2426	108,487	2095	86.4	84.6-88.2	90	3.5	02.5-04.5	16	1.0	00.4-01.6	14	0.4	00.2-00.6	89	3.4	02.4-04.4	122	5.3	04.1-06.5
Less Than H.S.	519	52,470	399	78.0	72.7-83.3	19	3.1	01.1-05.1	3	0.8	00.0-01.8	3	1.4	00.0-03.9	35	6.2	02.9-09.5	60	10.5	07.2-13.8
H.S. or G.E.D.	2404	151,136	1973	80.7	78.3-83.1	87	3.8	02.8-04.8	11	0.3	00.1-00.5	15	0.6	00.2-01.0	55	2.1	01.3-02.9	263	12.5	10.5-14.5
Some Post-H.S.	2523	215,343	2114	83.6	81.4-85.8	85	3.2	02.2-04.2	18	0.7	00.3-01.1	17	0.6	00.2-01.0	43	1.9	01.1-02.7	246	9.9	08.1-11.7
College Graduate	2315	136,540	1977	85.7	83.7-87.7	84	3.9	02.7-05.1	11	0.4	00.0-00.8	10	0.4	00.2-00.6	45	1.7	00.9-02.5	188	7.8	06.4-09.2
Less than \$15,000	502	45,966	390	77.9	72.4-83.4	25	5.3	02.4-08.2	4	0.2	00.0-00.4	5	1.8	00.0-04.7	27	4.1	01.9-06.3	51	10.7	06.8-14.6
\$15,000- 24,999	924	69,938	763	85.0	81.9-88.1	36	3.1	01.5-04.7	6	0.8	00.0-01.6	9	0.8	00.2-01.4	29	2.3	01.1-03.5	81	8.1	05.7-10.5
\$25,000- 34,999	710	49,655	589	80.6	76.3-84.9	25	3.2	01.4-05.0	5	1.2	00.0-02.4	7	0.7	00.0-01.5	16	1.7	00.5-02.9	68	12.4	08.7-16.1
\$35,000- 49,999	1045	72,258	872	82.1	78.8-85.4	39	4.9	02.7-07.1	7	0.7	00.0-01.5	5	0.5	00.0-01.1	14	0.9	00.3-01.5	108	10.8	08.3-13.3
\$50,000- 74,999	1260	94,393	1062	81.1	77.8-84.4	39	3.0	01.6-04.4	5	0.2	00.0-00.4	9	0.8	00.0-01.6	12	1.8	00.2-03.4	133	13.1	10.2-16.0
\$75,000+	2327	154,877	1960	85.5	83.5-87.5	84	3.5	02.5-04.5	14	0.5	00.3-00.7	6	0.2	00.0-00.4	24	1.3	00.5-02.1	239	9.0	07.4-10.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3514	281,958	2811	80.9	79.1-82.7	118	3.2	02.4-04.0	14	0.4	00.2-00.6	16	0.3	00.1-00.5	58	1.6	01.0-02.2	497	13.6	12.0-15.2
18-24	286	45,193	231	83.8	78.5-89.1	4	1.5	00.0-03.1							2	0.7	00.0-02.1	49	13.9	09.0-18.8
25-34	447	52,307	346	80.2	75.7-84.7	12	2.5	00.7-04.3	1	0.1	00.0-00.3	3	0.8	00.0-02.0	2	0.6	00.0-01.6	83	15.9	11.8-20.0
35-44	413	40,888	312	73.7	68.2-79.2	16	4.0	01.6-06.4	1	0.2	00.0-00.6	2	0.2	00.0-00.6	6	2.5	00.1-04.9	76	19.3	14.4-24.2
45-54	630	46,524	483	79.3	75.0-83.6	10	2.5	00.5-04.5	3	0.4	00.0-00.8				5	1.6	00.0-03.8	129	16.1	12.6-19.6
55-64	789	47,088	644	81.9	78.4-85.4	33	4.4	02.6-06.2	3	0.5	00.0-01.1	4	0.4	00.0-00.8	9	1.1	00.1-02.1	96	11.7	08.6-14.8
65+	923	48,211	775	85.1	82.2-88.0	42	4.5	02.7-06.3	6	1.0	00.0-02.2	7	0.6	00.2-01.0	33	3.0	01.8-04.2	60	5.8	04.0-07.6
Less Than H.S.	272	30,060	198	76.8	70.3-83.3	11	3.9	01.0-06.8	3	1.3	00.0-03.1				14	4.9	01.4-08.4	46	13.1	08.4-17.8
H.S. or G.E.D.	1151	83,907	906	79.4	76.3-82.5	44	4.1	02.5-05.7	3	0.2	00.0-00.4	6	0.3	00.1-00.5	18	1.3	00.5-02.1	174	14.8	11.9-17.7
Some Post-H.S.	1089	104,254	879	81.2	78.1-84.3	32	2.7	01.5-03.9	6	0.4	00.0-00.8	5	0.4	00.0-01.0	9	1.0	00.0-02.0	158	14.3	11.4-17.2
College Graduate	990	62,691	818	84.0	81.1-86.9	31	2.7	01.3-04.1	2	0.1	00.0-00.3	5	0.4	00.0-00.8	17	1.5	00.5-02.5	117	11.2	08.7-13.7
Less than \$15,000	163	17,568	117	77.0	69.2-84.8	10	6.0	01.7-10.3	1	0.3	00.0-00.9	1	0.3	00.0-00.9	6	2.0	00.0-04.0	28	14.4	07.9-20.9
\$15,000- 24,999	356	32,987	286	84.8	79.7-89.9	13	2.8	00.3-05.3	3	0.4	00.0-00.8	3	0.2	00.0-00.4	12	2.3	00.3-04.3	39	9.5	05.4-13.6
\$25,000- 34,999	289	24,801	231	79.6	73.1-86.1	9	2.8	00.6-05.0	1	0.3	00.0-00.9	2	0.4	00.0-01.0	4	0.5	00.0-01.1	42	16.3	10.0-22.6
\$35,000- 49,999	527	42,091	429	81.3	76.8-85.8	19	4.5	02.1-06.9	3	0.7	00.0-01.9	3	0.3	00.0-00.7	4	0.4	00.0-00.8	69	12.8	08.9-16.7
\$50,000- 74,999	646	52,514	519	76.8	71.9-81.7	14	1.9	00.7-03.1	1	0.1	00.0-00.3	3	0.6	00.0-01.6	4	1.0	00.0-02.4	105	19.5	14.8-24.2
\$75,000+	1212	84,022	979	83.0	80.3-85.7	44	3.1	01.9-04.3	4	0.4	00.0-00.8	2	0.1	00.0-00.3	9	1.2	00.0-02.4	174	12.3	09.9-14.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4272	275,200	3671	84.9	83.1-86.7	158	3.8	03.0-04.6	29	0.7	00.3-01.1	29	0.9	00.3-01.5	120	3.1	02.3-03.9	265	6.6	05.4-07.8
18-24	209	39,289	184	85.0	77.9-92.1	10	4.2	00.5-07.9				1	1.8	00.0-05.1	5	4.2	00.0-08.5	9	4.8	01.3-08.3
25-34	449	46,298	363	81.7	77.0-86.4	33	6.9	03.8-10.0	5	1.1	00.0-02.3	2	0.5	00.0-01.3	13	3.2	01.0-05.4	33	6.6	03.7-09.5
35-44	456	37,333	369	81.0	76.5-85.5	17	3.8	01.8-05.8	2	0.3	00.0-00.7	3	0.9	00.0-02.1	14	3.6	01.4-05.8	51	10.5	07.0-14.0
45-54	692	45,271	594	85.3	81.6-89.0	24	3.3	01.7-04.9	9	1.2	00.0-02.4	8	1.5	00.1-02.9	9	1.5	00.3-02.7	48	7.1	04.2-10.0
55-64	915	43,679	800	87.8	85.1-90.5	26	2.9	01.7-04.1	3	0.3	00.0-00.7	7	0.8	00.0-01.6	21	2.1	00.9-03.3	58	6.1	04.1-08.1
65+	1503	60,276	1320	87.5	85.3-89.7	48	2.6	01.6-03.6	10	1.0	00.2-01.8	7	0.3	00.1-00.5	56	3.7	02.5-04.9	62	4.9	03.3-06.5
Less Than H.S.	247	22,410	201	79.6	70.8-88.4	8	2.1	00.1-04.1				3	3.4	00.0-09.3	21	7.9	01.8-14.0	14	7.0	02.1-11.9
H.S. or G.E.D.	1253	67,229	1067	82.4	79.1-85.7	43	3.4	02.0-04.8	8	0.5	00.0-01.1	9	1.0	00.2-01.8	37	3.1	01.7-04.5	89	9.6	06.9-12.3
Some Post-H.S.	1434	111,090	1235	85.9	83.2-88.6	53	3.8	02.2-05.4	12	0.9	00.3-01.5	12	0.7	00.1-01.3	34	2.8	01.4-04.2	88	5.8	04.0-07.6
College Graduate	1325	73,848	1159	87.1	84.6-89.6	53	4.9	03.1-06.7	9	0.7	00.1-01.3	5	0.4	00.0-00.8	28	1.9	00.9-02.9	71	5.0	03.4-06.6
Less than \$15,000	339	28,397	273	78.4	70.8-86.0	15	4.9	01.0-08.8	3	0.2	00.0-00.4	4	2.7	00.0-07.4	21	5.3	02.0-08.6	23	8.4	03.5-13.3
\$15,000- 24,999	568	36,951	477	85.2	81.3-89.1	23	3.3	01.3-05.3	3	1.2	00.0-02.6	6	1.3	00.1-02.5	17	2.3	00.9-03.7	42	6.8	04.1-09.5
\$25,000- 34,999	421	24,854	358	81.7	76.2-87.2	16	3.6	00.9-06.3	4	2.2	00.0-04.6	5	1.0	00.0-02.4	12	3.0	00.8-05.2	26	8.5	04.6-12.4
\$35,000- 49,999	518	30,166	443	83.2	78.3-88.1	20	5.5	02.0-09.0	4	0.8	00.0-01.8	2	0.8	00.0-02.2	10	1.7	00.3-03.1	39	8.0	04.9-11.1
\$50,000- 74,999	614	41,879	543	86.4	81.7-91.1	25	4.4	02.0-06.8	4	0.3	00.0-00.7	6	0.9	00.1-01.7	8	2.9	00.0-06.2	28	5.0	02.3-07.7
\$75,000+	1115	70,855	981	88.5	86.1-90.9	40	3.9	02.5-05.3	10	0.7	00.3-01.1	4	0.2	00.0-00.4	15	1.4	00.4-02.4	65	5.2	03.6-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7175	500,966	258	4.7	03.9-05.5	6363	87.0	85.8-88.2	554	8.3	07.3-09.3
Male	3215	252,052	98	4.3	03.1-05.5	2816	85.8	84.0-87.6	301	9.9	08.3-11.5
Female	3960	248,914	160	5.0	04.0-06.0	3547	88.3	86.7-89.9	253	6.7	05.5-07.9
18-24	428	72,445	16	2.1	00.7-03.5	370	88.4	84.7-92.1	42	9.5	06.0-13.0
25-34	799	85,396	43	8.3	05.6-11.0	671	80.5	76.8-84.2	85	11.3	08.6-14.0
35-44	802	71,494	37	4.8	02.8-06.8	681	84.3	81.0-87.6	84	10.9	08.2-13.6
45-54	1221	84,275	50	5.1	03.3-06.9	1070	87.1	84.6-89.6	101	7.8	05.8-09.8
55-64	1589	83,137	71	6.0	03.8-08.2	1392	86.7	84.2-89.2	126	7.2	05.6-08.8
65+	2272	99,990	41	2.0	01.2-02.8	2122	93.8	92.4-95.2	109	4.3	03.3-05.3
Less Than H.S.	458	44,294	19	6.4	02.9-09.9	404	87.0	82.5-91.5	35	6.6	03.3-09.9
H.S. or G.E.D.	2197	134,723	88	5.3	03.9-06.7	1942	86.2	84.0-88.4	167	8.6	06.8-10.4
Some Post-H.S.	2333	196,235	86	4.8	03.4-06.2	2057	86.1	83.9-88.3	190	9.1	07.3-10.9
College Graduate	2165	124,129	65	3.2	02.2-04.2	1941	89.4	87.6-91.2	159	7.4	06.0-08.8
Less than \$15,000	447	38,372	35	9.5	05.4-13.6	382	82.2	76.7-87.7	30	8.3	04.2-12.4
\$15,000- 24,999	848	60,998	61	9.7	06.6-12.8	732	84.5	80.8-88.2	55	5.8	03.6-08.0
\$25,000- 34,999	657	45,174	41	8.8	05.1-12.5	564	81.3	76.6-86.0	52	9.9	06.6-13.2
\$35,000- 49,999	964	64,337	27	4.2	02.0-06.4	857	85.7	82.2-89.2	80	10.2	07.3-13.1
\$50,000- 74,999	1177	87,034	31	3.2	01.8-04.6	1051	87.1	84.2-90.0	95	9.7	07.0-12.4
\$75,000+	2194	143,518	40	1.9	01.1-02.7	1996	91.0	89.4-92.6	158	7.1	05.7-08.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3215	252,052	98	4.3	03.1-05.5	2816	85.8	84.0-87.6	301	9.9	08.3-11.5
18-24	251	38,965	10	2.3	00.5-04.1	213	86.6	81.3-91.9	28	11.1	06.2-16.0
25-34	394	45,205	21	7.5	03.8-11.2	317	77.2	71.7-82.7	56	15.3	10.8-19.8
35-44	377	37,108	8	3.1	00.6-05.6	329	85.8	81.1-90.5	40	11.0	06.9-15.1
45-54	581	42,464	18	4.9	02.4-07.4	505	86.0	81.9-90.1	58	9.1	05.8-12.4
55-64	731	42,924	27	6.1	02.8-09.4	638	86.0	82.1-89.9	66	7.9	05.4-10.4
65+	859	43,887	14	1.6	00.2-03.0	796	93.4	91.2-95.6	49	4.9	03.1-06.7
Less Than H.S.	245	25,743	9	5.9	01.2-10.6	213	86.2	79.9-92.5	23	7.9	03.4-12.4
H.S. or G.E.D.	1037	73,626	37	4.8	03.0-06.6	906	85.8	82.9-88.7	94	9.4	06.9-11.9
Some Post-H.S.	999	95,076	28	4.6	02.4-06.8	863	83.6	80.3-86.9	108	11.8	08.9-14.7
College Graduate	923	56,613	24	2.6	01.4-03.8	825	89.1	86.6-91.6	74	8.4	06.0-10.8
Less than \$15,000	140	14,374	12	10.3	03.8-16.8	117	83.2	74.8-91.6	11	6.5	00.6-12.4
\$15,000- 24,999	317	27,882	24	12.5	06.6-18.4	272	80.8	74.3-87.3	21	6.7	03.2-10.2
\$25,000- 34,999	266	22,357	12	8.3	02.2-14.4	229	80.0	72.6-87.4	25	11.7	06.4-17.0
\$35,000- 49,999	478	37,127	12	3.6	01.2-06.0	418	83.3	78.2-88.4	48	13.1	08.4-17.8
\$50,000- 74,999	600	48,213	9	1.6	00.2-03.0	534	87.2	83.1-91.3	57	11.2	07.3-15.1
\$75,000+	1135	77,509	18	1.6	00.6-02.6	1013	89.7	87.3-92.1	104	8.7	06.5-10.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 24: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3960	248,914	160	5.0	04.0-06.0	3547	88.3	86.7-89.9	253	6.7	05.5-07.9
18-24	177	33,480	6	1.9	00.0-03.9	157	90.4	85.1-95.7	14	7.7	02.8-12.6
25-34	405	40,191	22	9.1	04.8-13.4	354	84.1	79.2-89.0	29	6.7	03.8-09.6
35-44	425	34,386	29	6.6	03.7-09.5	352	82.6	78.1-87.1	44	10.8	07.1-14.5
45-54	640	41,811	32	5.3	02.9-07.7	565	88.3	85.0-91.6	43	6.4	04.0-08.8
55-64	858	40,213	44	6.0	03.5-08.5	754	87.5	84.4-90.6	60	6.4	04.2-08.6
65+	1413	56,102	27	2.3	01.3-03.3	1326	94.0	92.4-95.6	60	3.7	02.5-04.9
Less Than H.S.	213	18,552	10	7.1	01.8-12.4	191	88.1	81.2-95.0	12	4.8	00.1-09.5
H.S. or G.E.D.	1160	61,097	51	5.8	03.8-07.8	1036	86.6	83.5-89.7	73	7.6	05.1-10.1
Some Post-H.S.	1334	101,159	58	5.1	03.3-06.9	1194	88.3	85.8-90.8	82	6.6	04.6-08.6
College Graduate	1242	67,516	41	3.7	02.1-05.3	1116	89.8	87.4-92.2	85	6.5	04.7-08.3
Less than \$15,000	307	23,997	23	9.0	03.7-14.3	265	81.5	74.1-88.9	19	9.4	03.7-15.1
\$15,000- 24,999	531	33,116	37	7.3	04.2-10.4	460	87.6	83.7-91.5	34	5.1	02.6-07.6
\$25,000- 34,999	391	22,817	29	9.3	05.2-13.4	335	82.6	77.1-88.1	27	8.1	04.0-12.2
\$35,000- 49,999	486	27,209	15	5.0	01.3-08.7	439	88.8	84.3-93.3	32	6.2	03.5-08.9
\$50,000- 74,999	577	38,821	22	5.1	02.6-07.6	517	87.1	83.0-91.2	38	7.8	04.5-11.1
\$75,000+	1059	66,009	22	2.3	00.9-03.7	983	92.5	90.3-94.7	54	5.2	03.4-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 25: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7137	498,923	4778	63.4	61.8-65.0	2034	31.5	29.9-33.1	170	2.9	02.3-03.5	155	2.3	01.7-02.9
Male	3197	250,912	2062	60.7	58.3-63.1	942	32.5	30.1-34.9	90	3.3	02.3-04.3	103	3.5	02.5-04.5
Female	3940	248,011	2716	66.0	63.8-68.2	1092	30.4	28.2-32.6	80	2.5	01.7-03.3	52	1.0	00.6-01.4
18-24	425	72,103	241	58.1	52.0-64.2	166	38.0	31.9-44.1	8	1.6	00.2-03.0	10	2.3	00.5-04.1
25-34	796	84,943	461	54.0	49.5-58.5	270	37.5	33.2-41.8	42	5.5	03.3-07.7	23	2.9	01.3-04.5
35-44	802	71,485	475	59.4	55.1-63.7	280	34.3	30.2-38.4	20	3.1	01.3-04.9	27	3.2	01.4-05.0
45-54	1218	84,293	774	64.5	61.0-68.0	372	30.0	26.7-33.3	41	3.6	01.8-05.4	31	2.0	01.2-02.8
55-64	1589	83,212	1089	66.8	63.7-69.9	434	28.7	25.6-31.8	30	2.0	01.0-03.0	36	2.5	01.3-03.7
65+	2247	99,207	1701	74.3	71.8-76.8	494	23.3	20.9-25.7	26	1.5	00.9-02.1	26	0.9	00.5-01.3
Less Than H.S.	455	44,472	302	68.8	62.7-74.9	127	27.0	21.1-32.9	16	2.4	00.6-04.2	10	1.8	00.4-03.2
H.S. or G.E.D.	2179	133,865	1380	56.6	53.5-59.7	679	36.5	33.4-39.6	60	4.2	02.8-05.6	60	2.6	01.8-03.4
Some Post-H.S.	2323	195,360	1550	63.0	60.3-65.7	674	31.9	29.2-34.6	49	2.5	01.5-03.5	50	2.5	01.5-03.5
College Graduate	2159	123,915	1535	69.5	66.8-72.2	547	26.8	24.3-29.3	43	2.2	01.2-03.2	34	1.6	00.8-02.4
Less than \$15,000	446	38,655	258	52.4	45.1-59.7	157	41.3	34.0-48.6	24	4.3	01.9-06.7	7	2.0	00.0-04.0
\$15,000- 24,999	841	60,753	512	56.8	51.9-61.7	279	37.9	33.0-42.8	20	2.2	00.8-03.6	30	3.1	01.5-04.7
\$25,000- 34,999	653	44,921	440	59.8	54.1-65.5	180	31.5	26.0-37.0	18	4.6	02.1-07.1	15	4.1	01.4-06.8
\$35,000- 49,999	961	63,992	627	59.8	55.3-64.3	290	34.7	30.2-39.2	21	3.0	01.2-04.8	23	2.5	01.1-03.9
\$50,000- 74,999	1173	86,862	816	65.0	61.1-68.9	324	30.7	26.8-34.6	13	1.5	00.3-02.7	20	2.8	01.0-04.6
\$75,000+	2190	143,353	1547	69.9	67.2-72.6	561	26.9	24.4-29.4	45	2.0	01.2-02.8	37	1.2	00.6-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 26: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3197	250,912	2062	60.7	58.3-63.1	942	32.5	30.1-34.9	90	3.3	02.3-04.3	103	3.5	02.5-04.5
18-24	249	38,920	137	56.6	48.8-64.4	98	37.2	29.6-44.8	5	2.3	00.0-04.7	9	3.9	00.6-07.2
25-34	393	44,959	205	50.0	43.7-56.3	143	38.6	32.5-44.7	26	6.4	03.3-09.5	19	4.9	02.2-07.6
35-44	377	37,108	219	58.1	51.6-64.6	133	35.1	28.8-41.4	8	2.5	00.5-04.5	17	4.3	01.4-07.2
45-54	579	42,487	349	61.7	56.4-67.0	188	31.2	26.1-36.3	18	3.9	01.7-06.1	24	3.2	01.6-04.8
55-64	732	43,064	500	63.8	58.9-68.7	195	30.4	25.7-35.1	17	2.5	01.1-03.9	20	3.4	01.4-05.4
65+	847	43,134	636	73.6	69.7-77.5	184	23.7	19.8-27.6	14	1.6	00.6-02.6	13	1.1	00.3-01.9
Less Than H.S.	240	25,501	155	66.7	58.7-74.7	68	28.8	21.0-36.6	8	2.0	00.2-03.8	9	2.6	00.4-04.8
H.S. or G.E.D.	1030	73,280	607	54.0	49.7-58.3	347	37.4	33.3-41.5	36	5.2	03.0-07.4	40	3.4	02.0-04.8
Some Post-H.S.	995	94,553	634	60.0	55.7-64.3	305	33.2	29.1-37.3	21	2.3	01.1-03.5	35	4.5	02.3-06.7
College Graduate	921	56,585	661	68.6	64.7-72.5	217	26.3	22.4-30.2	24	2.9	01.5-04.3	19	2.3	00.9-03.7
Less than \$15,000	139	14,355	75	54.7	43.7-65.7	46	32.5	22.1-42.9	12	7.5	02.2-12.8	6	5.3	00.2-10.4
\$15,000- 24,999	316	27,878	183	54.1	46.3-61.9	109	39.9	32.1-47.7	11	2.7	00.3-05.1	13	3.3	00.8-05.8
\$25,000- 34,999	265	22,309	158	49.9	41.3-58.5	87	37.5	28.9-46.1	9	5.5	01.4-09.6	11	7.0	01.7-12.3
\$35,000- 49,999	477	36,920	301	58.7	52.6-64.8	147	34.1	28.0-40.2	13	4.0	01.3-06.7	16	3.2	01.0-05.4
\$50,000- 74,999	596	48,041	410	62.7	57.2-68.2	164	31.8	26.5-37.1	6	1.0	00.0-02.0	16	4.5	01.6-07.4
\$75,000+	1132	77,369	776	67.6	63.9-71.3	301	28.0	24.3-31.7	28	2.6	01.4-03.8	27	1.8	00.8-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 27: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3940	248,011	2716	66.0	63.8-68.2	1092	30.4	28.2-32.6	80	2.5	01.7-03.3	52	1.0	00.6-01.4
18-24	176	33,183	104	59.9	50.3-69.5	68	39.0	29.4-48.6	3	0.8	00.0-01.8	1	0.3	00.0-00.9
25-34	403	39,984	256	58.5	52.2-64.8	127	36.3	30.0-42.6	16	4.5	01.6-07.4	4	0.7	00.0-01.7
35-44	425	34,377	256	60.9	55.0-66.8	147	33.4	27.9-38.9	12	3.8	01.1-06.5	10	2.0	00.4-03.6
45-54	639	41,806	425	67.3	62.4-72.2	184	28.7	24.2-33.2	23	3.3	00.6-06.0	7	0.7	00.0-01.5
55-64	857	40,149	589	70.1	66.2-74.0	239	26.8	23.1-30.5	13	1.5	00.5-02.5	16	1.6	00.6-02.6
65+	1400	56,073	1065	74.9	71.8-78.0	310	23.0	20.1-25.9	12	1.4	00.4-02.4	13	0.7	00.1-01.3
Less Than H.S.	215	18,971	147	71.7	62.5-80.9	59	24.6	15.6-33.6	8	3.1	00.0-06.2	1	0.7	00.0-02.1
H.S. or G.E.D.	1149	60,585	773	59.8	55.3-64.3	332	35.5	31.0-40.0	24	3.1	01.5-04.7	20	1.7	00.7-02.7
Some Post-H.S.	1328	100,807	916	65.9	62.2-69.6	369	30.8	27.3-34.3	28	2.7	01.1-04.3	15	0.7	00.3-01.1
College Graduate	1238	67,330	874	70.2	66.7-73.7	330	27.2	23.9-30.5	19	1.6	00.4-02.8	15	1.0	00.4-01.6
Less than \$15,000	307	24,300	183	51.0	41.6-60.4	111	46.4	36.8-56.0	12	2.4	00.6-04.2	1	0.1	00.0-00.3
\$15,000- 24,999	525	32,875	329	59.0	52.7-65.3	170	36.2	30.1-42.3	9	1.8	00.4-03.2	17	3.0	01.0-05.0
\$25,000- 34,999	388	22,612	282	69.6	62.9-76.3	93	25.5	19.2-31.8	9	3.7	00.8-06.6	4	1.1	00.0-02.5
\$35,000- 49,999	484	27,072	326	61.2	54.7-67.7	143	35.6	29.1-42.1	8	1.7	00.0-03.5	7	1.4	00.2-02.6
\$50,000- 74,999	577	38,821	406	67.9	62.2-73.6	160	29.3	23.8-34.8	7	2.1	00.0-04.3	4	0.7	00.0-01.5
\$75,000+	1058	65,984	771	72.5	68.8-76.2	260	25.6	22.1-29.1	17	1.3	00.3-02.3	10	0.5	00.1-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 28: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7137	497,816	1186	20.9	19.5-22.3	5951	79.1	77.7-80.5
Male	3196	250,128	485	18.6	16.6-20.6	2711	81.4	79.4-83.4
Female	3941	247,688	701	23.3	21.1-25.5	3240	76.7	74.5-78.9
18-24	420	71,465	77	20.8	15.7-25.9	343	79.2	74.1-84.3
25-34	789	84,328	204	29.0	24.9-33.1	585	71.0	66.9-75.1
35-44	798	70,910	218	30.6	26.5-34.7	580	69.4	65.3-73.5
45-54	1215	84,084	278	24.6	21.3-27.9	937	75.4	72.1-78.7
55-64	1586	82,983	272	19.5	16.6-22.4	1314	80.5	77.6-83.4
65+	2267	99,991	127	5.7	04.5-06.9	2140	94.3	93.1-95.5
Less Than H.S.	453	44,204	64	16.6	11.1-22.1	389	83.4	77.9-88.9
H.S. or G.E.D.	2190	134,024	383	23.7	21.0-26.4	1807	76.3	73.6-79.0
Some Post-H.S.	2317	194,823	456	24.1	21.6-26.6	1861	75.9	73.4-78.4
College Graduate	2155	123,181	280	14.8	12.6-17.0	1875	85.2	83.0-87.4
Less than \$15,000	446	38,946	97	23.1	17.2-29.0	349	76.9	71.0-82.8
\$15,000- 24,999	844	60,282	171	26.3	21.6-31.0	673	73.7	69.0-78.4
\$25,000- 34,999	656	45,050	126	23.7	18.6-28.8	530	76.3	71.2-81.4
\$35,000- 49,999	966	64,530	183	26.0	21.9-30.1	783	74.0	69.9-78.1
\$50,000- 74,999	1172	86,651	222	23.5	19.8-27.2	950	76.5	72.8-80.2
\$75,000+	2188	143,170	274	14.6	12.4-16.8	1914	85.4	83.2-87.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 29: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3196	250,128	485	18.6	16.6-20.6	2711	81.4	79.4-83.4
18-24	247	38,447	32	13.1	07.8-18.4	215	86.9	81.6-92.2
25-34	390	44,758	93	27.3	21.4-33.2	297	72.7	66.8-78.6
35-44	373	36,546	88	25.9	20.0-31.8	285	74.1	68.2-80.0
45-54	576	42,275	119	22.3	17.6-27.0	457	77.7	73.0-82.4
55-64	731	43,030	101	18.8	14.3-23.3	630	81.2	76.7-85.7
65+	858	43,695	48	4.5	02.9-06.1	810	95.5	93.9-97.1
Less Than H.S.	242	25,547	38	19.3	11.9-26.7	204	80.7	73.3-88.1
H.S. or G.E.D.	1036	73,323	180	21.6	18.1-25.1	856	78.4	74.9-81.9
Some Post-H.S.	988	94,333	166	20.0	16.5-23.5	822	80.0	76.5-83.5
College Graduate	919	55,931	100	12.1	09.2-15.0	819	87.9	85.0-90.8
Less than \$15,000	141	14,581	30	23.1	13.7-32.5	111	76.9	67.5-86.3
\$15,000- 24,999	314	27,220	66	23.2	16.3-30.1	248	76.8	69.9-83.7
\$25,000- 34,999	265	22,317	45	21.3	13.7-28.9	220	78.7	71.1-86.3
\$35,000- 49,999	480	37,320	82	21.0	15.9-26.1	398	79.0	73.9-84.1
\$50,000- 74,999	597	47,910	90	19.6	14.7-24.5	507	80.4	75.5-85.3
\$75,000+	1130	77,328	126	12.6	09.9-15.3	1004	87.4	84.7-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 30: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3941	247,688	701	23.3	21.3-25.3	3240	76.7	74.7-78.7
18-24	173	33,017	45	29.7	20.7-38.7	128	70.3	61.3-79.3
25-34	399	39,570	111	30.9	24.8-37.0	288	69.1	63.0-75.2
35-44	425	34,364	130	35.6	29.7-41.5	295	64.4	58.5-70.3
45-54	639	41,809	159	26.9	22.4-31.4	480	73.1	68.6-77.6
55-64	855	39,953	171	20.3	17.0-23.6	684	79.7	76.4-83.0
65+	1409	56,296	79	6.7	04.9-08.5	1330	93.3	91.5-95.1
Less Than H.S.	211	18,657	26	13.0	05.2-20.8	185	87.0	79.2-94.8
H.S. or G.E.D.	1154	60,701	203	26.1	22.2-30.0	951	73.9	70.0-77.8
Some Post-H.S.	1329	100,490	290	27.9	24.2-31.6	1039	72.1	68.4-75.8
College Graduate	1236	67,250	180	17.0	14.1-19.9	1056	83.0	80.1-85.9
Less than \$15,000	305	24,365	67	23.1	15.7-30.5	238	76.9	69.5-84.3
\$15,000- 24,999	530	33,062	105	28.9	22.6-35.2	425	71.1	64.8-77.4
\$25,000- 34,999	391	22,733	81	26.0	19.3-32.7	310	74.0	67.3-80.7
\$35,000- 49,999	486	27,209	101	32.9	26.4-39.4	385	67.1	60.6-73.6
\$50,000- 74,999	575	38,741	132	28.3	22.6-34.0	443	71.7	66.0-77.4
\$75,000+	1058	65,843	148	17.0	13.7-20.3	910	83.0	79.7-86.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1	MALES AND FEMALES	74
2	MALES ONLY	75
3	FEMALES ONLY	76
	HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4	MALES AND FEMALES	77
5	MALES ONLY	78
6	FEMALES ONLY	79
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7	MALES AND FEMALES	80
8	MALES ONLY	81
9	FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7109	495,909	3786	47.6	46.0-49.2	3323	52.4	50.8-54.0
Male	3188	249,558	1539	42.9	40.5-45.3	1649	57.1	54.7-59.5
Female	3921	246,351	2247	52.3	49.9-54.7	1674	47.7	45.3-50.1
18-24	424	72,077	96	22.6	17.3-27.9	328	77.4	72.1-82.7
25-34	791	83,865	261	33.2	28.9-37.5	530	66.8	62.5-71.1
35-44	796	70,898	284	38.6	34.3-42.9	512	61.4	57.1-65.7
45-54	1208	83,484	599	49.9	46.2-53.6	609	50.1	46.4-53.8
55-64	1579	82,740	941	60.1	57.0-63.2	638	39.9	36.8-43.0
65+	2248	98,626	1567	71.4	69.0-73.8	681	28.6	26.2-31.0
Less Than H.S.	451	43,765	271	53.6	46.9-60.3	180	46.4	39.7-53.1
H.S. or G.E.D.	2181	133,342	1251	48.9	46.0-51.8	930	51.1	48.2-54.0
Some Post-H.S.	2308	194,560	1221	47.8	44.9-50.7	1087	52.2	49.3-55.1
College Graduate	2149	122,963	1029	43.2	40.5-45.9	1120	56.8	54.1-59.5
Less than \$15,000	443	38,130	275	53.2	45.9-60.5	168	46.8	39.5-54.1
\$15,000- 24,999	839	60,113	549	59.6	54.5-64.7	290	40.4	35.3-45.5
\$25,000- 34,999	651	44,919	360	48.5	43.0-54.0	291	51.5	46.0-57.0
\$35,000- 49,999	957	63,821	531	48.6	44.1-53.1	426	51.4	46.9-55.9
\$50,000- 74,999	1169	85,853	591	42.4	38.5-46.3	578	57.6	53.7-61.5
\$75,000+	2178	142,457	983	42.8	40.1-45.5	1195	57.2	54.5-59.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3188	249,558	1539	42.9	40.5-45.3	1649	57.1	54.7-59.5
18-24	249	38,694	55	18.6	12.3-24.9	194	81.4	75.1-87.7
25-34	391	44,451	112	27.9	22.2-33.6	279	72.1	66.4-77.8
35-44	374	36,562	125	35.8	29.3-42.3	249	64.2	57.7-70.7
45-54	574	42,021	288	48.4	42.9-53.9	286	51.6	46.1-57.1
55-64	726	42,787	412	58.0	53.1-62.9	314	42.0	37.1-46.9
65+	852	43,545	535	65.5	61.4-69.6	317	34.5	30.4-38.6
Less Than H.S.	241	25,573	117	45.7	37.1-54.3	124	54.3	45.7-62.9
H.S. or G.E.D.	1031	72,878	524	42.7	38.6-46.8	507	57.3	53.2-61.4
Some Post-H.S.	990	94,362	460	42.2	37.9-46.5	530	57.8	53.5-62.1
College Graduate	916	56,005	431	42.4	38.3-46.5	485	57.6	53.5-61.7
Less than \$15,000	139	14,367	69	45.0	34.0-56.0	70	55.0	44.0-66.0
\$15,000- 24,999	315	27,812	189	51.0	43.0-59.0	126	49.0	41.0-57.0
\$25,000- 34,999	265	22,329	136	45.9	37.5-54.3	129	54.1	45.7-62.5
\$35,000- 49,999	476	36,992	238	42.7	36.8-48.6	238	57.3	51.4-63.2
\$50,000- 74,999	595	47,333	285	39.9	34.6-45.2	310	60.1	54.8-65.4
\$75,000+	1124	76,610	504	42.8	38.9-46.7	620	57.2	53.3-61.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3921	246,351	2247	52.3	49.9-54.7	1674	47.7	45.3-50.1
18-24	175	33,383	41	27.1	18.1-36.1	134	72.9	63.9-81.9
25-34	400	39,414	149	39.2	32.9-45.5	251	60.8	54.5-67.1
35-44	422	34,337	159	41.6	35.5-47.7	263	58.4	52.3-64.5
45-54	634	41,464	311	51.3	46.2-56.4	323	48.7	43.6-53.8
55-64	853	39,953	529	62.3	58.2-66.4	324	37.7	33.6-41.8
65+	1396	55,081	1032	76.1	73.4-78.8	364	23.9	21.2-26.6
Less Than H.S.	210	18,192	154	64.8	54.4-75.2	56	35.2	24.8-45.6
H.S. or G.E.D.	1150	60,464	727	56.4	51.9-60.9	423	43.6	39.1-48.1
Some Post-H.S.	1318	100,198	761	53.1	49.2-57.0	557	46.9	43.0-50.8
College Graduate	1233	66,957	598	43.8	40.1-47.5	635	56.2	52.5-59.9
Less than \$15,000	304	23,763	206	58.2	48.6-67.8	98	41.8	32.2-51.4
\$15,000- 24,999	524	32,301	360	67.0	60.9-73.1	164	33.0	26.9-39.1
\$25,000- 34,999	386	22,590	224	51.2	43.9-58.5	162	48.8	41.5-56.1
\$35,000- 49,999	481	26,829	293	56.9	50.4-63.4	188	43.1	36.6-49.6
\$50,000- 74,999	574	38,520	306	45.5	39.6-51.4	268	54.5	48.6-60.4
\$75,000+	1054	65,847	479	42.8	38.7-46.9	575	57.2	53.1-61.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3577	220,596	277	8.0	06.8-09.2	50	1.7	00.9-02.5	34	1.3	00.7-01.9	292	10.6	09.0-12.2	2924	78.3	76.1-80.5
Male	1451	100,112	101	6.5	04.9-08.1	28	2.3	01.1-03.5	11	1.1	00.1-02.1	118	10.3	07.8-12.8	1193	79.8	76.7-82.9
Female	2126	120,484	176	9.2	07.4-11.0	22	1.3	00.3-02.3	23	1.5	00.5-02.5	174	10.9	08.7-13.1	1731	77.2	74.5-79.9
18-24	87	13,378	8	7.9	00.6-15.2	3	5.7	00.0-13.5	6	4.3	00.8-07.8	27	38.5	24.0-53.0	43	43.6	29.3-57.9
25-34	246	25,871	20	7.4	03.5-11.3	10	3.6	00.9-06.3	8	4.2	00.3-08.1	50	18.0	12.1-23.9	158	66.8	59.4-74.2
35-44	274	26,751	28	10.2	05.9-14.5	5	1.9	00.0-03.9	2	0.4	00.0-01.0	49	16.9	11.2-22.6	190	70.6	63.9-77.3
45-54	580	39,818	49	9.3	06.0-12.6	8	2.0	00.0-04.0	6	0.7	00.1-01.3	39	6.3	03.6-09.0	478	81.8	77.3-86.3
55-64	903	47,674	62	6.3	04.1-08.5	8	0.8	00.0-01.6	7	1.5	00.0-03.5	61	7.7	05.2-10.2	765	83.7	80.0-87.4
65+	1454	65,066	106	7.6	05.8-09.4	16	0.6	00.2-01.0	5	0.2	00.0-00.4	65	4.5	03.3-05.7	1262	87.0	84.8-89.2
Less Than H.S.	244	21,226	26	11.1	05.2-17.0	3	1.1	00.0-02.9	4	4.8	00.0-10.5	20	12.7	04.7-20.7	191	70.3	60.7-79.9
H.S. or G.E.D.	1171	60,277	92	7.9	05.9-09.9	19	1.9	00.5-03.3	13	1.0	00.4-01.6	109	12.7	09.8-15.6	938	76.6	73.1-80.1
Some Post-H.S.	1163	87,643	84	7.0	05.0-09.0	11	1.4	00.0-02.8	12	1.1	00.3-01.9	77	8.8	06.3-11.3	979	81.6	78.3-84.9
College Graduate	987	50,727	73	8.6	06.2-11.0	16	2.0	00.6-03.4	5	0.5	00.0-01.1	86	10.6	07.9-13.3	807	78.3	74.8-81.8
Less than \$15,000	255	18,532	22	7.0	03.5-10.5	1	1.2	00.0-03.6	8	5.5	00.2-10.8	27	23.4	13.2-33.6	197	62.9	52.7-73.1
\$15,000- 24,999	514	33,608	38	9.3	05.4-13.2	12	2.1	00.1-04.1	6	1.2	00.0-02.4	39	9.4	05.3-13.5	419	78.0	72.5-83.5
\$25,000- 34,999	341	20,644	28	8.4	04.3-12.5	4	0.8	00.0-01.6	2	0.5	00.0-01.3	31	10.7	05.6-15.8	276	79.5	73.2-85.8
\$35,000- 49,999	510	29,761	46	8.4	05.3-11.5	9	1.1	00.1-02.1	3	0.5	00.0-01.3	40	9.9	06.2-13.6	412	80.0	75.3-84.7
\$50,000- 74,999	570	34,105	29	6.0	03.5-08.5	7	3.1	00.0-06.4	5	0.8	00.0-01.6	47	9.7	06.2-13.2	482	80.3	75.2-85.4
\$75,000+	952	58,961	69	7.6	05.2-10.0	14	1.8	00.6-03.0	7	0.7	00.1-01.3	82	10.0	07.1-12.9	780	79.9	76.2-83.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1451	100,112	101	6.5	04.9-08.1	28	2.3	01.1-03.5	11	1.1	00.1-02.1	118	10.3	07.8-12.8	1193	79.8	76.7-82.9
18-24	52	6,629	4	5.2	00.0-11.7	1	3.8	00.0-11.2	2	3.3	00.0-07.8	17	41.0	22.0-60.0	28	46.8	28.0-65.6
25-34	101	10,666	8	4.9	00.8-09.0	8	6.9	00.8-13.0	2	1.4	00.0-03.4	19	15.6	07.0-24.2	64	71.2	60.4-82.0
35-44	117	12,639	13	9.3	03.6-15.0	1	1.2	00.0-03.6				21	17.4	08.4-26.4	82	72.2	62.0-82.4
45-54	279	19,835	19	8.1	03.2-13.0	6	3.5	00.0-07.2	2	0.2	00.0-00.4	16	3.7	01.7-05.7	236	84.5	78.4-90.6
55-64	395	23,784	24	4.9	02.5-07.3	4	1.0	00.0-02.2	3	2.5	00.0-06.2	22	7.9	03.4-12.4	342	83.8	77.9-89.7
65+	496	26,016	30	6.0	03.3-08.7	8	0.8	00.0-01.6	2	0.4	00.0-01.0	22	4.3	02.1-06.5	434	88.6	85.1-92.1
Less Than H.S.	106	10,578	11	9.1	03.0-15.2	1	1.8	00.0-05.3	2	5.3	00.0-13.5	6	6.2	00.1-12.3	86	77.5	66.3-88.7
H.S. or G.E.D.	495	29,204	38	5.8	03.1-08.5	10	3.0	00.5-05.5	3	0.5	00.0-01.3	53	14.3	09.8-18.8	391	76.5	71.0-82.0
Some Post-H.S.	436	37,392	26	5.3	02.6-08.0	5	1.1	00.0-02.5	4	0.6	00.0-01.4	30	10.7	05.8-15.6	371	82.3	76.8-87.8
College Graduate	407	22,398	25	8.5	05.0-12.0	11	2.8	00.3-05.3	2	0.7	00.0-01.7	29	6.6	03.5-09.7	340	81.4	76.3-86.5
Less than \$15,000	64	6,015	4	4.6	00.0-09.5	1	3.7	00.0-11.0	2	2.1	00.0-05.6	11	26.3	09.2-43.4	46	63.3	46.1-80.5
\$15,000- 24,999	176	13,198	11	5.2	01.3-09.1	6	4.5	00.0-09.2	2	1.5	00.0-03.7	14	11.4	03.2-19.6	143	77.4	67.8-87.0
\$25,000- 34,999	129	9,637	10	4.7	01.2-08.2	1	0.5	00.0-01.5	1	0.2	00.0-00.6	13	11.4	03.0-19.8	104	83.1	74.1-92.1
\$35,000- 49,999	225	14,795	18	7.3	02.8-11.8	4	0.9	00.0-02.1	1	0.7	00.0-02.1	18	10.3	04.8-15.8	184	80.8	73.9-87.7
\$50,000- 74,999	272	17,693	12	5.2	01.7-08.7	5	2.2	00.0-05.3				24	11.1	05.4-16.8	231	81.5	74.6-88.4
\$75,000+	486	31,500	35	8.4	04.9-11.9	10	2.6	00.4-04.8	4	0.6	00.0-01.4	30	6.4	03.1-09.7	407	82.0	76.9-87.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2126	120,484	176	9.2	07.4-11.0	22	1.3	00.3-02.3	23	1.5	00.5-02.5	174	10.9	08.7-13.1	1731	77.2	74.5-79.9
25-34	145	15,205	12	9.2	03.3-15.1	2	1.3	00.0-03.3	6	6.2	00.0-12.5	31	19.6	11.8-27.4	94	63.6	53.6-73.6
35-44	157	14,112	15	11.1	04.8-17.4	4	2.5	00.0-05.6	2	0.7	00.0-01.7	28	16.4	09.5-23.3	108	69.3	60.5-78.1
45-54	301	19,982	30	10.4	05.7-15.1	2	0.5	00.0-01.3	4	1.1	00.0-02.3	23	8.8	03.9-13.7	242	79.1	72.8-85.4
55-64	508	23,889	38	7.7	04.0-11.4	4	0.7	00.0-01.5	4	0.5	00.0-01.1	39	7.5	04.6-10.4	423	83.6	79.1-88.1
65+	958	39,050	76	8.7	06.3-11.1	8	0.5	00.1-00.9	3	0.1	00.0-00.3	43	4.7	03.1-06.3	828	86.0	83.3-88.7
Less Than H.S.	138	10,648	15	13.1	03.3-22.9	2	0.5	00.0-01.1	2	4.2	00.0-12.0	14	19.1	05.2-33.0	105	63.1	48.6-77.6
H.S. or G.E.D.	676	31,072	54	9.8	06.7-12.9	9	0.9	00.1-01.7	10	1.4	00.4-02.4	56	11.2	07.5-14.9	547	76.7	72.2-81.2
Some Post-H.S.	727	50,251	58	8.3	05.6-11.0	6	1.7	00.0-03.7	8	1.5	00.3-02.7	47	7.4	04.7-10.1	608	81.1	77.0-85.2
College Graduate	580	28,328	48	8.6	05.5-11.7	5	1.3	00.1-02.5	3	0.5	00.0-01.1	57	13.7	09.6-17.8	467	75.9	71.0-80.8
Less than \$15,000	191	12,517	18	8.1	03.6-12.6				6	7.2	00.0-14.6	16	22.1	09.4-34.8	151	62.7	50.2-75.2
\$15,000- 24,999	338	20,410	27	12.0	06.1-17.9	6	0.6	00.0-01.2	4	1.1	00.0-02.3	25	8.1	04.2-12.0	276	78.3	71.6-85.0
\$25,000- 34,999	212	11,007	18	11.7	05.0-18.4	3	1.2	00.0-02.6	1	0.8	00.0-02.4	18	10.1	03.8-16.4	172	76.3	67.9-84.7
\$35,000- 49,999	285	14,966	28	9.5	05.2-13.8	5	1.4	00.0-02.8	2	0.3	00.0-00.9	22	9.6	04.9-14.3	228	79.1	72.8-85.4
\$50,000- 74,999	298	16,412	17	6.7	03.0-10.4	2	4.2	00.0-10.3	5	1.8	00.2-03.4	23	8.2	03.9-12.5	251	79.2	71.8-86.6
\$75,000+	466	27,461	34	6.6	03.7-09.5	4	0.9	00.0-01.9	3	0.8	00.0-01.8	52	14.2	09.5-18.9	373	77.6	72.3-82.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7125	498,149	1426	16.4	15.2-17.6	5699	83.6	82.4-84.8
Male	3193	250,521	634	16.4	14.8-18.0	2559	83.6	82.0-85.2
Female	3932	247,627	792	16.5	14.9-18.1	3140	83.5	81.9-85.1
18-24	425	71,962	15	4.8	01.9-07.7	410	95.2	92.3-98.1
25-34	797	84,991	53	6.8	04.4-09.2	744	93.2	90.8-95.6
35-44	799	71,083	78	9.2	06.7-11.7	721	90.8	88.3-93.3
45-54	1218	84,162	203	15.5	13.0-18.0	1015	84.5	82.0-87.0
55-64	1581	82,869	351	22.3	19.6-25.0	1230	77.7	75.0-80.4
65+	2241	98,853	713	33.8	31.3-36.3	1528	66.2	63.7-68.7
Less Than H.S.	456	44,694	139	26.9	21.4-32.4	317	73.1	67.6-78.6
H.S. or G.E.D.	2179	133,395	490	17.9	15.7-20.1	1689	82.1	79.9-84.3
Some Post-H.S.	2315	195,319	476	16.2	14.2-18.2	1839	83.8	81.8-85.8
College Graduate	2153	123,157	316	11.1	09.5-12.7	1837	88.9	87.3-90.5
Less than \$15,000	447	38,588	129	23.6	18.1-29.1	318	76.4	70.9-81.9
\$15,000- 24,999	834	60,207	234	22.2	18.5-25.9	600	77.8	74.1-81.5
\$25,000- 34,999	652	44,781	145	19.5	15.2-23.8	507	80.5	76.2-84.8
\$35,000- 49,999	962	64,376	191	17.6	14.5-20.7	771	82.4	79.3-85.5
\$50,000- 74,999	1171	86,200	193	12.9	10.5-15.3	978	87.1	84.7-89.5
\$75,000+	2181	142,797	321	11.2	09.6-12.8	1860	88.8	87.2-90.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3193	250,521	634	16.4	14.8-18.0	2559	83.6	82.0-85.2
18-24	250	38,758	9	4.1	00.6-07.6	241	95.9	92.4-99.4
25-34	394	45,114	30	7.8	04.5-11.1	364	92.2	88.9-95.5
35-44	375	36,751	45	9.9	06.2-13.6	330	90.1	86.4-93.8
45-54	579	42,391	110	16.2	12.5-19.9	469	83.8	80.1-87.5
55-64	728	43,022	176	24.6	20.3-28.9	552	75.4	71.1-79.7
65+	845	42,988	260	33.7	29.6-37.8	585	66.3	62.2-70.4
Less Than H.S.	243	25,725	58	20.9	14.8-27.0	185	79.1	73.0-85.2
H.S. or G.E.D.	1027	72,775	215	17.3	14.4-20.2	812	82.7	79.8-85.6
Some Post-H.S.	992	94,786	198	16.0	13.1-18.9	794	84.0	81.1-86.9
College Graduate	920	56,242	162	13.9	11.4-16.4	758	86.1	83.6-88.6
Less than \$15,000	141	14,458	30	18.4	10.4-26.4	111	81.6	73.6-89.6
\$15,000- 24,999	311	27,581	91	22.1	16.0-28.2	220	77.9	71.8-84.0
\$25,000- 34,999	263	22,142	55	18.3	11.4-25.2	208	81.7	74.8-88.6
\$35,000- 49,999	477	37,210	102	19.2	14.7-23.7	375	80.8	76.3-85.3
\$50,000- 74,999	597	47,696	105	13.3	10.0-16.6	492	86.7	83.4-90.0
\$75,000+	1127	76,952	187	13.5	11.0-16.0	940	86.5	84.0-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3932	247,627	792	16.5	14.9-18.1	3140	83.5	81.9-85.1
18-24	175	33,204	6	5.6	00.7-10.5	169	94.4	89.5-99.3
25-34	403	39,878	23	5.7	02.6-08.8	380	94.3	91.2-97.4
35-44	424	34,332	33	8.4	04.9-11.9	391	91.6	88.1-95.1
45-54	639	41,771	93	14.7	11.2-18.2	546	85.3	81.8-88.8
55-64	853	39,848	175	20.0	16.7-23.3	678	80.0	76.7-83.3
65+	1396	55,866	453	33.9	30.6-37.2	943	66.1	62.8-69.4
Less Than H.S.	213	18,969	81	35.2	25.8-44.6	132	64.8	55.4-74.2
H.S. or G.E.D.	1152	60,620	275	18.6	15.7-21.5	877	81.4	78.5-84.3
Some Post-H.S.	1323	100,533	278	16.4	13.9-18.9	1045	83.6	81.1-86.1
College Graduate	1233	66,916	154	8.8	06.8-10.8	1079	91.2	89.2-93.2
Less than \$15,000	306	24,130	99	26.7	19.3-34.1	207	73.3	65.9-80.7
\$15,000- 24,999	523	32,626	143	22.3	17.4-27.2	380	77.7	72.8-82.6
\$25,000- 34,999	389	22,639	90	20.6	15.1-26.1	299	79.4	73.9-84.9
\$35,000- 49,999	485	27,166	89	15.3	11.4-19.2	396	84.7	80.8-88.6
\$50,000- 74,999	574	38,503	88	12.4	09.1-15.7	486	87.6	84.3-90.9
\$75,000+	1054	65,846	134	8.5	06.7-10.3	920	91.5	89.7-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 8: CARDIOVASCULAR HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)	
19	MALES AND FEMALES	102
20	MALES ONLY	103
21	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	403	20,121	199	52.1	45.8-58.4	204	47.9	41.6-54.2
Male	252	14,037	127	54.9	47.1-62.7	125	45.1	37.3-52.9
Female	151	6,084	72	45.8	35.6-56.0	79	54.2	44.0-64.4
55-64	87	5,099	43	48.1	34.6-61.6	44	51.9	38.4-65.4
65+	283	12,790	144	56.8	49.5-64.1	139	43.2	35.9-50.5
Less Than H.S.	54	3,638	23	47.1	30.4-63.8	31	52.9	36.2-69.6
H.S. or G.E.D.	150	6,055	69	46.7	36.3-57.1	81	53.3	42.9-63.7
Some Post-H.S.	121	7,115	61	53.7	42.3-65.1	60	46.3	34.9-57.7
College Graduate	78	3,312	46	64.3	50.6-78.0	32	35.7	22.0-49.4
\$15,000- 24,999	76	3,812	38	57.4	42.7-72.1	38	42.6	27.9-57.3
\$35,000- 49,999	65	3,051	28	50.1	34.6-65.6	37	49.9	34.4-65.4
\$75,000+	69	3,405	39	66.8	52.9-80.7	30	33.2	19.3-47.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	14,037	127	54.9	47.1-62.7	125	45.1	37.3-52.9
55-64	64	4,027	33	50.9	35.4-66.4	31	49.1	33.6-64.6
65+	167	8,500	85	59.5	50.5-68.5	82	40.5	31.5-49.5
H.S. or G.E.D.	89	4,147	40	46.4	33.3-59.5	49	53.6	40.5-66.7
Some Post-H.S.	73	4,704	40	60.7	46.8-74.6	33	39.3	25.4-53.2
College Graduate	58	2,810	35	65.1	49.6-80.6	23	34.9	19.4-50.4
\$15,000- 24,999	51	2,701	27	64.7	48.4-81.0	24	35.3	19.0-51.6
\$75,000+	55	3,082	34	70.6	55.9-85.3	21	29.4	14.7-44.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	151	6,084	72	45.8	35.8-55.8	79	54.2	44.2-64.2
65+	116	4,291	59	51.4	39.6-63.2	57	48.6	36.8-60.4
H.S. or G.E.D.	61	1,908	29	47.2	31.1-63.3	32	52.8	36.7-68.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	240	12,473	73	27.1	20.0-34.2	167	72.9	65.8-80.0
Male	107	6,540	39	31.8	20.6-43.0	68	68.2	57.0-79.4
Female	133	5,933	34	22.0	13.4-30.6	99	78.0	69.4-86.6
65+	167	7,826	51	28.3	19.5-37.1	116	71.7	62.9-80.5
H.S. or G.E.D.	77	3,778	23	24.3	13.1-35.5	54	75.7	64.5-86.9
Some Post-H.S.	84	4,572	25	24.8	13.0-36.6	59	75.2	63.4-87.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	107	6,540	39	31.8	20.6-43.0	68	68.2	57.0-79.4
65+	70	4,164	27	34.4	20.1-48.7	43	65.6	51.3-79.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	133	5,933	34	22.0	13.2-30.8	99	78.0	69.2-86.8
65+	97	3,663	24	21.4	12.2-30.6	73	78.6	69.4-87.8
H.S. or G.E.D.	50	2,323	13	22.0	07.9-36.1	37	78.0	63.9-92.1
Some Post-H.S.	50	2,533	11	18.2	05.3-31.1	39	81.8	68.9-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7152	499,320	2488	27.1	25.7-28.5	4664	72.9	71.5-74.3
Male	3207	251,000	1175	29.2	27.2-31.2	2032	70.8	68.8-72.8
Female	3945	248,321	1313	25.1	23.3-26.9	2632	74.9	73.1-76.7
18-24	425	71,962	25	5.9	02.8-09.0	400	94.1	91.0-97.2
25-34	795	84,806	47	6.1	03.9-08.3	748	93.9	91.7-96.1
35-44	800	71,208	74	8.4	06.0-10.8	726	91.6	89.2-94.0
45-54	1215	83,941	299	24.3	21.2-27.4	916	75.7	72.6-78.8
55-64	1590	83,204	669	44.4	41.1-47.7	921	55.6	52.3-58.9
65+	2264	99,996	1351	61.2	58.7-63.7	913	38.8	36.3-41.3
Less Than H.S.	460	44,838	212	37.9	31.8-44.0	248	62.1	56.0-68.2
H.S. or G.E.D.	2184	133,632	837	30.5	28.0-33.0	1347	69.5	67.0-72.0
Some Post-H.S.	2327	195,718	783	25.2	23.0-27.4	1544	74.8	72.6-77.0
College Graduate	2159	123,548	649	22.7	20.5-24.9	1510	77.3	75.1-79.5
Less than \$15,000	449	38,685	189	26.9	21.4-32.4	260	73.1	67.6-78.6
\$15,000- 24,999	845	60,852	374	35.9	31.4-40.4	471	64.1	59.6-68.6
\$25,000- 34,999	655	44,983	269	31.3	26.6-36.0	386	68.7	64.0-73.4
\$35,000- 49,999	961	64,124	345	29.2	25.5-32.9	616	70.8	67.1-74.5
\$50,000- 74,999	1173	86,320	379	25.0	21.7-28.3	794	75.0	71.7-78.3
\$75,000+	2184	142,792	602	21.6	19.6-23.6	1582	78.4	76.4-80.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	251,000	1175	29.2	27.2-31.2	2032	70.8	68.8-72.8
18-24	250	38,758	16	4.5	01.6-07.4	234	95.5	92.6-98.4
25-34	393	44,957	33	8.2	04.9-11.5	360	91.8	88.5-95.1
35-44	375	36,751	44	11.3	07.2-15.4	331	88.7	84.6-92.8
45-54	576	42,170	170	28.1	23.4-32.8	406	71.9	67.2-76.6
55-64	731	42,958	349	50.8	45.9-55.7	382	49.2	44.3-54.1
65+	860	43,907	556	66.6	62.5-70.7	304	33.4	29.3-37.5
Less Than H.S.	245	25,871	107	34.2	26.8-41.6	138	65.8	58.4-73.2
H.S. or G.E.D.	1032	73,068	387	29.8	26.3-33.3	645	70.2	66.7-73.7
Some Post-H.S.	998	94,776	346	27.1	23.6-30.6	652	72.9	69.4-76.4
College Graduate	921	56,291	334	29.8	26.3-33.3	587	70.2	66.7-73.7
Less than \$15,000	141	14,458	53	26.0	17.6-34.4	88	74.0	65.6-82.4
\$15,000- 24,999	317	27,841	143	37.2	29.9-44.5	174	62.8	55.5-70.1
\$25,000- 34,999	265	22,326	103	30.8	23.4-38.2	162	69.2	61.8-76.6
\$35,000- 49,999	477	37,123	195	32.9	27.6-38.2	282	67.1	61.8-72.4
\$50,000- 74,999	598	47,650	232	28.9	24.4-33.4	366	71.1	66.6-75.6
\$75,000+	1128	76,918	368	26.8	23.7-29.9	760	73.2	70.1-76.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3945	248,321	1313	25.1	23.3-26.9	2632	74.9	73.1-76.7
18-24	175	33,204	9	7.4	01.7-13.1	166	92.6	86.9-98.3
25-34	402	39,850	14	3.7	01.0-06.4	388	96.3	93.6-99.0
35-44	425	34,457	30	5.3	03.1-07.5	395	94.7	92.5-96.9
45-54	639	41,771	129	20.5	16.4-24.6	510	79.5	75.4-83.6
55-64	859	40,246	320	37.5	33.4-41.6	539	62.5	58.4-66.6
65+	1404	56,089	795	56.9	53.6-60.2	609	43.1	39.8-46.4
Less Than H.S.	215	18,967	105	42.9	32.9-52.9	110	57.1	47.1-67.1
H.S. or G.E.D.	1152	60,564	450	31.2	27.5-34.9	702	68.8	65.1-72.5
Some Post-H.S.	1329	100,942	437	23.3	20.6-26.0	892	76.7	74.0-79.4
College Graduate	1238	67,257	315	16.8	14.4-19.2	923	83.2	80.8-85.6
Less than \$15,000	308	24,227	136	27.5	20.4-34.6	172	72.5	65.4-79.6
\$15,000- 24,999	528	33,011	231	34.8	29.3-40.3	297	65.2	59.7-70.7
\$25,000- 34,999	390	22,657	166	31.8	25.7-37.9	224	68.2	62.1-74.3
\$35,000- 49,999	484	27,000	150	24.2	19.5-28.9	334	75.8	71.1-80.5
\$50,000- 74,999	575	38,670	147	20.2	15.3-25.1	428	79.8	74.9-84.7
\$75,000+	1056	65,874	234	15.5	13.1-17.9	822	84.5	82.1-86.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4632	362,065	286	4.7	03.9-05.5	140	2.5	01.9-03.1	4206	92.7	91.7-93.7
Male	2021	176,875	91	3.3	02.5-04.1	45	2.3	01.3-03.3	1885	94.4	93.2-95.6
Female	2611	185,189	195	6.1	04.9-07.3	95	2.8	01.8-03.8	2321	91.1	89.5-92.7
18-24	398	67,659	5	1.1	00.0-02.5	7	2.0	00.0-04.2	386	96.9	94.4-99.4
25-34	748	79,668	18	2.3	01.1-03.5	9	1.6	00.4-02.8	721	96.1	94.3-97.9
35-44	722	64,895	16	2.2	00.8-03.6	9	1.1	00.3-01.9	697	96.7	95.1-98.3
45-54	913	63,199	38	5.3	03.3-07.3	20	3.0	01.2-04.8	855	91.7	89.2-94.2
55-64	917	46,067	63	8.6	06.1-11.1	40	4.2	02.4-06.0	814	87.2	84.3-90.1
65+	894	37,997	143	14.8	11.9-17.7	54	5.3	03.5-07.1	697	79.9	76.6-83.2
Less Than H.S.	242	27,427	16	5.3	01.8-08.8	12	5.4	00.0-10.9	214	89.3	83.0-95.6
H.S. or G.E.D.	1340	92,547	94	4.6	03.4-05.8	51	3.5	02.1-04.9	1195	91.8	90.0-93.6
Some Post-H.S.	1531	145,759	89	4.6	03.4-05.8	35	1.7	00.9-02.5	1407	93.7	92.1-95.3
College Graduate	1505	95,315	86	4.9	03.5-06.3	41	2.0	01.2-02.8	1378	93.1	91.5-94.7
Less than \$15,000	253	27,767	22	5.5	02.6-08.4	15	6.5	01.0-12.0	216	88.0	81.9-94.1
\$15,000- 24,999	468	38,824	38	5.3	03.1-07.5	24	4.2	01.8-06.6	406	90.4	87.3-93.5
\$25,000- 34,999	384	30,799	20	3.5	01.1-05.9	17	3.4	01.2-05.6	347	93.0	89.9-96.1
\$35,000- 49,999	612	45,209	52	7.4	04.7-10.1	15	1.2	00.4-02.0	545	91.3	88.6-94.0
\$50,000- 74,999	791	64,643	58	5.9	03.9-07.9	14	1.3	00.3-02.3	719	92.8	90.6-95.0
\$75,000+	1578	111,763	43	2.2	01.4-03.0	30	1.6	00.8-02.4	1505	96.2	95.0-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	176,875	91	3.3	02.5-04.1	45	2.3	01.3-03.3	1885	94.4	93.2-95.6
18-24	233	36,933	1	0.5	00.0-01.5	5	1.0	00.0-02.2	227	98.5	96.9-0100
25-34	360	41,156	7	1.5	00.1-02.9	5	2.4	00.0-04.8	348	96.2	93.5-98.9
35-44	328	32,316	5	1.5	00.0-03.1	1	0.5	00.0-01.5	322	98.0	96.2-99.8
45-54	405	30,222	14	4.5	01.8-07.2	6	3.2	00.3-06.1	385	92.3	88.4-96.2
55-64	382	21,120	31	9.1	05.2-13.0	14	3.9	01.4-06.4	337	87.0	82.5-91.5
65+	298	14,292	33	8.9	05.2-12.6	14	5.4	02.1-08.7	251	85.7	80.8-90.6
Less Than H.S.	136	16,738	7	3.7	00.0-07.4	3	2.4	00.0-06.5	126	93.8	88.3-99.3
H.S. or G.E.D.	643	51,014	32	3.5	02.1-04.9	18	3.3	01.5-05.1	593	93.2	90.8-95.6
Some Post-H.S.	647	68,782	23	2.9	01.3-04.5	11	1.8	00.4-03.2	613	95.3	93.3-97.3
College Graduate	585	39,430	29	3.6	02.0-05.2	12	1.7	00.3-03.1	544	94.7	92.5-96.9
Less than \$15,000	85	10,371	6	6.0	00.3-11.7	6	7.3	00.0-15.1	73	86.7	77.3-96.1
\$15,000- 24,999	174	17,394	10	2.2	00.4-04.0	6	3.1	00.2-06.0	158	94.6	91.1-98.1
\$25,000- 34,999	162	15,472	5	0.8	00.0-01.6	6	3.7	00.2-07.2	151	95.5	92.0-99.0
\$35,000- 49,999	280	24,726	18	5.6	02.1-09.1	5	1.3	00.0-02.7	257	93.1	89.4-96.8
\$50,000- 74,999	365	33,852	28	5.8	03.3-08.3	7	1.5	00.1-02.9	330	92.7	89.8-95.6
\$75,000+	758	56,144	14	1.3	00.5-02.1	8	1.5	00.0-03.1	736	97.2	95.4-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	185,189	195	6.1	04.9-07.3	95	2.8	01.8-03.8	2321	91.1	89.5-92.7
18-24	165	30,726	4	1.8	00.0-04.3	2	3.2	00.0-07.9	159	95.0	89.7-0100
25-34	388	38,512	11	3.2	01.0-05.4	4	0.7	00.0-01.5	373	96.1	93.9-98.3
35-44	394	32,580	11	2.9	00.5-05.3	8	1.6	00.2-03.0	375	95.4	92.7-98.1
45-54	508	32,977	24	6.0	03.1-08.9	14	2.8	00.6-05.0	470	91.2	87.7-94.7
55-64	535	24,948	32	8.2	04.9-11.5	26	4.5	02.3-06.7	477	87.3	83.6-91.0
65+	596	23,706	110	18.4	14.3-22.5	40	5.3	03.3-07.3	446	76.3	72.0-80.6
Less Than H.S.	106	10,689	9	7.7	01.0-14.4	9	10.0	00.0-22.0	88	82.3	69.4-95.2
H.S. or G.E.D.	697	41,533	62	6.0	04.0-08.0	33	3.9	01.9-05.9	602	90.1	87.4-92.8
Some Post-H.S.	884	76,977	66	6.0	04.0-08.0	24	1.7	00.7-02.7	794	92.3	90.1-94.5
College Graduate	920	55,884	57	5.9	03.9-07.9	29	2.1	01.1-03.1	834	92.0	89.8-94.2
Less than \$15,000	168	17,396	16	5.2	01.9-08.5	9	6.1	00.0-13.7	143	88.7	80.7-96.7
\$15,000- 24,999	294	21,430	28	7.8	04.1-11.5	18	5.1	01.8-08.4	248	87.0	82.1-91.9
\$25,000- 34,999	222	15,327	15	6.3	01.8-10.8	11	3.1	00.9-05.3	196	90.5	85.6-95.4
\$35,000- 49,999	332	20,483	34	9.6	05.5-13.7	10	1.2	00.2-02.2	288	89.2	85.1-93.3
\$50,000- 74,999	426	30,791	30	6.0	02.9-09.1	7	1.1	00.0-02.3	389	92.9	89.6-96.2
\$75,000+	820	55,619	29	3.1	01.7-04.5	22	1.7	00.7-02.7	769	95.1	93.3-96.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 13: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2470	134,765	557	26.1	23.6-28.6	1913	73.9	71.4-76.4
Male	1166	72,893	254	25.1	21.6-28.6	912	74.9	71.4-78.4
Female	1304	61,872	303	27.2	23.3-31.1	1001	72.8	68.9-76.7
35-44	74	5,983	23	38.2	23.1-53.3	51	61.8	46.7-76.9
45-54	297	20,377	82	29.4	22.1-36.7	215	70.6	63.3-77.9
55-64	667	36,861	170	26.0	21.7-30.3	497	74.0	69.7-78.3
65+	1337	60,530	228	16.6	14.1-19.1	1109	83.4	80.9-85.9
Less Than H.S.	205	16,685	48	28.7	19.1-38.3	157	71.3	61.7-80.9
H.S. or G.E.D.	831	40,442	199	27.9	23.4-32.4	632	72.1	67.6-76.6
Some Post-H.S.	782	49,197	183	27.2	22.7-31.7	599	72.8	68.3-77.3
College Graduate	645	27,964	125	20.2	16.1-24.3	520	79.8	75.7-83.9
Less than \$15,000	187	10,355	55	39.3	28.3-50.3	132	60.7	49.7-71.7
\$15,000- 24,999	373	21,830	82	26.4	19.5-33.3	291	73.6	66.7-80.5
\$25,000- 34,999	265	13,795	63	25.9	18.3-33.5	202	74.1	66.5-81.7
\$35,000- 49,999	344	18,734	74	23.5	17.4-29.6	270	76.5	70.4-82.6
\$50,000- 74,999	378	21,520	92	32.6	24.8-40.4	286	67.4	59.6-75.2
\$75,000+	598	30,705	116	19.4	15.3-23.5	482	80.6	76.5-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 14: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1166	72,893	254	25.1	21.6-28.6	912	74.9	71.4-78.4
45-54	168	11,800	43	27.0	17.6-36.4	125	73.0	63.6-82.4
55-64	348	21,828	88	24.8	18.9-30.7	260	75.2	69.3-81.1
65+	550	28,991	74	13.0	09.5-16.5	476	87.0	83.5-90.5
Less Than H.S.	104	8,793	22	24.5	13.3-35.7	82	75.5	64.3-86.7
H.S. or G.E.D.	383	21,615	92	27.4	20.9-33.9	291	72.6	66.1-79.1
Some Post-H.S.	346	25,693	83	28.0	21.5-34.5	263	72.0	65.5-78.5
College Graduate	332	16,709	57	18.2	12.9-23.5	275	81.8	76.5-87.1
Less than \$15,000	52	3,737	13	24.4	09.9-38.9	39	75.6	61.1-90.1
\$15,000- 24,999	142	10,348	34	30.4	19.0-41.8	108	69.6	58.2-81.0
\$25,000- 34,999	101	6,732	26	27.8	15.5-40.1	75	72.2	59.9-84.5
\$35,000- 49,999	195	12,212	40	23.4	15.6-31.2	155	76.6	68.8-84.4
\$50,000- 74,999	231	13,699	55	29.5	20.9-38.1	176	70.5	61.9-79.1
\$75,000+	365	20,565	65	17.9	12.6-23.2	300	82.1	76.8-87.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 15: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1304	61,872	303	27.2	23.3-31.1	1001	72.8	68.9-76.7
45-54	129	8,578	39	32.8	21.6-44.0	90	67.2	56.0-78.4
55-64	319	15,033	82	27.6	21.3-33.9	237	72.4	66.1-78.7
65+	787	31,539	154	19.9	16.2-23.6	633	80.1	76.4-83.8
Less Than H.S.	101	7,892	26	33.5	17.8-49.2	75	66.5	50.8-82.2
H.S. or G.E.D.	448	18,827	107	28.4	21.9-34.9	341	71.6	65.1-78.1
Some Post-H.S.	436	23,504	100	26.4	20.3-32.5	336	73.6	67.5-79.7
College Graduate	313	11,255	68	23.0	16.5-29.5	245	77.0	70.5-83.5
Less than \$15,000	135	6,619	42	47.7	34.2-61.2	93	52.3	38.8-65.8
\$15,000- 24,999	231	11,482	48	22.8	15.4-30.2	183	77.2	69.8-84.6
\$25,000- 34,999	164	7,063	37	24.1	14.7-33.5	127	75.9	66.5-85.3
\$35,000- 49,999	149	6,522	34	23.8	13.8-33.8	115	76.2	66.2-86.2
\$50,000- 74,999	147	7,821	37	38.2	23.5-52.9	110	61.8	47.1-76.5
\$75,000+	233	10,139	51	22.6	15.5-29.7	182	77.4	70.3-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 16: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2427	132,834	2066	80.9	78.4-83.4	361	19.1	16.6-21.6
Male	1152	72,067	989	81.6	78.5-84.7	163	18.4	15.3-21.5
Female	1275	60,767	1077	79.9	76.0-83.8	198	20.1	16.2-24.0
35-44	74	5,983	49	59.2	44.5-73.9	25	40.8	26.1-55.5
45-54	298	20,347	246	80.2	73.9-86.5	52	19.8	13.5-26.1
55-64	660	36,380	582	86.8	83.5-90.1	78	13.2	09.9-16.5
65+	1300	59,111	1154	89.0	86.8-91.2	146	11.0	08.8-13.2
Less Than H.S.	200	16,338	158	74.3	64.9-83.7	42	25.7	16.3-35.1
H.S. or G.E.D.	819	40,003	699	80.1	75.6-84.6	120	19.9	15.4-24.4
Some Post-H.S.	764	48,483	651	81.2	77.1-85.3	113	18.8	14.7-22.9
College Graduate	637	27,533	553	85.1	81.2-89.0	84	14.9	11.0-18.8
Less than \$15,000	183	10,263	147	72.7	61.5-83.9	36	27.3	16.1-38.5
\$15,000- 24,999	365	21,657	305	82.1	76.2-88.0	60	17.9	12.0-23.8
\$25,000- 34,999	260	13,518	226	84.4	77.7-91.1	34	15.6	08.9-22.3
\$35,000- 49,999	338	18,518	286	80.5	74.4-86.6	52	19.5	13.4-25.6
\$50,000- 74,999	374	21,276	323	77.5	69.7-85.3	51	22.5	14.7-30.3
\$75,000+	597	30,614	515	81.9	77.6-86.2	82	18.1	13.8-22.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 17: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1152	72,067	989	81.6	78.5-84.7	163	18.4	15.3-21.5
45-54	169	11,769	148	85.4	78.1-92.7	21	14.6	07.3-21.9
55-64	344	21,467	301	85.8	81.1-90.5	43	14.2	09.5-18.9
65+	539	28,557	492	90.8	87.7-93.9	47	9.2	06.1-12.3
Less Than H.S.	103	8,699	78	74.2	63.8-84.6	25	25.8	15.4-36.2
H.S. or G.E.D.	379	21,409	329	80.8	74.7-86.9	50	19.2	13.1-25.3
Some Post-H.S.	340	25,465	286	81.2	75.5-86.9	54	18.8	13.1-24.5
College Graduate	329	16,411	295	87.3	82.6-92.0	34	12.7	08.0-17.4
\$15,000- 24,999	140	10,322	121	84.6	75.4-93.8	19	15.4	06.2-24.6
\$25,000- 34,999	101	6,651	86	83.7	72.9-94.5	15	16.3	05.5-27.1
\$35,000- 49,999	191	12,076	164	82.5	75.2-89.8	27	17.5	10.2-24.8
\$50,000- 74,999	229	13,552	195	78.3	70.5-86.1	34	21.7	13.9-29.5
\$75,000+	365	20,479	319	82.7	77.2-88.2	46	17.3	11.8-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 18: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1275	60,767	1077	79.9	76.2-83.6	198	20.1	16.4-23.8
45-54	129	8,578	98	73.2	62.2-84.2	31	26.8	15.8-37.8
55-64	316	14,912	281	88.2	83.7-92.7	35	11.8	07.3-16.3
65+	761	30,554	662	87.4	84.5-90.3	99	12.6	09.7-15.5
Less Than H.S.	97	7,639	80	74.4	58.1-90.7	17	25.6	09.3-41.9
H.S. or G.E.D.	440	18,594	370	79.2	72.7-85.7	70	20.8	14.3-27.3
Some Post-H.S.	424	23,019	365	81.2	75.3-87.1	59	18.8	12.9-24.7
College Graduate	308	11,122	258	81.8	75.5-88.1	50	18.2	11.9-24.5
Less than \$15,000	134	6,630	109	71.0	56.1-85.9	25	29.0	14.1-43.9
\$15,000- 24,999	225	11,334	184	79.8	72.4-87.2	41	20.2	12.8-27.6
\$25,000- 34,999	159	6,867	140	85.0	76.8-93.2	19	15.0	06.8-23.2
\$35,000- 49,999	147	6,442	122	76.7	66.1-87.3	25	23.3	12.7-33.9
\$50,000- 74,999	145	7,723	128	76.2	59.5-92.9	17	23.8	07.1-40.5
\$75,000+	232	10,135	196	80.3	73.0-87.6	36	19.7	12.4-27.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 19: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2313	127,327	1698	69.5	66.8-72.2	615	30.5	27.8-33.2
Male	1102	68,688	793	68.0	64.3-71.7	309	32.0	28.3-35.7
Female	1211	58,638	905	71.3	67.2-75.4	306	28.7	24.6-32.8
35-44	73	5,824	47	60.8	46.1-75.5	26	39.2	24.5-53.9
45-54	291	19,939	207	66.8	59.4-74.2	84	33.2	25.8-40.6
55-64	639	35,273	489	74.7	70.2-79.2	150	25.3	20.8-29.8
65+	1219	55,486	924	75.7	72.6-78.8	295	24.3	21.2-27.4
Less Than H.S.	190	15,552	120	59.4	49.4-69.4	70	40.6	30.6-50.6
H.S. or G.E.D.	778	38,073	568	68.9	64.2-73.6	210	31.1	26.4-35.8
Some Post-H.S.	727	46,283	539	70.6	66.1-75.1	188	29.4	24.9-33.9
College Graduate	611	26,942	466	74.7	70.2-79.2	145	25.3	20.8-29.8
Less than \$15,000	171	9,583	124	65.3	53.5-77.1	47	34.7	22.9-46.5
\$15,000- 24,999	351	20,389	240	66.8	59.7-73.9	111	33.2	26.1-40.3
\$25,000- 34,999	254	13,399	186	67.1	58.7-75.5	68	32.9	24.5-41.3
\$35,000- 49,999	319	17,597	239	74.4	67.9-80.9	80	25.6	19.1-32.1
\$50,000- 74,999	362	20,753	262	63.0	55.2-70.8	100	37.0	29.2-44.8
\$75,000+	570	29,546	433	71.6	66.7-76.5	137	28.4	23.5-33.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 20: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1102	68,688	793	68.0	64.3-71.7	309	32.0	28.3-35.7
45-54	165	11,500	120	68.4	58.8-78.0	45	31.6	22.0-41.2
55-64	332	20,710	239	70.5	64.0-77.0	93	29.5	23.0-36.0
65+	508	26,493	391	75.7	71.0-80.4	117	24.3	19.6-29.0
Less Than H.S.	99	8,217	60	57.8	45.3-70.3	39	42.2	29.7-54.7
H.S. or G.E.D.	362	20,299	263	68.0	61.3-74.7	99	32.0	25.3-38.7
Some Post-H.S.	323	24,012	219	65.8	58.9-72.7	104	34.2	27.3-41.1
College Graduate	317	16,078	250	76.0	70.1-81.9	67	24.0	18.1-29.9
\$15,000- 24,999	135	9,545	90	64.3	52.5-76.1	45	35.7	23.9-47.5
\$25,000- 34,999	99	6,527	70	63.8	50.1-77.5	29	36.2	22.5-49.9
\$35,000- 49,999	184	11,460	131	72.0	63.8-80.2	53	28.0	19.8-36.2
\$50,000- 74,999	220	13,104	153	62.2	53.6-70.8	67	37.8	29.2-46.4
\$75,000+	348	19,780	261	70.4	64.1-76.7	87	29.6	23.3-35.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 21: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1211	58,638	905	71.3	67.2-75.4	306	28.7	24.6-32.8
45-54	126	8,439	87	64.6	53.0-76.2	39	35.4	23.8-47.0
55-64	307	14,563	250	80.8	75.3-86.3	57	19.2	13.7-24.7
65+	711	28,993	533	75.7	71.6-79.8	178	24.3	20.2-28.4
Less Than H.S.	91	7,335	60	61.2	44.7-77.7	31	38.8	22.3-55.3
H.S. or G.E.D.	416	17,774	305	69.8	63.1-76.5	111	30.2	23.5-36.9
Some Post-H.S.	404	22,271	320	75.8	69.5-82.1	84	24.2	17.9-30.5
College Graduate	294	10,865	216	72.8	65.9-79.7	78	27.2	20.3-34.1
Less than \$15,000	127	6,374	91	62.3	47.2-77.4	36	37.7	22.6-52.8
\$15,000- 24,999	216	10,844	150	69.1	60.7-77.5	66	30.9	22.5-39.3
\$25,000- 34,999	155	6,872	116	70.2	60.2-80.2	39	29.8	19.8-39.8
\$35,000- 49,999	135	6,138	108	78.8	68.4-89.2	27	21.2	10.8-31.6
\$50,000- 74,999	142	7,650	109	64.4	48.9-79.9	33	35.6	20.1-51.1
\$75,000+	222	9,766	172	74.2	66.4-82.0	50	25.8	18.0-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

End of Module Data Report